




MECHANICAL CURB
 A3.17 | REVISION DATE: 11.12.2018 | SCALE: 3" = 1'-0" 1




ROOF HATCH
 A10.2 | REVISION DATE: 11.12.2018 | SCALE: 3/4" = 1'-0" 8



ROOF SCUTTLE
 A10.4 | REVISION DATE: 04.23.2019 | SCALE: 1/2" = 1'-0" 2



ROOF HATCH RAILING
 A10.3 | REVISION DATE: 11.12.2018 | SCALE: 1 1/2" = 1'-0" 3



ROOF LADDER NOTES:
 - LADDER SHALL BE CAPABLE OF BEARING LOADS PER LATEST BUILDING CODE AND OSHA STANDARDS FOR LADDER CONSTRUCTION
 - LADDER MANUFACTURER SHALL PROVIDE SHOP DRAWINGS NOTING ALL WELD INFORMATION AND ALL INFORMATION REGARDING CONNECTION TO BUILDING ELEMENTS
 - PROVIDE OSHA APPROVED VI-GO LADDER CLIMBING SAFETY SYSTEM ON EACH OF THE LADDERS PROVIDED.
 - PAINT WHOLE SYSTEM GREY, TYPICAL

ROOF LADDER W/ CAGE & PLATFORM
 A10.1 | REVISION DATE: 11.12.2018 | SCALE: 1/4" = 1'-0" 5

SUBMITTALS

| NO. | DATE | DESCRIPTION |
|-----|------------|--------------|
| 0 | 05.27.2022 | PROGRESS SET |

PROJECT NO. AS286-21 | NY131
 DRAWN BY ARCO
 SHEET TITLE
ROOF DETAILS