



SUBMITTALS


NO.	DATE	DESCRIPTION
1	05.27.2022	PROGRESS SET



WALL SECTION @ DID
 SCALE: 3/16" = 1'-0"



WALL SECTION @ PANEL
 SCALE: 3/16" = 1'-0"




ENLARGED ELEVATION @ DOCK WALL
 SCALE: 3/16" = 1'-0"

GLAZING LEGEND


- GLASS:
- GL-01 INSULATED GLAZING UNIT
 - GL-02 TEMPERED SAFETY GLASS
- GLAZING TYPE

NOTES

- SEE SHEET G-0.02 FOR GENERAL NOTES
- 202 CONCRETE SLAB. SEE STRUCTURAL DRAWINGS FOR SLAB DESIGN.
 - 217 BOLLARD. 8" DIA. CONCRETE FILLED, GALVANIZED STEEL, WITH "TOP-GUARD" CAP, PAINTED YELLOW.
 - 218 BOLLARD. 6" DIA. CONCRETE FILLED, GALVANIZED STEEL, WITH "TOP-GUARD" CAP, PAINTED YELLOW.
 - 220 STEEL STAIR WITH GUARDRAIL AND HANDRAIL. ALL MATERIALS TO BE GALVANIZED.
 - 223 CONCRETE EXTERIOR DRIVE-IN RAMP.
 - 304 0.60ML, SINGLE PLY, FULLY ADHERED, WHITE TPO ROOF SYSTEM WITH MINIMUM RIGID ROOF INSULATION TO MEET CURRENT CODES, (2 LAYERS, STAGGERED JOINTS) OVER METAL DECK PER OUTLINE SPECIFICATIONS, 20 YEAR NDL, MANUFACTURER'S STANDARD WARRANTY.
 - 323 ROOF FRAMING. SEE STRUCTURAL DRAWINGS.
 - 403 CONCRETE FOOTING. SEE STRUCTURAL DRAWINGS.
 - 404 FINISH GRADE VARIES. SEE CIVIL DRAWINGS.
 - 406 TYPE "B" 2-3/4" x 3/4" REVEAL.
 - 409 9'-0" WIDE x 10'-0" HIGH SECTIONAL OVERHEAD DOOR.
 - 411 12'-0" WIDE x 14'-0" HIGH DRIVE-IN DOOR.
 - 412 DOCK BUMPER.
 - 413 DOCK SEAL.
 - 419 CLERESTORY WINDOW. SEE SCHEDULE FOR DETAILS.
 - 422 DOWNSPOUT GUARD.



WALL SECTION @ K.O.
 SCALE: 3/16" = 1'-0"



ENLARGED FLOOR PLAN @ DOCK WALL
 SCALE: 3/16" = 1'-0"