


- NOTES:**
- UNLESS OTHERWISE SPECIFIED, PIPE FOR WATER SUPPLY AND DISTRIBUTION LINES SHALL BE POLYVINYL CHLORIDE PRESSURE PIPE (PVC-P), CLASS 235 PSI, OR 18" WITH PUSH-ON JOINTS IN ACCORDANCE WITH AWWA C-300 (BLUE BRUTE).
 - WATER MAIN SHALL HAVE A MINIMUM 18" CLEARANCE TO SANITARY SEWER AND DRAINAGE PIPES AND A MINIMUM 12" CLEARANCE TO ALL OTHER UTILITIES.



Date	Description	No.
10/14/2022	REV. FOR NYDEP SUBMISSION	3
03/25/2022	REV. PER TOWN COMMENTS	2
03/07/2022	REV. PER TOWN COMMENTS	1

WARNING: IT IS A VIOLATION OF THE NYS EDUCATION LAW ARTICLE 145 FOR ANY PERSON, UNLESS HE IS ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, LAND SURVEYOR OR GEOLOGIST, TO ALTER THIS ITEM IN ANY WAY.

Signature: *[Signature]*
 PROFESSIONAL ENGINEER
 STATE OF NEW YORK
 License No. 081473
 Date: 11/7/2022
 LEED-AP
 PROFESSIONAL ENGINEER
 License No. 081473

LANGAN
 Langan Engineering, Environmental, Surveying,
 Landscape Architecture, and Geology, D.P.C.
 One North Broadway, Suite 910
 White Plains, NY 10601
 T: 914.323.7400 F: 914.323.7401 www.langan.com

Project: LINCOLN LOGISTICS BREWSTER
 TOWN OF SOUTHEAST
 PUTNAM COUNTY NEW YORK

Drawing Title: WATERLINE PROFILES (5 OF 9)

Project No. 190065201
 Date: 1/28/2022
 Drawn By: JMSK
 Checked By: CZMF
 Drawing No. C-314
 Sheet 33 of 97