


ANY ALTERATION OF PLANS, SPECIFICATIONS, PLATS AND REPORTS BEARING THE SEAL OF A LICENSED PROFESSIONAL ENGINEER OR LICENSED LAND SURVEYOR, WITHOUT THE WRITTEN PERMISSION OF JMC, SHALL BE CONSIDERED A VIOLATION OF THE PROFESSIONAL ETHICS OF THE ENGINEER OR LAND SURVEYOR, AND IS SUBJECT TO THE PENALTIES OF THE PROFESSIONAL ETHICS ACT, SECTION 208, SUBSECTION 2.

COPYRIGHT © 2023 BY JMC. All Rights Reserved. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form, by means electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of JMC. JMC is a registered professional engineering and land surveying firm. JMC and JMC SITE DEVELOPMENT CONSULTANTS, LLC are registered professional engineering and land surveying firms. JMC, JMC SITE DEVELOPMENT CONSULTANTS, LLC, and JMC SITE DEVELOPMENT CONSULTANTS, LLC are registered professional engineering and land surveying firms. JMC, JMC SITE DEVELOPMENT CONSULTANTS, LLC, and JMC SITE DEVELOPMENT CONSULTANTS, LLC are registered professional engineering and land surveying firms.



LEGEND

	EXISTING PROPERTY LINE
	ADJACENT PROPERTY LINE
	PROPOSED PROPERTY LINE
	EXISTING WETLAND LINE AND DELINEATION
	EXISTING PAVEMENT EDGE/CURB LINE
	EXISTING CONTOUR
	EXISTING INDEX CONTOUR
	EXISTING SPOT GRADE
	EXISTING STONE WALL
	EXISTING RETAINING WALL
	EXISTING GUIDE RAIL
	EXISTING FENCE
	EXISTING DRAIN INLET
	EXISTING MANHOLE
	EXISTING UTILITY POLE
	PROPOSED PAVEMENT EDGE/CONCRETE CURB
	PROPOSED FINISHED GRADE
	PROPOSED SPOT GRADE
	PROPOSED STORM DRAIN MANHOLE
	PROPOSED TYPE DI DRAIN INLET
	PROPOSED END SECTION
	PROPOSED RETAINING WALL (DESIGN BY OTHERS)
	BORING LOCATION AND DESIGNATION
	PROPOSED DITCH OR SWALE
	LIMIT OF FILL
	LIMIT OF CUT
	PROPOSED RIP-RAP
	EXISTING FEATURE TO BE REMOVED
	DETAIL NUMBER
	DRAWING NUMBER


- NOTES:**
- EXISTING CONDITIONS DEPICTED ON THIS PLAN HAVE BEEN TAKEN FROM SURVEY TITLED, "TOPOGRAPHIC SURVEY," PREPARED BY BADEY & WATSON, SURVEYING AND ENGINEERING, P.C., DATED 01/29/2018.
 - GEOTECHNICAL BORING, TEST PIT, PAVEMENT CORE, AND STORMWATER TEST LOCATIONS DEPICTED ON THIS PLAN WERE TAKEN FROM THE GEOTECHNICAL REPORT ENTITLED, "GEOTECHNICAL INVESTIGATION REPORT FOR COMMERCIAL CAMPUS AT FIELDS CORNER," REVISED 06/26/2020, PREPARED BY SESI CONSULTING ENGINEERS. ADDITIONAL GEOTECHNICAL BORING LOCATIONS DEPICTED ON THIS PLAN WERE TAKEN FROM THE GEOTECHNICAL REPORT ENTITLED, "REPORT ON GEOTECHNICAL EXPLORATION FOR CAMPUS AT FIELD CORNER," DATED 01/31/2008.
 - ALL STORMWATER MANAGEMENT PRACTICES SHALL REMAIN UNDISTURBED AND BE PROTECTED FROM HEAVY MACHINERY TRAFFIC DURING CONSTRUCTION. HOWEVER DURING CONSTRUCTION OF THE PRACTICE THE CONTRACTOR SHALL MINIMIZE AND AVOID HEAVY MACHINERY TRAFFIC TO THE MAXIMUM EXTENT PRACTICABLE. THERE SHALL BE NO STORAGE OF MATERIALS WITHIN AREAS TO BE USED FOR STORMWATER MANAGEMENT PRACTICES. THE CONTRACTOR SHALL INSTALL CONSTRUCTION FENCE AROUND THE PRACTICE TO DISCOURAGE VEHICLE TRAFFIC.

(PROPOSED GRADE) BW+TW

(PROPOSED GRADE) +FW

RETAINING WALL SPOT GRADE LEGEND

- GRADING AND UTILITY NOTES:**
- GU1. UNLESS OTHERWISE DIRECTED, CONTRACTOR, AT HIS OWN EXPENSE, WILL PROVIDE A GEOTECHNICAL ENGINEER AS REQUIRED BY THE OWNERS REPRESENTATIVE TO EVALUATE SOIL CONDITIONS RELATED TO TRENCHING, PAVING, SUBBASE AND OTHER CONDITIONS AS REQUIRED.
- GU2. DURING CONSTRUCTION, PRIOR TO CONTRACTOR PERFORMING ROCK REMOVAL, GEOTECHNICAL ENGINEER SHALL PERFORM SITE INVESTIGATION AND SHALL PROVIDE ROCKOUT/ROCK REMOVAL RECOMMENDATIONS AND PROJECT SPECIFICATIONS TO CONTRACTOR FOR IMPLEMENTATION.
- GU3. CUT AND FILLS SHALL NOT ENDANGER ADJOINING PROPERTIES, NOR DIVERT WATER ONTO THE PROPERTY OF OTHERS.
- GU4. ALL FILLS SHALL BE COMPACTED TO PROVIDE STABILITY OF MATERIAL AND TO PREVENT SETTLEMENT.
- GU5. CONTRACTOR SHALL ADJUST ALL EXISTING STRUCTURES WITHIN THE WORK AREA TO THE PROPOSED GRADE SHOWN ON THE DRAWINGS AS REQUIRED.
- GU6. ALL PROPOSED AND MODIFIED STRUCTURES SHALL BE DESIGNED FOR H-20 LOADING.
- GU7. PROPOSED INLETS & STRUCTURES WITHIN THE NYSDOT RIGHT-OF-WAY SHALL BE MANUFACTURED WITHOUT SUMPS PER NYSDOT STANDARDS.



No.	Revision	Date	By
1.	REVISED PER NYSDOT COMMENTS	08/06/2021	KRM
2.	REVISED PER NYSDOT COMMENTS	11/24/2021	KRM
3.	REVISED PER NYSDOT COMMENTS	05/20/2022	KRM
4.	REVISED PER NYSDOT COMMENTS	08/08/2022	SPG
5.	REVISED PER NYSDOT COMMENTS	10/14/2022	KRM
6.	REVISED PER NYSDOT COMMENTS	12/09/2022	KRM
7.	REVISED PER NYSDOT COMMENTS	05/15/2023	KRM
Previous Editions Obsolete			

APPLICANT/OWNER:

BREWSTER INDUSTRIAL OWNER LLC
1 MEADOWLANDS PLAZA, SUITE 803
EAST RUTHERFORD, NJ 07073

JMC Planning, Engineering, Landscape Architecture & Land Surveying, PLLC
JMC Site Development Consultants, LLC
John Meyer Consulting, Inc.
120 BEDFORD ROAD • ARMONK, NY 10504
voice 914.273.9325 • fax 914.273.2102
www.jmcplc.com

JMC

GRADING PLAN

COMMERCIAL CAMPUS AT FIELDS CORNER
NY 312 & PUGSLEY ROAD
TOWN OF SOUTHEAST, NEW YORK

HP-13