

RI    #5 BARS @ IO" O.C. VERT.      #4 BARS @ IO" O.C. HORIZ      R2    #5 BARS @ 8" O.C. VERT.      #4 BARS @ 12" O.C. HORIZ      R3    #5 BARS @ 12" O.C. VERT.      #4 BARS @ 10" O.C. VERT.      #5 BARS @ 12" O.C. VERT.      #6 BARS @ 12" O.C. VERT.	
#4 BARS @ 12" O.C. HORIZ. #5 BARS @ 12" O.C. VERT.	•
	•
R4 #4 BARS @ 12" O.C. VERT. #4 BARS @ 12" O.C. HORIZ.	
R5 #5 BARS @ 10" O.C. VERT. #4 BARS @ 12" O.C. HORIZ.	
R6 #5 BARS @ 10" O.C. VERT. #4 BARS @ 10" O.C. HORIZ	
R7 #5 BARS @ 12" O.C. VERT. #4 BARS @ 10" O.C. HORIZ	•

RINTED ARCH E1 30" x 42

## NORTH ELEVATION (9 1/4" PANEL TYP. U.N.O.)

scale: 1/8" = 1'-0" (LOOKING FROM INSIDE OF BUILDING ALONG COLUMN LINE A)

- NOTES: I. VERIFY ALL PANEL AND OPENING DIMENSIONS W/GENERAL CONTRACTOR & ARCHITECT PRIOR TO CASTING PANELS W/DOORS AND WINDOWS.
- 2. PROVIDE I-#5 E.F. AROUND PERIMETER OF PANEL U.N.O.
  3. CONTINUE REINFORCING THROUGH KNOCK-OUT OPENINGS.
- 4. BLOCKING AT TOP OF WALL TO REMAIN AFTER CONSTRUCTION OF PANELS.
- 5. HORIZONTAL STEEL CONTINUES THROUGH PANEL LEGS AT ALL OPENINGS.

