

1 CONCRETE TRUCK WASH-OUT DETAIL
N.T.S.



NOTES:

1. ROLLED EROSION CONTROL BLANKET (RECB) TO BE AMERICAN EXCELSIOR COMPANY (AEC) CURLEX II BLANKET, OR APPROVED EQUAL.
2. ROLLED EROSION CONTROL BLANKET SHALL BE USED ON ALL SLOPES 3H:1V OR STEEPER.
3. STAPLE PATTERNS ARE DEPENDENT ON SITE CONDITIONS. SEE CURLEX STAPLE PATTERN GUIDE FOR DETAILS. E-STAPLE MAY BE USED IN PLACE OF WIRE STAPLES.





CHANNEL TERMINATION
N.T.S.

RECP BOTTOM OF SLOPE TERMINATION
N.T.S.

SLOPE TRENCH METHOD "A" (NO TRENCH)
N.T.S.

DO NOT NEED TO TRENCH BLANKET IN IF IT CAN BE EXTENDED A MINIMUM OF 3'-0" OVER THE CREST OF THE SLOPE.

CHANNEL INSTALLATION METHOD 'A'
N.T.S.



CHANNEL INSTALLATION METHOD 'B'
N.T.S.

END ROLL OVERLAP
N.T.S.



RECP SIDE SEAM OVERLAP STAPLE DETAIL
N.T.S.

END SEAM OF BLANKETS OVERLAP 2'-4". PLACE STAPLES, ONE ON EACH CORNER OF BLANKET, 12" O.C. ALONG BLANKET END THROUGH BOTH BLANKETS. UPSLOPE BLANKET LAPS OVER DOWNSLOPE BLANKETS IN A SHINGLE AFFECT.



SLOPE TRENCH METHOD "C"
N.T.S.

2 RECP DETAIL FOR SWALE
N.T.S.

3 ROLLED EROSION CONTROL PRODUCT (RECP) DETAIL
N.T.S.

APPLICANT
EMPIRE RESORTS REAL ESTATE I, LLC
204 STATE ROUTE 17B
MONTICELLO, NY 12701

SITE/CIVIL ENGINEER
AKRF
AKRF ENGINEERING, P.C.
34 SOUTH BROADWAY, SUITE 401
WHITE PLAINS, NY 10601
(914) 949-7336

SURVEYOR
CONTRACTORS' LINE & GRADE SOUTH, LLC
23 NEPPERHAN AVENUE
ELMSFORD, NY 10523
(914) 347-3141

SURVEYOR
INSITE ENGINEERING, SURVEYING, & LANDSCAPE ARCHITECTURE, P.C.
3 GARRET PLACE
CARMEL, NY. 10512
(845) 225-9690

STATE OF NEW YORK · SHI HSUN KONG · 091191 · LICENSED PROFESSIONAL ENGINEER

SONNY KONG, P.E.

REVISIONS

No.	DATE	DESCRIPTION

PROJECT
MONSTER GOLF MAINTENANCE BUILDING FINAL DESIGN

DRAWN BY	CHECKED BY
JWH	SK
SCALE	DATE
AS NOTED	06/28/2019

SHEET TITLE
DETAILS

SHEET NO.
C-902