WATER HEATER SCHEDULE

NO.	SERVICE	TYPE	STU+ INPUT	GALLONS/ HOUR...	TEMP RISE DEG F	FUEL TYPE	VENT IN INCHES	ELECTRIC	DESIGN MAKE
DWH-1									

FIXTURE AND EQUIPMENT CONNECTION SCHEDULE

DESIGNATION	DESCRIPTION	COLD WATER	HOT WATER	WASTE OR SANITARY	VENT	REMARKS
WC	WATER CLOSET	1-1/2"	-	4"	2"	
UR	URINAL	1"	-	2"	1-1/2"	
LAV	LAVATORY	1/2"	1/2"	1-1/2"	1-1/2"	
SK	SINK	1/2"	1/2"	1-1/2"	1-1/2"	
FD	FLOOR DRAIN	-	-	3" OR 2"	2"	PROVIDE TRAP PRIMER
MS	MOP SINK	3/4"	3/4"	2"	2"	
EWC	ELECTRIC WATER COOLER	1/2"	-	1-1/2"	1-1/2"	

PLUMBING SYMBOL LIST

SYMBOL	DESCRIPTION
	NEW PIPING LOCATED ABOVE FLOOR/SLAB
	NEW PIPING LOCATED BELOW FLOOR/SLAB
	COLD WATER PIPING (CW)
	HOT WATER PIPING (HW)
	HOT WATER RECIRCULATING PIPING (HWR)
W	WELDED PIPE (W) - SEE SPECS
SAN	SANITARY WASTE PIPING
	VENT PIPING
G	NATURAL GAS PIPING (G)
	FLOW FLOW
	BLOWOUT
	BOTTOM FEED CONNECTION
	TOP FEED CONNECTION
	TOP FEED
	PIPE CONTINUATION
	CAP OR PLUG
	DECK PLATE CLEANOUT (DPCO)
	WALL PLATE CLEANOUT (WPCO)
	FLOOR DRAIN (FD)
	WALL HYDRANT (WH)
	SHUT OFF VALVE
	BALANCING VALVE
	CHECK VALVE
	BACKFLOW PREVENTER (BFP)
(X)	DRAWING KEYNOTE

RW Monster Golf Maintenance Building

94 CHALET ROAD
KAMILSHA LAKE, NY 12751

JCJARCHITECTURE
120 HUYSHOPE AVENUE
SUITE 400
HARTFORD, CT 06106
860.247.0223

©2019 JCJ Architecture

CONSULTANTS:

NOT FOR CONSTRUCTION

P.I.C. _____ L.D. _____
P.M. _____ P.A. _____

ISSUE 11/08/2019
JOB H18294-00 PHASE 14
DRAWN EAS
SCALE NOT TO SCALE

REVISIONS:

DETAILS, SCHEDULES AND SYMBOL LIST - PLUMBING

P-002