



KEYSTONE ASSOCIATES
ARCHITECTS, ENGINEERS AND SURVEYORS, LLC
WWW.KEYSTONECOMP.COM



- (A) 42" GRAB BAR STAINLESS STEEL
- (A.1) 36" GRAB BAR STAINLESS STEEL
- (A.2) 24" GRAB BAR STAINLESS STEEL
- (A.3) 18" GRAB BAR STAINLESS STEEL
- (A.4) NOT USED
- (A.5) L-SHAPED GRAB BAR STAINLESS STEEL
- (B) TOILET TISSUE DISPENSER - 18" TO 48" ABOVE FLOOR
- (C) SANITARY NAPKIN DISPOSAL
- (D) SOAP DISPENSER - 34" TO 48" ABOVE FLOOR
- (E) PAPER TOWEL DISPENSER - 34" TO 48" ABOVE FLOOR
- (F) NOT USED
- (G) MIRROR - BOTTOM EDGE OF REFLECTING SURFACE 40" MAXIMUM ABOVE FLOOR
- (G.1) MIRROR - BOTTOM EDGE OF REFLECTING SURFACE 40" MAXIMUM ABOVE FLOOR
- (H) NOT USED
- (I) ROBE HOOK
- (J) SHOWER SEAT
- (K) SHOWER CURTAIN ROD



BID PLANS

REVISIONS		
NO.	DATE	DESCRIPTION

PORT EWEN FIRE DEPARTMENT,
ULSTER, NEW YORK

INTERIOR ELEVATIONS

SHEET:
A600

WARNING - IT IS A VIOLATION OF NEW YORK EDUCATION LAW SECTION 7209.2, FOR ANY PERSON, UNLESS HE IS ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER OR LAND SURVEYOR, TO ALTER THIS DOCUMENT IN ANY WAY. IF ALTERED THIS ALTERING PERSON SHALL COMPLY WITH THE REQUIREMENTS OF NEW YORK EDUCATION LAW, SECTION 7209.2