

KEYED NOTES

1. 3/4" DCWS & 3/4" DHWS TO MOP SINK.
2. 1/2" DCWS 1/2" DHWS TO LAVATORY FAUCET. (TYP.)
3. 1" DCWS TO WATER CLOSET. (TYP.)
   - ADD WATER HAMMER ARRESTOR ON FEED TO WATER CLOSET.
4. 1/2" DCWS & 1/2" DHWS TO WASHER. (TYP.)
   TERMINATE W/ WALL BOX AND VALVES
   MODEL 2M2DWB, BY WATTS OR EQUAL.
5. 1-1/4" DHWS (110°F) | EXTEND TO KITCHEN
   1-1/4" DCWS | SINK
   1/2" DHWR (110°F)
6. 1" DHWS (140°F) | EXTEND TO KITCHEN
   1-1/2" DHWR (140°F) | POT SINK
7. 1/2" DCWS TO DRINKING FOUNTAIN. (TYP.)
8. 1-1/2" NATURAL GAS TO KITCHEN.
   VALVE AND CAP FOR FUTURE EXTENSION.
9. EXTEND 4" BLOW DOWN FROM RPZ-1 TO FLOOR SINK IN MECH ROOM.
10. 1/2" DCWS TO REFRIGERATOR/ICE MAKER.
    TERMINATE IN WALL BEHIND REFRIGERATOR/ICE MAKER WITH ICE MAKER OUTLET BOX.
    MODEL: 38981 BY OATEY OR EQUAL.
11. 3/4" DCWS DN TO HOSE BIB.
    INSTALL PIPING EXPOSED IN APPARATUS BAY TIGHT TO WALL. VERTICAL PIPING SHALL BE SUPPORTED MIN. FOUR (4) LOCATIONS.
12. 1-1/2" DHWS (140°F) | TO TMV-2/SHE-1
    1-1/2" DCWS | (SHOWER/EYE WASH)
13. 3/4" DCWS AND 3/4" DHWS TO WASHER BOX.
14. 3/4" DCWS DN TO HOSE BIBB HB-2.
    INSTALL PIPING EXPOSED IN APPARATUS BAY, TIGHT TO WALL. VERTICAL PIPING SHALL BE SUPPORTED IN MIN. FOUR (4) LOCATIONS.

DATE: 06/21/2023
DRAWN BY: AOS
SCALE: 1/8" = 1' - 0"
REVIEWED BY: TJH
PROJECT NO.: 20-2006
FILE:

HESNOR ENGINEERING ASSOCIATES
WWW.HESNOR.COM

KEYSTONE ASSOCIATES
ARCHITECTS, ENGINEERS & SURVEYORS, LLC
WWW.KEYSTONEASSOCIATES.COM

DELAWARE ENGINEERING, D.P.C.
CIVIL AND ENVIRONMENTAL CONSULTANTS
WWW.DELAWAREENGINEERING.COM

REVISIONS

NO.	DATE	DESCRIPTION

PORT EWEN FIRE DEPARTMENT, ULSTER, NEW YORK

POTABLE WATER FIRST FLOOR PLAN

BID PLANS

SHEET: P101

WARNING - IT IS A VIOLATION OF NEW YORK EDUCATION LAW SECTION 7209.2, FOR ANY PERSON, UNLESS HE IS ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER OR LAND SURVEYOR, TO ALTER THIS DOCUMENT IN ANY WAY. IF ALTERED THE ALTERING PERSON SHALL COMPLY WITH THE REQUIREMENTS OF NEW YORK EDUCATION LAW, SECTION 7209.2.