

#

KEYED NOTES

#

1

3/4" DCWS & 3/4" DHWS TO MOP SINK.

2

1/2" DCWS 1/2" DHWS TO LAVATORY FAUCET. (TYP.)

3

1" DCWS TO WATER CLOSET. (TYP.)
- ADD WATER HAMMER ARRESTOR ON FEED TO WATER CLOSET.

4

3/4" DCWS TO URINAL. (TYP.)

5

1/2" DCWS TO DRINKING FOUNTAIN. (TYP.)

6

1/2" DCWS & 1/2" DHWS TO KITCHEN FAUCET.

7

1/2" DCWS TO REFRIGERATOR/ICE MAKER.
TERMINATE IN WALL BEHIND REFRIGERATOR/ICE MAKER
WITH ICE MAKER OUTLET BOX.
MODEL: 38981 BY OATEY OR EQUAL.

BID PLANS

DATE: 06/21/2023


DRAWN BY: AOS

SCALE: 1/8" = 1' - 0"


REVIEWED BY: TJH

PROJECT NO.: 20-2006


FILE:



HESNOR
ENGINEERING ASSOCIATES
WWW.HESNOR.COM



KEYSTONE
ASSOCIATES
WWW.KEYSTONE.COM



DELAWARE D.P.C.
CIVIL AND ENVIRONMENTAL ENGINEERING
WWW.DELAWAREENGINEERING.COM

REVISIONS	
NO.	DESCRIPTION

POTABLE WATER SECOND FLOOR PLAN

PORT EWEN FIRE DEPARTMENT, ULSTER, NEW YORK

SHEET:

P102