


LIST OF ABBREVIATIONS

A	AMPERES	FDC	FIRE DEPARTMENT CONNECTION	OAI	OUTSIDE AIR INTAKE
A.B.	ANCHOR BOLT	FDTN	FOUNDATION	OH	OVER HEAD
A.F.F.	ABOVE FINISHED FLOOR	FHC	FIRE HOSE CABINET	OPNG.	OPENING
A/C	AIR CONDITIONING	FIN.	FINISH	OPP.	OPPOSITE
ABS	ACRYLONITRILE-BUTADIENE-STYRENE	FL	FLOOR		
ABV	ABOVE	FLG.	FLOORING	PC	PLUMBING CONTRACTOR
ACT	ACOUSTICAL CEILING TILE	FLUOR.	FLUORESCENT	P.L. OR	PROPERTY LINE
AHU	AIR HANDLER UNIT	FTG.	FOOTING	PLAM.	PLASTIC LAMINATE
AL. OR ALUM.	ALUMINUM	FURN.	FURNISH	PERF.	PERFORATED
ALT.	ALTERNATE			PERP.	PERPENDICULAR
ASPH.	ASPHALT	GA.	GAUGE	PH OR	PHASE
AVG	AVERAGE	GALV.	GALVANIZED	PL OR	PLATE
		GC	GENERAL CONSTRUCTION CONTRACTOR	PLBG	PLUMBING
B.M.	BENCH MARK	GFI	GROUND FAULT INTERRUPTER	PLYWD.	PLYWOOD
BD.	BOARD	GRC	GALVANIZED RIGID CONDUIT	PREFAB.	PREFABRICATED
BLDG	BUILDING	GYP.	GYPSON	PSF	POUNDS PER SQUARE FOOT
BLK.	BLOCK	GWB	GYPSON WALL BOARD	PSI	POUNDS PER SQUARE INCH
BLKG.	BLOCKING			PVC	POLYVINYLCHLORIDE
BM	BEAM	H.B.	HOSE BIBB		
BRS	BRASS	H.M.	HOLLOW METAL	Q.T.	QUARRY TILE
BRG.	BEARING	H/C	HANDICAPPED	QTY.	QUANTITY
BRZ	BRONZE	HDBD.	HARDBOARD		
		HDR.	HARDWARE	R OR RAD.	RADIUS
C.J.	CONTROL JOINT	HT.	HEIGHT	R.D.	ROOF DRAIN
C.O.	CLEAN OUT	HOR.	HORIZONTAL	R.O.	ROUGH OPENING
C.T.	CERAMIC TILE	HTR	HEATER	REF.	REFERENCE
CAB	CABINET	HVAC	HEAT VENTING & AIR CONDITIONING (MC)	REINF.	REINFORCED
CCTV	CLOSED CIRCUIT TELEVISION	HW	HOT WATER	REQ'D.	REQUIRED
CFM	CUBIC FEET PER MINUTE			RET.	RETURN
CL. OR	CENTERLINE	ID.	INSIDE DIAMETER	REV.	REVISION
CLG.	CEILING	IMC	INTERMEDIATE METALLIC CONDUIT	RH	ROOM
CLOS.	CLOSED	INCL.	INCLUDE/INCLUSIVE	REBAR	REINFORCING BAR
CLR.	CLEAR	INSUL	INSULATION		
CMU	CONCRETE MASONRY UNIT	INT.	INTERIOR	S.D.	SMOKE DETECTOR
COL.	COLUMN			SST	STAINLESS STEEL
COMB.	COMBINATION	J-BOX	JUNCTION BOX	SCHED.	SCHEDULE
CONC.	CONCRETE	JCT	JUNCTION	SECT.	SECTION
CONST.	CONSTRUCTION	JST.	JOIST	SES	SERVICE ENTRANCE SECTION
CONT.	CONTINUOUS	JT.	JOINT	SHT	SHEET
CONTR.	CONTRACTOR			SIM.	SIMILAR
CPR	COPPER	K-D	KNOCK DOWN	SPKLR	SPRINKLER
		KO	KNOCK OUT	SPEC(S)	SPECIFICATIONS(S)
D.F.	DRINKING FOUNTAIN			SPKR	SPEAKER
D/W	DISHWASHER	LDR	LEADER	SQ. FT.	SQUARE FEET
DBL	DOUBLE	L.F.	LINEAR FEET	SQ. IN.	SQUARE INCHES
DEMO	DEMOLITION	LAM	LAMINATE	STC	SOUND TRANSMISSION CLASS
DIA. OR	DIAMETER	LAV	LAVATORY	STD.	STANDARD
DIAG.	DIAGONAL	LD.	LEAD	STL. OR ST.	STEEL
DM.	DIMENSION	LIN.	LINEAR	SUSP.	SUSPENDED
DN.	DOWN	LT.	LIGHT	SW OR S	SWITCH
		LTG.	LIGHTING	SYM	SYMMETRICAL
E.C.	ELECTRICAL CONTRACTOR	LVL	LAMINATED VENEER LUMBER	SYS.	SYSTEM
E.J.	EXPANSION JOINT				
E.W.	EACH BAY	M.H.	MANHOLE	T & G	TONGUE AND GROOVE
E.A.	EACH	M.O.	MASONRY OPENING	T.O.C.	TOP OF CURB
EL.	ELEVATION	MAS.	MASONRY	T.O.W.	TOP OF WALL
ELECT.	ELECTRIC/ELECTRICAL	MATL	MATERIAL	TS	TUBE STEEL
ELEV.	ELEVATOR	MAX.	MAXIMUM	T.V.	TELEVISION
EMC	ELECTRICAL METALLIC CONDUIT	MECH.	MECHANICAL	TEL.	TELEPHONE
EHT	ELECTRICAL METALLIC TUBING	MC	MECHANICAL CONTRACTOR (HVAC)	THK.	THICK
ENT	ELECTRICAL NON-METALLIC TUBING	MFG.	MANUFACTURING	THRU	THROUGH
EQ.	EQUAL	MFR.	MANUFACTURER	TYP.	TYPICAL
EQUIP.	EQUIPMENT	MIN.	MINIMUM		
EMC	ELECTRIC DRINKING COOLER	MISC.	MISCELLANEOUS	UR	URINAL
EXC	EXCAVATE	MOD	MODULAR		
EXH.	EXHAUST	MTL.	METAL	V.B.	VAPOR BARRIER
EXIST. OR E	EXISTING	MUL	MULLION	V.I.F.	VERIFY IN FIELD
EXT.	EXTERIOR	N.C.	NOT IN CONTRACT	VCT	VINYL COMPOSITION TILE
		N.T.S.	NOT TO SCALE	VERT.	VERTICAL
F.A.	FIRE ALARM	NO.	NUMBER	W/C	WATER CLOSET
FCU	FAN COIL UNIT	NO.	NUMBER	WP	WEATHER PROOF
F.D.	FLOOR DRAIN	NOM.	NOMINAL	W/	WITH
F.E.	FIRE EXTINGUISHER			W/O	WITHOUT
F.S.	FLOOR SINK	O.C.	ON CENTER	WD.	WOOD
FACP	FIRE ALARM CONTROL PANEL	O.D.	OUTSIDE DIAMETER		

CONSTRUCTIN SIGN
3'4" x 1'0"

GENERAL FINISH NOTES:

- Finish plans are to be read in conjunction with the finish schedule. Should there be any discrepancy between information given on the finish/color schedule and any other drawings or specifications, architect will determine the appropriate finish/color based upon the design intent.
- Refer to the reflected ceiling plans for ceiling types and heights.
- Refer to the finish legend and finish floor plans for definition, patterns and extent of colors used.
- All gypsum board soffits and ceilings shown on reflected ceiling plans to be painted.
- All hollow metal frames to be painted.
- Provide appropriate transitions strips at all floor material transitions unless otherwise noted.
- Provide wood blocking at shelving, access panels, display monitors, marker boards, fire extinguisher cabinets, etc. Coordinate location in field.

DEVICE MOUNTING HEIGHTS



DEVICE OR ITEM	HEIGHT TO CENTER
Power Receptacle	18" AFF
Power Receptacle @ Counter	8" above counter
Exterior Power Receptacle	24" above grade
Light Switches	48" AFF
Boiler Emergency Switch	60" AFF
Data Outlets	18" AFF
Fire Alarm Pull Stations	48" AFF
Emergency Call Switch	36" AFF
Fire Alarm Horn/Strobe Unit	6'-8" AFF
Exit Signs	8" above door or 7'-6" AFF

NOTES:

All dimensions are typical unless otherwise noted on the Drawings

Sheet List Table

Sheet Number	Sheet Title
G-101	GENERAL INFORMATION
D-101	DEMOLITION PLANS & NOTES
A-101	GROUND FLOOR PLAN
A-102	REFLECTED CEILING PLAN
A-103	FINISHES PLAN DIAGRAM
A-201	ENTRY VESTIBULE ELEVATIONS
A-202	COMMON ROOM ELEVATIONS
A-203	COMMON RM AT CONFERENCE RM
A-204	MISCELLANEOUS ELEVATIONS
A-501	TYPICAL DETAILS
A-502	CIRCULATION DESK
A-503	CIRCULATION DESK DETAILS
A-504	MISCELLANEOUS DETAILS
A-601	WALL TYPES & SCHEDULES
H-100	HVAC EXISTING GROUND FLOOR PLAN, SCHEMATICS, SCHEDULES
H-101	HVAC-EXISTING GROUND FLOOR & SCHEMATIC
H-102	HVAC SCHEDULES, DETAILS & NOTES
E-100	ELECTRICAL - EXISTING GROUND FLOOR PLAN
E-101	ELECTRICAL - LIGHTING GROUND FLOOR PLAN
E-102	ELECTRICAL - POWER GROUND FLOOR PLAN
E-103	ELECTRICAL FIRE ALARM RISER, SCHEDULES & NOTES
E-104	ELECTRICAL VI VE SPECIFICATION



LOCATION MAP

GENERAL SITE ACCESS NOTES:

- Limited parking is available on site as shown on the Drawings.
- No storage of materials is permitted outside the contract limits indicated and as further explained.
- No staging area is available on site outside of the contract limits indicated.
- Contractor must ensure that activities do not affect the egress from, or access to the building in any way.
- Upper floor of building will remain occupied during this work. All means of egress from the upper floor must be operational at all times during occupied hours.
- Restore site areas damaged by construction activities.
- Provide temporary construction fence around any work area established outside of the building within the limits indicated.
- At conclusion of daily work, all materials and tools must be removed from public areas.
- Touch-up paint all surfaces damaged or otherwise affected by the work.
- Follow all written and noted dimensions - do not scale off the drawings.
- The building site, roadways, adjacent activity areas, abutting streets and access ways shall be maintained at all times per the requirements of the Code and the requirements of the owner. All areas affected by the construction, by the movement of materials and equipment, etc. shall be cleaned and washed down on a regular basis. Any damage to any property caused by construction, delivery, equipment, etc. shall be repaired to match original condition at the burden of the contractor(s) responsible.
- The contractor shall coordinate all aspects of the work.
- All construction debris shall be collected and removed from the work area and legally disposed of off of the property on a regular basis.
- No liability or responsibility has been assumed by the architect for any information supplied by others believed to be true or accurate, nor for conditions covered, inaccessible, or restricted in access to the architect.
- The contractor shall verify existing conditions and dimensions in the field before commencing with any fabrication, ordering of material, or performing work. The contractor shall notify the Construction Manager and Architect of any conditions or dimensions that would hamper the performance of the work in accordance with the contract documents.
- The contractor shall exercise extreme caution when working adjacent to active power and communication lines to prevent damage to these lines. The contractor shall repair any power or communication interruption immediately, at no additional cost to the owner.
- RULES OF CONDUCT
 - No smoking is allowed anywhere on the Owner's property per New York State law. Violators are subject to a \$1,000 fine and/or removal from the property.
 - No drinking of alcoholic beverages or use of controlled substances allowed on the Owner's property. No reporting to work impaired by alcohol or controlled substances allowed. The Contractor bears the responsibility of determining if its', or its' Subcontractors' employees are impaired which would jeopardize the safety of the public, the employees of other Contractors their Subcontractors, the Owner, Architect, or Construction Manager.
- The Contractor, Subcontractors, suppliers, and their employees are to refrain from conversing with the Owner's employees or any occupants of the Owner's property not directly related to the Work. Any construction personnel found conversing with the Owner's employees or any occupants of the Owner's property not directly related to the Work, will be removed from the site.
- The Contractor, Subcontractors, suppliers, and their employees are to refrain from using indecent language. Artwork and decoration found on vehicles belonging to Contractor's or Subcontractors' employees parked on or near the Owner's property that contains indecent language or pictures shall either be covered or removed from the location.
- All construction personnel to wear photo ID badges. ID badges are to be provided by the Contractor and approved by the Owner.
- The use of radios, speakers, mp3 players, tape players, and the like is prohibited within the Owner's property unless specifically approved by the Owner.

EQUIVALENCY OF MATERIALS & EQUIPMENT

Whenever a material, article, or piece of equipment is identified on the Drawings or in the Specifications by reference to manufacturer's or vendor's names, trade names, catalog numbers, or the like, it is so identified for the purpose of establishing a standard, and any material, article, or piece of equipment of other manufacturers or vendors which will perform adequately the duties imposed by the general design will be considered equally acceptable provided the material, article, or piece of equipment so proposed is, in the opinion of the Architect, of equal substance, appearance, and function. It shall not be purchased or installed without the Architect's written approval. Further information regarding the equivalency of materials, articles, or pieces may be found elsewhere in the Project Manual.

Village of Tuckahoe:
Tuckahoe Public Library Interior
Renovation
71 Columbus Ave
Tuckahoe, NY 10707



Owner:
Village of Tuckahoe
65 Main St
Tuckahoe, NY 10707

Smith & Pucillo
Architects

27 New Street
Katonah, NY 10536

1.914.401.4009 (Phone)
1.914.263.8027 (Cell)
msmith@smithpucillo.com

Calgi Construction
Construction Managers

56 Lafayette Ave.
Suite 350
White Plains, NY 10603

1.914.682.9423 (Phone)
dchen@calgiconstruction.com

Tietjen Venegas

Consulting Engineers
68 Purchase Street
Rye, NY 10580

1.914.967.9505
info@tietjenpe.com
www.tietjenpe.com


SYMBOLS:


	EXIST. CONSTRUCTION
	NEW CONSTRUCTION
	DEMOLITION
	CELLULAR PVC & PLASTIC DECKING
	SPRAY FOAM INSUL.
	RIGID INSULATION
	SAND OR CONC. IN ELEVATION
	CONCRETE
	EARTH
	FINISHED WOOD
	GRAVEL/FILL
	GYPSUM WALLBOARD
	PLYWOOD
	ENGINEERED LUMBER
	LUMBER IN SECTION

3	FOR BID	1.24.23
2	CM REVIEW	4.02.23
1	OWNER REVIEW	3.14.23
No.	Revision/Issue	Date

DATE:	04.01.2023
SCALE:	AS NOTED
TITLE:	GENERAL INFORMATION
SHEET:	G.101
Job No.	2181


METRO NORTH RAILROAD

SITE ACCESS PLAN
1/8" = 1'-0"



1. DEMOLISH ALL EXISTING CEILING SHOWN INCLUDING ALL TILE, GRID, AND HANGERS. IN ROOMS WHERE CEILING IS NOT SHOWN THERE IS NO WORK.
2. DEMOLISH ALL EXISTING LIGHTING, EXIT SIGNS, DIFFUSERS, REGISTERS, & OTHER CEILING MOUNTED DEVICES IN CEILINGS SHOWN TO BE DEMOLISHED.

2 DEMOLITION REFLECTED CEILING PLAN
D101 1/8" = 1'-0"



1 DEMOLITION FLOOR PLAN
D101 1/8" = 1'-0"

Village of Tuckahoe:
Tuckahoe Public Library Interior
Renovation
71 Columbus Ave
Tuckahoe, NY 10707



Owner:
Village of Tuckahoe
65 Main St
Tuckahoe, NY 10707

Smith & Pucillo
Architects

27 New Street
Katonah, NY 10536

1.914.401.4009 (Phone)
1.914.263.8027 (Cell)
msmith@smithpucillo.com

Calgi Construction
Construction Managers

56 Lafayette Ave.
Suite 350
White Plains, NY 10603

1.914.682.9423 (Phone)
dchen@calgiconstruction.com

Tietjen Venegas

Consulting Engineers
68 Purchase Street
Rye, NY 10580

1.914.967.9505
info@tietjenpe.com
www.tietjenpe.com

SYMBOLS:

	EXIST. CONSTRUCTION
	NEW CONSTRUCTION
	DEMOLITION
	CELLULAR PVC & PLASTIC DECKING
	SPRAY FOAM INSUL.
	RIGID INSULATION
	SAND OR CONC. IN ELEVATION
	CONCRETE
	EARTH
	FINISHED WOOD
	GRAVEL/FILL
	GYPSUM WALLBOARD
	PLYWOOD
	ENGINEERED LUMBER
	LUMBER IN SECTION

3	FOR BID	1.24.23
2	CM REVIEW	4.02.23
1	OWNER REVIEW	3.14.23
No.	Revision/Issue	Date

DATE: 04.01.2023

SCALE: AS NOTED

TITLE
DEMOLITION PLANS
& NOTES


SHEET

D.101

Job No. 218.1

DIMENSIONAL LETTER SIGNAGE SCHEDULE		HEIGHT
1	WELCOME TO THE TUCKAHOE LIBRARY	7"
2	PRE-TEEN	7"
3	TEEN	7"
4	NON-FICTION	7"
5	FICTION	7"
6	XXX	
7	REFERENCE	7"
8	TECHNOLOGY	7"
9	HISTORY	7"
10	LOUNGE	7"
11	LIBRARY LOUNGE	7"
12	EVENTS	7"
13	BOOK DROP	2"

WHERE ORIENTATED VERTICALLY, ROTATE TEXT CLOCKWISE
NO KERNING NECESSARY
FONT WILL BE SELECTED FROM MANUFACTURERS FULL LIST
OF AVAILABLE FONTS
EXACT LETTERING & SPELLING TO BE DETERMINED BY OWNER



1 FLOOR PLAN
AS 1/4" = 1'-0"

Village of Tuckahoe:
Tuckahoe Public Library Interior
Renovation
71 Columbus Ave
Tuckahoe, NY 10707



Owner:
Village of Tuckahoe
65 Main St
Tuckahoe, NY 10707

Smith & Pucillo
Architects

27 New Street
Katonah, NY 10536

1.914.401.4009 (Phone)
1.914.263.8027 (Cell)
msmith@smithpucillo.com

Calgi Construction
Construction Managers

56 Lafayette Ave.
Suite 350
White Plains, NY 10603

1.914.682.9423 (Phone)
dchen@calgiconstruction.com

Tietjen Venegas

Consulting Engineers
68 Purchase Street
Rye, NY 10580

1.914.967.9505
info@tietjenpe.com
www.tietjenpe.com

SYMBOLS:

	EXIST. CONSTRUCTION
	NEW CONSTRUCTION
	DEMOLITION
	CELLULAR PVC & PLASTIC DECKING
	SPRAY FOAM INSUL.
	RIGID INSULATION
	SAND OR CONC. IN ELEVATION
	CONCRETE
	EARTH
	FINISHED WOOD
	GRAVEL/FILL
	GYPSUM WALLBOARD
	PLYWOOD
	ENGINEERED LUMBER
	LUMBER IN SECTION

3	FOR BID	1.24.23
2	CM REVIEW	4.02.23
1	OWNER REVIEW	3.14.23
No.	Revision/Issue	Date

DATE: 04.01.2023


SCALE: AS NOTED

TITLE
**GROUND FLOOR
PLAN**


SHEET

A.101

Job No. 218.1



FOR EMERGENCY LIGHTS, EXIT SIGNS, SMOKE DETECTORS, AND RELATED DEVICES SEE THE ELECTRICAL DRAWINGS.



Village of Tuckahoe:
Tuckahoe Public Library Interior
Renovation
71 Columbus Ave
Tuckahoe, NY 10707



Owner:
Village of Tuckahoe
65 Main St
Tuckahoe, NY 10707

Smith & Pucillo
Architects

27 New Street
Katonah, NY 10536

1.914.401.4009 (Phone)
1.914.263.8027 (Cell)
msmith@smithpucillo.com

Calgi Construction
Construction Managers

56 Lafayette Ave.
Suite 350
White Plains, NY 10603

1.914.682.9423 (Phone)
dchen@calgiconstruction.com

Tietjen Venegas

Consulting Engineers
68 Purchase Street
Rye, NY 10580

1.914.967.9505
info@tietjenpe.com
www.tietjenpe.com

SYMBOLS:

- EXIST. CONSTRUCTION
- NEW CONSTRUCTION
- DEMOLITION
- CELLULAR PVC & PLASTIC DECKING
- SPRAY FOAM INSUL.
- RIGID INSULATION
- SAND OR CONC. IN ELEVATION
- CONCRETE
- EARTH
- FINISHED WOOD
- GRAVEL/FILL
- GYPSUM WALLBOARD
- PLYWOOD
- ENGINEERED LUMBER
- LUMBER IN SECTION

No.	Revision/Issue	Date
3	FOR BID	1.24.23
2	CM REVIEW	4.02.23
1	OWNER REVIEW	3.14.23

DATE: 04.01.2023

SCALE: AS NOTED

TITLE:
**REFLECTED CEILING
PLAN**

SHEET

A.102

Job No. 2181

ROOM FINSH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALL FINSH				CEILING		NOTES
				N	S	E	W	MATL	HEIGHT	
102	ENTRY	MAT/CT	STB	P	P	P	P	WPC	8'-0"	--
103	VESTIBULE	MAT/CT	STB	P	P	P	P	WPC	8'-0"	--
104	EXIST. OFFICE	--	--	--	--	--	--	--	7'-11"	EXIST. ROOM - NO WORK
105	OFFICE AREA	CPT	RB-1	P	P	P	P	ACT	7'-11"	--
106	MEETING ROOM	CPT	RB-1	P	P	P	P	ACT	7'-11"	SEE RCP FOR SOFFITS
107	OFFICE	CPT	RB-1	P	P	P	P	ACT	7'-11"	--
108	BREAK ROOM	SVT	RB-1	P	P	P	P	ACT	7'-11"	PROVIDE HYDRAULIC CEMENT UNDERLAYMENT
109	EXIST. STOR.	--	--	P	P	P	P	EX	7'-11"	EXIST. ROOM - PAINT GWB WALLS
110	CONFERENCE ROOM	CPT	RB-1	P	P	P	P	ACT	9'-2"	SEE RCP FOR SOFFITS
111	STORAGE	CPT	RB-1	P	P	P	P	GWB	7'-10"	--
112	EXIST. TOILET	--	--	--	--	--	--	--	7'-11"	EXIST. ROOM - NO WORK
113	EXIST. TOILET(2)	--	--	--	--	--	--	--	7'-11"	EXIST. ROOM - NO WORK
114	EXIST.	--	--	P	P	P	P	EX	7'-11"	EXIST. ROOM - PAINT GWB WALLS
115	EXIST. MECHANICAL	--	--	--	--	--	--	--	8'-6"	EXIST. ROOM - NO WORK
117	STACKS	CPT	RB-1	P	P	P	P	ACT/GWB	7'-11"	SEE FINISH PLAN
118	COMMON	CPT	RB-1	P	P	P	P	ACT/GWB	9'-2"	SEE FINISH PLAN
119	CIRC. DESK	CPT	RB-1	P	P	P	P	ACT/GWB	7'-11"	SEE FINISH PLAN
120	CHILDREN	CPT	RB-1	P	P	P	P	ACT/GWB	9'-2"	SEE FINISH PLAN
121	LOUNGE	CPT	RB-1	P	P	P	P	ACT/GWB	9'-2"	SEE FINISH PLAN
122	TEEN	CPT	RB-1	P	P	P	P	ACT/GWB	7'-11"	SEE FINISH PLAN
123	STORAGE	CPT	RB-1	P	P	P	P	GWB	7'-11"	--

FINISH SCHEDULE ABBREVIATIONS

ACT	ACOUSTIC PANEL CEILING
GWB	GYPSUM WALLBOARD
MAT	ENTRANCE MAT SYSTEM
CT	CERAMIC TILE
WPC	WOOD-VENEER, LINEAR-PANEL CEILING
CPT	CARPET TILE
P	PAINT
RB1	RUBBER BASE
STB	STAINLESS STEEL WALL BASE
SVT	SOLID VINYL TILE
EX	EXISTING - TO REMAIN
--	NO WORK/NOT APPLICABLE

FINISH LEGEND

WALL FINISH SPECIFICATIONS

SYMBOL DESCRIPTION

(P1)	WALL PAINT NOTES: GENERAL PAINT BENJAMIN MOORE COLOR: SWAINSON WHITE FINISH: SATIN HOLLOW METAL FRAMES - SEMI GLOSS
(P2)	ACCENT PAINT NOTES: ADULTS' READING AREA BENJAMIN MOORE COLOR: SWAINSON WHITE FINISH: SATIN HOLLOW METAL FRAMES - SEMI GLOSS
(P3)	ACCENT WALL PAINT LOCATION: ADULTS' READING AREA, COMPUTER AREA AND LOUNGE BENJAMIN MOORE COLOR: SWAINSON WHITE FINISH: SATIN HOLLOW METAL FRAMES - SEMI GLOSS
(P4)	ACCENT WALL PAINT LOCATION: TEEN & CHILDREN'S ROOM BENJAMIN MOORE COLOR: SWAINSON WHITE FINISH: SATIN HOLLOW METAL FRAMES - SEMI GLOSS
(WD1)	FOCUS WALL LOCATION: READING AND CIRCULATION DESK BENJAMIN MOORE COLOR: SWAINSON WHITE FINISH: SATIN HOLLOW METAL FRAMES - SEMI GLOSS
(WD2)	PLASTIC LAMINATE FACED WOOD PANELING LOCATION: READING AND CIRCULATION DESK BENJAMIN MOORE COLOR: SWAINSON WHITE FINISH: SATIN HOLLOW METAL FRAMES - SEMI GLOSS
(WD3)	SAT WALL LOCATION: INDICATED WALLS BY THE WOOD VENEER ALUMINUM ACOUSTIC WOOD PANEL BENJAMIN MOORE COLOR: SWAINSON WHITE FINISH: SATIN HOLLOW METAL FRAMES - SEMI GLOSS
(WD4)	DECORATIVE DESK & VESTIBULE PLASTIC PANELING LOCATION: ENTRY & VESTIBULE BENJAMIN MOORE COLOR: SWAINSON WHITE FINISH: SATIN HOLLOW METAL FRAMES - SEMI GLOSS
(GL1)	GLASS LOCATION: INDICATED AREAS CLEAR W/ POLISHED EDGES SEE SCHEDULES FOR GLASS TYPE

FLOOR FINISH SPECIFICATION

SYMBOL DESCRIPTION

(CT1)	CERAMIC TILES LOCATION: ENTRY & VESTIBULE PRODUCT: CERAMIC TILE COLOR: PLATINUM (COLOR TBD) SEE: LATE LETTER TO LIGHT PENTON
(WFM)	WALKOFF MAT LOCATION: VESTIBULE & ENTRY PRODUCT: WALKOFF MAT COLOR: TAN NOTES: PROVIDE FLOOR FRAME AS SHOWN ON DETAILS
(CP1)	CARPET TILE LOCATION: ACCENT HALL THROUGHOUT PRODUCT: CARPET TILE COLOR: TAN NOTES: PROVIDE FLOOR FRAME AS SHOWN ON DETAILS
(CP2)	CARPET TILE LOCATION: LOUNGE, CONFERENCE ROOM, STORAGE PRODUCT: CARPET TILE COLOR: TAN NOTES: PROVIDE FLOOR FRAME AS SHOWN ON DETAILS
(CP3)	CARPET TILE LOCATION: CHILDREN & TEEN'S LIBRARY PRODUCT: CARPET TILE COLOR: TAN NOTES: PROVIDE FLOOR FRAME AS SHOWN ON DETAILS
(CP4)	CARPET TILE LOCATION: STACKS AND CIRCULATION DESK PRODUCT: CARPET TILE COLOR: TAN NOTES: PROVIDE FLOOR FRAME AS SHOWN ON DETAILS
(SVT)	SOLID VINYL TILE LOCATION: MECHANICAL GROUP PRODUCT: SOLID VINYL TILE COLOR: TAN NOTES: PROVIDE FLOOR FRAME AS SHOWN ON DETAILS
(STB)	STAINLESS STEEL WALL BASE LOCATION: VESTIBULE & ENTRY WALLS PRODUCT: STAINLESS STEEL WALL BASE COLOR: TAN NOTES: PROVIDE FLOOR FRAME AS SHOWN ON DETAILS
(CT)	CERAMIC TILE WALL BASE LOCATION: TILE AREA IN LOUNGE PRODUCT: CERAMIC TILE WALL BASE COLOR: TAN NOTES: PROVIDE FLOOR FRAME AS SHOWN ON DETAILS


WALL BASE SPECIFICATIONS

(RB1)	RUBBER WALL BASE LOCATION: ALL INDICATED AREAS PRODUCT: RUBBER WALL BASE COLOR: TAN NOTES: PROVIDE FLOOR FRAME AS SHOWN ON DETAILS
(STB)	STAINLESS STEEL WALL BASE LOCATION: VESTIBULE & ENTRY WALLS PRODUCT: STAINLESS STEEL WALL BASE COLOR: TAN NOTES: PROVIDE FLOOR FRAME AS SHOWN ON DETAILS
(CT)	CERAMIC TILE WALL BASE LOCATION: TILE AREA IN LOUNGE PRODUCT: CERAMIC TILE WALL BASE COLOR: TAN NOTES: PROVIDE FLOOR FRAME AS SHOWN ON DETAILS

FLOOR PLAN - FINISHES

A.103 1/4" = 1'-0"

COLOR AND MATERIAL SELECTIONS ARE FOR BIDDING PURPOSES ONLY. FINAL SELECTIONS SHALL BE MADE BY ARCHITECT FROM MANUFACTURER'S STANDARD COLORS OF EQUAL OR LESSER VALUE.



Village of Tuckahoe:
Tuckahoe Public Library Interior
Renovation
71 Columbus Ave
Tuckahoe, NY 10707



Owner:
Village of Tuckahoe
65 Main St
Tuckahoe, NY 10707

Smith & Pucillo
Architects

27 New Street
Katonah, NY 10536

1.914.401.4009 (Phone)
1.914.263.8027 (Cell)
msmith@smithpucillo.com

Calgi Construction
Construction Managers

56 Lafayette Ave.
Suite 350
White Plains, NY 10603

1.914.682.9423 (Phone)
dchen@calgiconstruction.com

Tietjen Venegas

Consulting Engineers
68 Purchase Street
Rye, NY 10580

1.914.967.9505
info@tietjenpe.com
www.tietjenpe.com

SYMBOLS:

(EXIST. CONSTRUCTION)	EXIST. CONSTRUCTION
(NEW CONSTRUCTION)	NEW CONSTRUCTION
(DEMOLITION)	DEMOLITION
(CELLULAR PVC & PLASTIC DECKING)	CELLULAR PVC & PLASTIC DECKING
(SPRAY FOAM INSUL.)	SPRAY FOAM INSUL.
(RIGID INSULATION)	RIGID INSULATION
(SAND OR CONC. IN ELEVATION)	SAND OR CONC. IN ELEVATION
(CONCRETE)	CONCRETE
(EARTH)	EARTH
(FINISHED WOOD)	FINISHED WOOD
(GRAVEL/FILL)	GRAVEL/FILL
(GYPSUM WALLBOARD)	GYPSUM WALLBOARD
(PLYWOOD)	PLYWOOD
(ENGINEERED LUMBER)	ENGINEERED LUMBER
(LUMBER IN SECTION)	LUMBER IN SECTION

3	FOR BID	1.24.23
2	CM REVIEW	4.02.23
1	OWNER REVIEW	3.14.23
No.	Revision/Issue	Date

DATE: 04.01.2023

SCALE: AS NOTED

TITLE:
FINISHES PLAN
DIAGRAM

SHEET:

A.103

Job No. 2181

Village of Tuckahoe:
Tuckahoe Public Library Interior
Renovation
71 Columbus Ave
Tuckahoe, NY 10707



Owner:
Village of Tuckahoe
65 Main St
Tuckahoe, NY 10707

Smith & Pucillo
Architects

27 New Street
Katonah, NY 10536

1.914.401.4009 (Phone)
1.914.263.8027 (Cell)
msmith@smithpucillo.com

Calgi Construction
Construction Managers

56 Lafayette Ave.
Suite 350
White Plains, NY 10603

1.914.682.9423 (Phone)
dchen@calgiconstruction.com

Tietjen Venegas

Consulting Engineers
68 Purchase Street
Rye, NY 10580

1.914.967.9505
info@tietjenpe.com
www.tietjenpe.com

SYMBOLS:

- EXIST. CONSTRUCTION
- NEW CONSTRUCTION
- DEMOLITION
- CELLULAR PVC & PLASTIC DECKING
- SPRAY FOAM INSUL.
- RIGID INSULATION
- SAND OR CONC. IN ELEVATION
- CONCRETE
- EARTH
- FINISHED WOOD
- GRAVEL/FILL
- GYPSUM WALLBOARD
- PLYWOOD
- ENGINEERED LUMBER
- LUMBER IN SECTION

3	FOR BID	1.24.23
2	CM REVIEW	4.02.23
1	OWNER REVIEW	3.14.23
No.	Revision/Issue	Date

DATE: 04.01.2023


SCALE: AS NOTED

TITLE:
ENTRY VESTIBULE
ELEVATIONS


SHEET

A.201


Job No. 218.1




1 PROJECTED EAST ELEV AT ENTRY & VESTIBULE
A.201 3/4" = 1'-0"




3 LOUNGE NORTHEAST TOWARDS ENTRY
A.201 3/4" = 1'-0"



2 PROJECTED WEST ELEV AT ENTRY & VESTIBULE
A.201 3/4" = 1'-0"



1 LOUNGE EAST ELEVATION
A.202 / 3/4" = 1'-0"



2 LOUNGE SOUTH ELEVATION
A.202 / 3/4" = 1'-0"

Village of Tuckahoe:
Tuckahoe Public Library Interior
Renovation
71 Columbus Ave
Tuckahoe, NY 10707



Owner:
Village of Tuckahoe
65 Main St
Tuckahoe, NY 10707

Smith & Pucillo
Architects

27 New Street
Katonah, NY 10536

1.914.401.4009 (Phone)
1.914.263.8027 (Cell)
msmith@smithpucillo.com

Calgi Construction
Construction Managers

56 Lafayette Ave.
Suite 350
White Plains, NY 10603

1.914.682.9423 (Phone)
dchen@calgiconstruction.com

Tietjen Venegas

Consulting Engineers
68 Purchase Street
Rye, NY 10580

1.914.967.9505
info@tietjenpe.com
www.tietjenpe.com

SYMBOLS:

	EXIST. CONSTRUCTION
	NEW CONSTRUCTION
	DEMOLITION
	CELLULAR PVC & PLASTIC DECKING
	SPRAY FOAM INSUL.
	RIGID INSULATION
	SAND OR CONC. IN ELEVATION
	CONCRETE
	EARTH
	FINISHED WOOD
	GRAVEL/FILL
	GYPSUM WALLBOARD
	PLYWOOD
	ENGINEERED LUMBER
	LUMBER IN SECTION










No.	Revision/Issue	Date
3	FOR BID	1.24.23
2	CM REVIEW	4.02.23
1	OWNER REVIEW	3.14.23

DATE:	04.01.2023
SCALE:	AS NOTED
TITLE:	COMMON ROOM ELEVATIONS
SHEET:	A.202

Job No. 218.1





Technical drawing of a glass curtain wall section. The drawing shows a cross-section of the wall assembly. On the left, a vertical dimension line indicates a height of 7'-8". Below this, a horizontal dimension line indicates a width of 7'-10". The main glass panel is divided into four vertical sections by vertical mullions. The glass is labeled "TYPICAL GL-1 W/ BUTT GLAZED SILICONE VERT. SEAMS". To the right of the glass panel, a vertical dimension line indicates a height of 7'-10". The wall assembly is shown with a concrete structure on the left and a steel frame on the right. The glass is shown with a grid pattern, and the mullions are shown with a cross-hatched pattern. The drawing is a technical illustration of a building facade component.

SYMBOLS:	
	EXIST. CONSTRUCTION
	NEW CONSTRUCTION
	DEMOLITION
	CELLULAR PVC & PLASTIC DECKING
	SPRAY FOAM INSUL.
	RIGID INSULATION
	SAND OR CONC. IN ELEVATION
	CONCRETE
	EARTH
	FINISHED WOOD
	GRAVEL/FILL
	GYPSUM WALLBOARD
	PLYWOOD
	ENGINEERED LUMBER
	LUMBER IN SECTION

3	FOR BID	1.26.23
2	CM REVIEW	6.02.23
1	OWNER REVIEW	3.16.23
No.	Revision/Issue	Date

DATE:	04.01.2023
SCALE:	AS NOTED
TITLE:	COMMON RM AT CONFERENCE RM
SHEET:	A.203 Job No. 2181



Village of Tuckahoe:
Tuckahoe Public Library Interior
Renovation
71 Columbus Ave
Tuckahoe, NY 10707



Owner:
Village of Tuckahoe
65 Main St
Tuckahoe, NY 10707

Smith & Pucillo
Architects

27 New Street
Katonah, NY 10536

1.914.401.4009 (Phone)
1.914.263.8027 (Cell)
msmith@smithpucillo.com

Calgi Construction
Construction Managers

56 Lafayette Ave.
Suite 350
White Plains, NY 10603

1.914.682.9423 (Phone)
dchen@calgiconstruction.com

Tietjen Venegas

Consulting Engineers
68 Purchase Street
Rye, NY 10580

1.914.967.9505
info@tietjenpe.com
www.tietjenpe.com


SYMBOLS:

- EXIST. CONSTRUCTION
- NEW CONSTRUCTION
- DEMOLITION
- CELLULAR PVC & PLASTIC DECKING
- SPRAY FOAM INSUL.
- RIGID INSULATION
- SAND OR CONC. IN ELEVATION
- CONCRETE
- EARTH
- FINISHED WOOD
- GRAVEL/FILL
- GYPSUM WALLBOARD
- PLYWOOD
- ENGINEERED LUMBER
- LUMBER IN SECTION


No.	Revision/Issue	Date
3	FOR BID	12.23
2	CM REVIEW	4.02.23
1	OWNER REVIEW	3.14.23

DATE:	04.01.2023
SCALE:	AS NOTED
TITLE:	MISCELLANEOUS ELEVATIONS
SHEET:	A.204


Job No. 218.1




10 PLAN VIEW AT ENTRY OPENING
A501/1/2" = 1'-0"




8 ACCORDION WALL HEAD DETAIL
A501/1/2" = 1'-0"




3 S.S.T. WALL BASE DETAIL
A501/3" = 1'-0"




4 KNEE WALL CAP DETAIL
A501/1/2" = 1'-0"




1 ENTRY PANELING & SOFFIT
A501/1/2" = 1'-0"




11 COUNTER & WINDOW DETAIL - BREAK ROOM
A501/1/2" = 1'-0"




12 RESILIENT TO CPT TRANSITION
A501/3" = 1'-0"




9 TRANSITION - CERAMIC TILE
A501/3" = 1'-0"




5 TYPICAL SOFFIT DETAIL
A501/1/2" = 1'-0"



6 DETAIL - STEP IN CEILING HEIGHT
A501/1/2" = 1'-0"



7 TYPICAL WINDOW POCKET
A501/1/2" = 1'-0"



2 ENTRY OPENING HEAD DETAIL
A501/1/2" = 1'-0"

Village of Tuckahoe:
Tuckahoe Public Library Interior
Renovation
71 Columbus Ave
Tuckahoe, NY 10707



Owner:
Village of Tuckahoe
65 Main St
Tuckahoe, NY 10707

Smith & Pucillo
Architects
27 New Street
Katonah, NY 10536
1.914.401.4009 (Phone)
1.914.263.8027 (Cell)
msmith@smithpucillo.com

Calgi Construction
Construction Managers

56 Lafayette Ave.
Suite 350
White Plains, NY 10603
1.914.682.9423 (Phone)
dchen@calgiconstruction.com

Tietjen Venegas
Consulting Engineers
68 Purchase Street
Rye, NY 10580
1.914.967.9505
info@tietjenpe.com
www.tietjenpe.com

SYMBOLS:

	EXIST. CONSTRUCTION
	NEW CONSTRUCTION
	DEMOLITION
	CELLULAR PVC & PLASTIC DECKING
	SPRAY FOAM INSUL.
	RIGID INSULATION
	SAND OR CONC. IN ELEVATION
	CONCRETE
	EARTH
	FINISHED WOOD
	GRAVEL/FILL
	GYPSUM WALLBOARD
	PLYWOOD
	ENGINEERED LUMBER
	LUMBER IN SECTION


No.	Revision/Issue	Date
3	FOR BID	1.24.23
2	CM REVIEW	4.02.23
1	OWNER REVIEW	3.14.23

DATE: 04.01.2023

SCALE: AS NOTED

TITLE: TYPICAL DETAILS

SHEET: A.501



Village of Tuckahoe:
Tuckahoe Public Library Interior
Renovation
71 Columbus Ave
Tuckahoe, NY 10707



Owner:
Village of Tuckahoe
65 Main St
Tuckahoe, NY 10707

Smith & Pucillo
Architects

27 New Street
Katonah, NY 10536

1.914.401.4009 (Phone)
1.914.263.8027 (Cell)
msmith@smithpucillo.com

Calgi Construction
Construction Managers

56 Lafayette Ave.
Suite 350
White Plains, NY 10603

1.914.682.9423 (Phone)
dchen@calgiconstruction.com

Tietjen Venegas

Consulting Engineers
68 Purchase Street
Rye, NY 10580

1.914.967.9505
info@tietjenpe.com
www.tietjenpe.com

DATE:

04.01.2023

3	FOR BID	1.26.23
2	CM REVIEW	4.02.23
1	OWNER REVIEW	3.14.23
No.	Revision/Issue	Date

3	FOR BID	1.26.23
2	CM REVIEW	4.02.23
1	OWNER REVIEW	3.14.23
No.	Revision/Issue	Date

DATE: 04.01.2023

SCALE: AS NOTED



TITLE: CIRCULATION DESK

SHEET

A.502

Job No. 2181

D:\OnShare\WORK\Deployments\Tuckahoe Public Library Interior Renovation\Sheets\A.503 CIRCULATION DESK DETAILS.dwg, 7/25/2023 4:27:52 PM, 1:1



1 CIRCULATION DESK DET • LOW COUNTER
A.503 1/12' x 1'-0'

2 CIRCULATION DESK TYP. SECTION
A.503 1/12' x 1'-0'

Village of Tuckahoe:
Tuckahoe Public Library Interior
Renovation
71 Columbus Ave
Tuckahoe, NY 10707



Owner:
Village of Tuckahoe
65 Main St
Tuckahoe, NY 10707

Smith & Pucillo
Architects

27 New Street
Katonah, NY 10536

1.914.401.4009 (Phone)
1.914.263.8027 (Cell)
msmith@smithpucillo.com



Calgi Construction
Construction Managers

56 Lafayette Ave.
Suite 350
White Plains, NY 10603

1.914.682.9423 (Phone)
dchen@calgiconstruction.com

Tietjen Venegas

Consulting Engineers
68 Purchase Street
Rye, NY 10580


1.914.967.9505
info@tietjenpe.com
www.tietjenpe.com

SYMBOLS:


- | | |
|--|--------------------------------|
| | EXIST. CONSTRUCTION |
| | NEW CONSTRUCTION |
| | DEMOLITION |
| | CELLULAR PVC & PLASTIC DECKING |
| | SPRAY FOAM INSUL. |
| | RIGID INSULATION |
| | SAND OR CONC. IN ELEVATION |
| | CONCRETE |
| | EARTH |
| | FINISHED WOOD |
| | GRAVEL/FILL |
| | GYPSUM WALLBOARD |
| | PLYWOOD |
| | ENGINEERED LUMBER |
| | LUMBER IN SECTION |

No.	Revision/Issue	Date
3	FOR BID	1.24.23
2	CM REVIEW	4.02.23
1	OWNER REVIEW	3.14.23


DATE:	04.01.2023
SCALE:	AS NOTED
TITLE:	CIRCULATION DESK DETAILS
SHEET:	A.503 Job No. 218.1




8 SLAT PANEL AT ALUMINUM FRAME
A504/1 1/2" - 1'-0"




5 ENTRY DETAIL • TACK SURFACES
A504/1 1/2" - 1'-0"




6 CERAMIC TILE BASE
A504/5" - 1'-0"




7 SLATWALL PLAN DETAIL
A504/1 1/2" - 1'-0"




1 CONDUIT IN SLAB DETAIL
A504/1 1/2" - 1'-0"



2 SLATWALL DETAILS
A504/1 1/2" - 1'-0"



3 CORNER GUARD DETAIL
A504/1 1/2" - 1'-0"



5 TYP. CERAMIC TILE DETAIL
A504/3" - 1'-0"

Village of Tuckahoe:
Tuckahoe Public Library Interior
Renovation
71 Columbus Ave
Tuckahoe, NY 10707



Owner:
Village of Tuckahoe
65 Main St
Tuckahoe, NY 10707

Smith & Pucillo
Architects

27 New Street
Katonah, NY 10536

1.914.401.4009 (Phone)
1.914.263.8027 (Cell)
msmith@smithpucillo.com

Calgi Construction
Construction Managers

56 Lafayette Ave.
Suite 350
White Plains, NY 10603

1.914.682.9423 (Phone)
dchen@calgiconstruction.com

Tietjen Venegas

Consulting Engineers
68 Purchase Street
Rye, NY 10580

1.914.967.9505
info@tietjenpe.com
www.tietjenpe.com

SYMBOLS:

- EXIST. CONSTRUCTION
- NEW CONSTRUCTION
- DEMOLITION
- CELLULAR PVC & PLASTIC DECKING
- SPRAY FOAM INSUL.
- RIGID INSULATION
- SAND OR CONC. IN ELEVATION
- CONCRETE
- EARTH
- FINISHED WOOD
- GRAVEL/FILL
- GYPSUM WALLBOARD
- PLYWOOD
- ENGINEERED LUMBER
- LUMBER IN SECTION

No.	Revision/Issue	Date
3	FOR BID	1.24.23
2	CM REVIEW	4.02.23
1	OWNER REVIEW	3.14.23

DATE: 04.01.2023

SCALE: AS NOTED


TITLE: MISCELLANEOUS
DETAILS

SHEET


A.504

Job No. 218.1


DOOR AND FRAME SCHEDULE													
MARK	EL.	OPENING		FRAME MATL.	DETAILS			GLAZING	RATING	H.D.W.R.	NOTES	MARK	
		WD	HGT		HEAD	JAMB	SILL						
1	7	5'-8 1/2"	7'-0"	AL	1/A.SOI	8/A.SOI	8/A.SOI	GL-2	--	--	SLIDING AUTOMATIC ENTRANCE	1	
2	6	5'-8 1/2"	7'-0"	AL	6/A.SOI	7/A.SOI	8/A.SOI	GL-2	--	--	SLIDING AUTOMATIC ENTRANCE	2	
3	--	3'-0"	7'-0"	EX.	--	--	--	--	--	--	--	3	
4	--	3'-0"	7'-0"	EX.	--	--	--	--	--	--	--	4	
5	3	3'-0"	8'-11 1/2"	WD	3A5/A.SOI	4/A.SOI	--	GL-1	--	2	--	5	
6	3	3'-0"	8'-11 1/2"	WD	3A5/A.SOI	4/A.SOI	--	GL-1	--	2	--	6	
7	--	3'-0"	7'-0"	EX.	--	--	--	--	--	--	--	7	
8	--	3'-0"	7'-0"	EX.	--	--	--	--	--	--	--	8	
9	--	2'-8"	7'-0"	EX.	--	--	--	--	--	--	--	9	
10	5	3'-0"	7'-0"	WD	ST	1/A.SOI	2/A.SOI	--	GL-1	--	--	10	
11	--	3'-0"	7'-0"	EX.	--	--	--	--	--	--	--	11	
12	--	3'-0"	7'-0"	EX.	--	--	--	--	--	--	--	12	
13	--	3'-0"	7'-0"	EX.	--	--	--	--	--	--	--	13	
14	--	3'-0"	7'-0"	EX.	--	--	--	--	--	--	--	14	
15	--	3'-0"	7'-0"	EX.	ST	--	--	--	--	--	--	15	
16	--	3'-0"	7'-0"	EX.	ST	--	--	--	--	--	--	16	
17	1	3'-0"	7'-0"	WD	ST	1/A.SOI	2/A.SOI	--	--	1	--	17	
18	1	2'-4"	7'-0"	WD	ST	1/A.SOI	2/A.SOI	--	--	4	--	18	
19	--	3'-0"	7'-0"	EX.	--	--	--	--	--	--	--	19	
20	3	3'-0"	7'-8 1/2"	WD	AL	3A5/A.SOI	4/A.SOI	--	GL-1	2	--	20	
21	--	3'-0"	7'-0"	EX.	--	--	--	--	--	--	--	21	




1 STEEL FRAME HEAD DETAIL
A601 1/2" - 1'-0"




2 STEEL FRAME JAMB DETAIL
A601 1/2" - 1'-0"




4 ALUMINUM FRAME JAMB DETAILS
A601 1/2" - 1'-0"




3 ALUMINUM FRAME HEAD DETAIL
A601 1/2" - 1'-0"




9 EXT. AUTOMATIC DOOR JAMB
A601 1/2" - 1'-0"



7 AUTOMATIC DOOR JAMB DETAIL
A601 1/2" - 1'-0"



5 ALUMINUM FRAME HEAD AT GLAZING
A601 1/2" - 1'-0"




6 AUTOMATIC DOOR HEAD DETAIL
A601 1/2" - 1'-0"


FINISH SCHEDULE ABBREVIATIONS

- ACT ACoustic PANEL CEILING
- GWB GYPSUM WALLBOARD
- MAT ENTRANCE MAT SYSTEM
- CT CERAMIC TILE
- WPC WOOD-VENEER, LINEAR-PANEL CEILING
- OPT CARPET TILE
- P PAINT
- RBI RUBBER BASE
- STB STAINLESS STEEL WALL BASE
- SVT SOLID VINYL TILE
- EX EXISTING - TO REMAIN
- NO WORK/NOT APPLICABLE


- ALSO SEE VARIOUS FOR FINISHES
- PROVIDE SURFACE PREPARATION OF EXISTING CONCRETE SLAB INCLUDING:
- COMPLETELY REMOVE EXISTING FINISHES & FLOORING ACCESSORIES.
- EXISTING TACK STRIPS & EXPANSION ANCHORS TO BE CUT AS OPPOSED TO PULLED OUT TO AVOID DAMAGE TO EXISTING CONCRETE.
- GRIND EXPOSED CONCRETE W/ PCD CONCRETE FLOOR DIAMOND GRINDING PAD OR A 1/20 GRIT DIAMOND ABRASIVE BLADE TO CLEAR EXISTING SLAB OF ALL GLUES, MASTICS, & ADHESIVES




5 6" STUD PARTITION



6 NEW GWB @ EXIST. WALL




7 ONE SIDED PARTITION




EX EXISTING PARTITION




D DEMOLITION




1 5" NOM. PARTITION




2 GWB CHASE PARTITION



3 NEW GWB @ EXIST. PARTITION



4 SOUND RATED PARTITION



INFILL @ EXISTING PARTITION:


- MATCH EXIST. STUD & GWB DEPTH (PROVIDE ADDITIONAL LAYERS GWB TO MATCH EXIST). SEE PLAN FOR WALL TYPE.
- ATTACH NEW STUD TO EXIST. STUD.
- PROVIDE REINFORCING TAPE OVER JOINT.
- FILL INFILL ASSEMBLY W/ SOUND BATTS

ROOM FINISH SCHEDULE


ROOM NO.	ROOM NAME	FLOOR	BASE	WALL	FINISH	CEILING	NOTES
102	ENTRY	MAT/CT	STB	P	P	P	WPC 8'-0" --
103	VESTIBULE	MAT/CT	STB	P	P	P	WPC 8'-0" --
104	EXIST. OFFICE	--	--	--	--	--	7'-11" EXIST. ROOM - NO WORK
105	OFFICE AREA	CPT	RB-1	P	P	P	ACT 7'-11" --
106	MEETING ROOM	CPT	RB-1	P	P	P	ACT 7'-11" --
107	OFFICE	CPT	RB-1	P	P	P	ACT 7'-11" --
108	BREAK ROOM	SVT	RB-1	P	P	P	ACT 7'-11" PROVIDE HYDRAULIC CEMENT UNDERLAYMENT
109	EXIST. STOR.	--	--	P	P	P	EX 7'-11" EXIST. ROOM - PAINT GWB WALLS
110	CONFERENCE ROOM	CPT	RB-1	P	P	P	ACT 7'-11" --
111	STORAGE	CPT	RB-1	P	P	P	GW 7'-11" --
112	EXIST. TOILET	--	--	--	--	--	7'-11" EXIST. ROOM - NO WORK
113	EXIST. TOILET(2)	--	--	--	--	--	7'-11" EXIST. ROOM - NO WORK
114	EXIST.	--	--	P	P	P	EX 7'-11" EXIST. ROOM - PAINT GWB WALLS
115	EXIST. MECHANICAL	--	--	--	--	--	8'-6" EXIST. ROOM - NO WORK
117	STACKS	CPT	RB-1	P	P	P	ACT/GWB 7'-11" --
118	COMMON	CPT	RB-1	P	P	P	ACT/GWB 9'-2" --
119	CIRC. DESK	CPT	RB-1	P	P	P	ACT/GWB 7'-11" --
120	CHILDREN	CPT	RB-1	P	P	P	ACT/GWB 9'-2" --
121	LOUNGE	CPT	RB-1	P	P	P	ACT/GWB 9'-2" --
122	TEEN	CPT	RB-1	P	P	P	ACT/GWB 7'-11" --
123	STORAGE	CPT	RB-1	P	P	P	GW 7'-11" --

WINDOW SCHEDULE


MARK	SIZE	TYPE	ELEV	MATERIAL	GLAZING	NOTES
1	5'-0" x 3'-10 1/2"	EXT	1/A.SOI	AL	GL-2	EXTERIOR ALUMINUM WINDOW
2	3'-2" x 2'-5"	INT	2/A.SOI	AL	GL-1	ALUMINUM FRAME
3	11'-0" x 2'-5"	INT	2/A.SOI	AL	GL-1	ALUMINUM FRAME - WIDTH BY FIELD DIMENSIONS




7 EXT. AUTOMATIC DOOR JAMB
A601 1/2" - 1'-0"




8 AUTOMATIC DOOR SILL DETAIL
A601 1/2" - 1'-0"




6 AUTOMATIC DOOR HEAD DETAIL
A601 1/2" - 1'-0"




1 DOOR ELEVATIONS
A601 1/2" - 1'-0"




2 DOOR ELEVATIONS
A601 1/2" - 1'-0"



3 DOOR ELEVATIONS
A601 1/2" - 1'-0"



4 DOOR ELEVATIONS
A601 1/2" - 1'-0"



5 DOOR ELEVATIONS
A601 1/2" - 1'-0"

Village of Tuckahoe:
Tuckahoe Public Library Interior
Renovation
71 Columbus Ave
Tuckahoe, NY 10707



Owner:
Village of Tuckahoe
65 Main St
Tuckahoe, NY 10707

Smith & Pucillo
Architects

27 New Street
Katonah, NY 10536

1.914.401.4009 (Phone)
1.914.263.8027 (Cell)
msmith@smithpucillo.com

Calgi Construction
Construction Managers

56 Lafayette Ave.
Suite 350
White Plains, NY 10603

1.914.682.9423 (Phone)
dchen@calgiconstruction.com

Tietjen Venegas

Consulting Engineers
68 Purchase Street
Rye, NY 10580

1.914.967.9505
info@tietjenpe.com
www.tietjenpe.com

SYMBOLS:

- EXIST. CONSTRUCTION
- NEW CONSTRUCTION
- DEMOLITION
- CELLULAR PVC & PLASTIC DECKING
- SPRAY FOAM INSUL.
- RIGID INSULATION
- SAND OR CONC. IN ELEVATION
- CONCRETE
- EARTH
- FINISHED WOOD
- GRAVEL/FILL
- GYPSUM WALLBOARD
- PLYWOOD
- ENGINEERED LUMBER
- LUMBER IN SECTION

3	FOR BID	124.23
2	CM REVIEW	4.02.23
1	OWNER REVIEW	3.14.23

DATE: 04.01.2023

SCALE: AS NOTED

TITLE: WALL TYPES & SCHEDULES

SHEET

A.601

Job No. 218.1

\\DESKTOP-R48PLV2\CAD Projects\2023\2321 TUCKAHOE PUBLIC LIBRARY\2321 H-100 GROUND FLOOR PLAN & SCHEDULES - EXISTING.dwg, 25/7/2023 10:14:04, F.G.

EXISTING AIR BALANCING REPORT (FOR REFERENCE)								
OUTLET			OUTLET			OUTLET		
No.	SIZE	AIR FLOW (CFM)	No.	SIZE	AIR FLOW (CFM)	No.	SIZE	AIR FLOW (CFM)
CD#1	10"	160	SD#1	36"x6"	300	REG#1	8"x58"	500
CD#2	10"	140	SD#2	36"x6"	360	REG#2		725
CD#3	10"	155	SD#3	36"x6"	230	REG#3		405
CD#4	10"	185	SD#4	36"x6"	130	REG#5		495
CD#5	10"	160	SD#5	36"x6"	260	REG#7	11"x17"	5
CD#6	10"	120	SD#6	36"x6"	170	REG#8	8"x29"	140
CD#7	8"	105	SD#7	36"x6"	265	REG#9		170
CD#8	8"	125				REG#10		490
CD#9	8"	125						
CD#10	10"	110						
CD#11	10"	180						
CD#12	10"	190						
CD#13	10"	100						
CD#14	10"	125						
CD#16	10"	120						
CD#17	10"	85						
CD#18	10"	120						
CD#19	10"	150						
CD#20	12"	200						

EXISTING AIR HANDLING UNIT BALANCING REPORT (FOR REFERENCE)		
MANUFACTURER/ MODEL	SOURCE	AIR FLOW (CFM)
-	O.A.	1636
BOHN:HOS114LF	SUPPLY	4920
BOHN:HD112LF	RETURN	3284
-	TOTAL AIR FLOW	4370

HVAC LEGEND	
SYMBOL	DESCRIPTION
	SUPPLY DUCT
	RETURN/EXHAUST DUCT
	EXISTING
	REMOVAL
	NEW
	CONNECT TO EXISTING
	THERMOSTAT
	SWITCH FOR EXHAUST FAN

ABBREVIATIONS	
A.C.	AIR CONDITIONING UNIT
A.D.	ACCESS DOOR
B.D.D.	BACKDRAFT DAMPER
C.D.	CEILING DIFFUSER
C.F.M.	CUBIC FEET PER MINUTE
DN	DOWN
E.A.	EXHAUST AIR
E.C.	ELECTRICAL CONTRACTOR
E.F.	EXHAUST FAN
FX	FLEXIBLE CONNECTION
F.U.	FAN COIL UNIT
G.C.	GENERAL CONTRACTOR
H.C.	HEATING CONTRACTOR
M.D.	MOTORIZED DAMPER
N.T.S.	NOT TO SCALE
O.A.	OUTSIDE AIR
Ø	DIAMETER
P.C.	PLUMBING CONTRACTOR
R.A.	RETURN AIR
REG.	RETURN/EXHAUST REGISTER
S.A.	SUPPLY AIR
S.R.	SUPPLY REGISTER
T	THERMOSTAT
V.A.V.	VARIABLE AIR VOLUME
V.D.	VOLUME DAMPER

Village of Tuckahoe:
Tuckahoe Public Library
Interior Renovation
740 West Boston Post Road
Mamaroneck, NY 10543



Owner:
Town of Mamaroneck
740 West Boston Post Road
Mamaroneck, NY 10543

Smith & Pucillo
Architects

27 New Street
Katonah, NY 10536

1.914.401.4009 (Phone)
1.914.263.8027 (Cell)
msmith@smithpucillo.com

Calgi Construction
Construction
Managers

56 Lafayette Ave.
Suite 350
White Plains, NY 10603

1.914.682.9423 (Phone)
dchen@calgiconstruction.com

Tietjen Venegas

Consulting Engineers
68 Purchase Street
Rye, NY 10580

1.914.967.9505
info@tietjenpe.com
www.tietjenpe.com

SYMBOLS:	
	EXIST. CONSTRUCTION
	NEW CONSTRUCTION
	DEMOLITION
	CELLULAR PVC & PLASTIC DECKING
	SPRAY FOAM INSUL.
	RIGID INSULATION
	SAND OR CONC. IN ELEVATION
	CONCRETE
	EARTH
	FINISHED WOOD
	GRAVEL/FILL
	GYPSUM WALLBOARD
	PLYWOOD
	ENGINEERED LUMBER
	LUMBER IN SECTION

1	OWNER REVIEW	3.16.23
No.	Revision/Issue	Date

Date: 04.01.2023


Scale AS NOTED

Title
HVAC-EXISTING
GROUND FLOOR PLAN, SCHEMATIC, SCHEDULES
LEGEND & ABBREVIATIONS


Sheet

H-100

Job No. 2321



2 AIR HANDLING UNIT SCHEMATIC-HVAC
H-100 NOT TO SCALE



1 GROUND FLOOR PLAN - EXISTING/REMOVAL
H-100 SCALE: 1/8" = 1'-0"

Village of Tuckahoe:
Tuckahoe Public Library
Interior Renovation
740 West Boston Post Road
Mamaroneck, NY 10543



Owner:
Town of Mamaroneck
740 West Boston Post Road
Mamaroneck, NY 10543

Smith & Pucillo
Architects

27 New Street
Katonah, NY 10536

1.914.401.4009 (Phone)
1.914.263.8027 (Cell)
msmith@smithpucillo.com

Calgi Construction
Construction
Managers

56 Lafayette Ave.
Suite 350
White Plains, NY 10603

1.914.682.9423 (Phone)
dchen@calgiconstruction.com

Tietjen Venegas

Consulting Engineers
68 Purchase Street
Rye, NY 10580

1.914.967.9505
info@tietjenpe.com
www.tietjenpe.com

- SYMBOLS:
- EXIST. CONSTRUCTION
 - NEW CONSTRUCTION
 - DEMOLITION
 - CELLULAR PVC & PLASTIC DECKING
 - SPRAY FOAM INSUL.
 - RIGID INSULATION
 - SAND OR CONC. IN ELEVATION
 - CONCRETE
 - EARTH
 - FINISHED WOOD
 - GRAVEL/FILL
 - GYPSUM WALLBOARD
 - PLYWOOD
 - ENGINEERED LUMBER
 - LUMBER IN SECTION

1	OWNER REVIEW	3.16.23
No.	Revision/Issue	Date

Date: 04.01.2023


Scale AS NOTED

Title
HVAC-EXISTING
GROUND FLOOR PLAN &
SCHEMATIC

Sheet

H-101

Job No. 2321



1 GROUND FLOOR PLAN - PROPOSED
H-101 SCALE: 1/4" = 1'-0"




\\DESKTOP-RH8PLV2\CAD Projects\2023\2321 TUCKAHOE PUBLIC LIBRARY\2321 H-101 GROUND FLOOR PLAN-PROPOSED.dwg, 25/7/2023 10:44:09, E.G.

\\DESKTOP-R48PLV2\CAD Projects\2023\2321 TUCKAHOE PUBLIC LIBRARY\2321 H-102 SCHEDULES & NOTES.dwg, 25/7/2023 10:44:16, T.G.

GENERAL NOTES:

1. FINISH OF ALL VISIBLE EQUIPMENT IN INTERIOR SPACES, EXTERIOR WALLS AND ON ROOF SHALL BE SELECTED BY ARCHITECT.
2. DUCT SIZES INDICATED ARE INSIDE CLEAR DIMENSIONS, ALLOW FOR ACOUSTIC LINER.
3. SUPPORT DUCT RISERS AT EACH FLOOR.
4. VENT ALL HIGH POINTS AND DRAIN ALL LOW POINTS OF PIPING.
5. FOR EXACT LOCATION OF CEILING MOUNTED REGISTERS, DIFFUSERS AND GRILLES, REFER TO ARCHITECTURAL REFLECTED CEILING PLANS.
6. PROVIDE FLEXIBLE CONNECTION WHERE DUCTS AND PIPING CROSS BUILDING EXPANSION JOINTS.
7. VERIFY ALL CLEARANCES, DUCTWORK, EQUIPMENT, PIPING, ETC. BEFORE SUBMITTING SHOP DRAWINGS.
8. DO NOT SCALE DRAWINGS MAKE REFERENCE TO SPECIFIC DIMENSIONS NOTED ON ALL PLANS.
9. INTERIOR OF DUCTWORK IN BACK OF DIFFUSERS, REGISTERS AND GRILLES SHALL BE PAINTED BLACK.
10. FURNISH SPLITTER DAMPERS AT ALL SUPPLY DUCT TAKE-OFFS AND VOLUME DAMPERS AT ALL RETURN BRANCHES.
11. PROVIDE SAFETY CHAIN FOR ALL CEILING DIFFUSERS, REGISTERS AND GRILLES IN GYM. CHAINS TO CONNECT TO STRUCTURAL MEMBERS OR RIGIDLY FIXED DUCTWORK.
12. FURNISHING AND SETTING OF ALL CURBS FOR HVAC EQUIPMENT TO BE BY H.C., FLASHING OF CURBS BY OTHERS.
13. RIGGING AND SETTING OF ALL EQUIPMENT PROVIDED UNDER HEATING CONTRACT SHALL BE BY H.C.
14. EXCEPT AS NOTED ALL EQUIPMENT SHALL BE MOUNTED ON 6" THICK REINFORCED CONCRETE BASE.
15. PIPING DETAILS SHOWN ARE SCHEMATIC. H.C. TO VERIFY AND COORDINATE VALVE, COIL AND EQUIPMENT CONNECTIONS WITH MANUFACTURER.
16. ALL PIPING AT EXTERIOR WALLS AND ROOF TO BE RUN ON INTERIOR SIDE OF BUILDING INSULATION.



1
H-102
FLEXIBLE DUCT CONNECTION TO AIR OUTLET
NOT TO SCALE

CEILING DIFFUSER SCHEDULE

CEILING DIFF. No.	MFR.	MODEL	CFM.	SIZE	NOTES
CD#1	PRICE	ASPD	160	10"ø	
CD#4		VDP-HC	320		THERMALLY POWERED, WITH PRESSURE RELIEF COLLAR
CD#5		↓	320		↓
CD#6		ASPD	260		
CD#8			260		
CD#10			110		
CD#11			180		
CD#12			190		
CD#13		↓	100		
CD#14		VDP-HC	125		THERMALLY POWERED, WITH PRESSURE RELIEF COLLAR
CD#15		VDP-HC	125		THERMALLY POWERED, WITH PRESSURE RELIEF COLLAR
CD#16		ASPD	120	↓	
CD#17			85	8"ø	
CD#18			120	8"ø	
CD#19			150	10"ø	
CD#20	↓	↓	200	12"ø	
NOTE: DIFFUSERS TO BE EXTRUDED ALUMINUM CONSTRUCTION FOR SURFACE MOUNTING. PROVIDE WITH VOLUME DAMPERS					

SUPPLY REGISTER SCHEDULE

SUPPLY REG. No.	MFR.	MODEL	CFM.	SIZE	NOTES
SD#1	PRICE	620DAL	300	16x6	
SD#2			380		
SD#3			230		
SD#4			130		
SD#5			260		
SD#6			170		
SD#7	↓	↓	265	↓	
NOTE: EXTRUDED ALUMINUM, REVERSIBLE CORE SIDE WALL SUPPLY REGISTER WITH ALUMINUM DAMPER, 1" FLAT BORDER AND DIRECTIONAL VANES, PROVIDE CLEAR ANODIZED FINISH.					

RETURN EXHAUST REGISTER SCHEDULE

RETURN EXH. No.	MFR.	MODEL	CFM.	SIZE	NOTES
REG#1	PRICE	635DAL	500	8x58	
REG#2			725	↓	
REG#3			405		
REG#4			185	8x8	
REG#5			495	8x58	
REG#6			160	8x8	
REG#7			5	11x17	
REG#8			140	8x29	
REG#9			170		
REG#10	↓	↓	490	↓	
NOTE: EXTRUDED ALUMINUM LOUVER TYPE, 45° FIXED BLADES, 1/2" SPACING, BLADES PARALLEL TO SHORT DIMENSION, PROVIDE CLEAR ANODIZED FINISH.					

Village of Tuckahoe:
Tuckahoe Public Library
Interior Renovation
740 West Boston Post Road
Mamaroneck, NY 10543



Owner:
Town of Mamaroneck
740 West Boston Post Road
Mamaroneck, NY 10543

Smith & Pucillo
Architects

27 New Street
Katonah, NY 10536

1.914.401.4009 (Phone)
1.914.263.8027 (Cell)
msmith@smithpucillo.com



Calgi Construction
Construction
Managers

56 Lafayette Ave.
Suite 350
White Plains, NY 10603

1.914.682.9423 (Phone)
dchen@calgiconstruction.com

Tietjen Venegas

Consulting Engineers
68 Purchase Street
Rye, NY 10580

1.914.967.9505
info@tietjenpe.com
www.tietjenpe.com

SYMBOLS:

- EXIST. CONSTRUCTION
- NEW CONSTRUCTION
- DEMOLITION
- CELLULAR PVC & PLASTIC DECKING
- SPRAY FOAM INSUL.
- RIGID INSULATION
- SAND OR CONC. IN ELEVATION
- CONCRETE
- EARTH
- FINISHED WOOD
- GRAVEL/FILL
- GYPSUM WALLBOARD
- PLYWOOD
- ENGINEERED LUMBER
- LUMBER IN SECTION

1	OWNER REVIEW	3.16.23
No.	Revision/Issue	Date

Date: 04.01.2023

Scale: AS NOTED

Title: HVAC SCHEDULES, DETAIL & NOTES

Sheet: H-102

Job No. 2321

Village of Tuckahoe:
Tuckahoe Public Library
Interior Renovation
740 West Boston Post Road
Mamaroneck, NY 10543



Owner:
Town of Mamaroneck
740 West Boston Post Road
Mamaroneck, NY 10543

Smith & Pucillo
Architects

27 New Street
Katonah, NY 10536

1.914.401.4009 (Phone)
1.914.263.8027 (Cell)
msmith@smithpucillo.com

Calgi Construction
Construction
Managers

56 Lafayette Ave.
Suite 350
White Plains, NY 10603

1.914.682.9423 (Phone)
dchen@calgiconstruction.com

Tietjen Venegas

Consulting Engineers
68 Purchase Street
Rye, NY 10580

1.914.967.9505
info@tietjenpe.com
www.tietjenpe.com

SYMBOLS:

- EXIST. CONSTRUCTION
- NEW CONSTRUCTION
- DEMOLITION
- CELLULAR PVC & PLASTIC DECKING
- SPRAY FOAM INSUL.
- RIGID INSULATION
- SAND OR CONC. IN ELEVATION
- CONCRETE
- EARTH
- FINISHED WOOD
- GRAVEL/FILL
- GYPSUM WALLBOARD
- PLYWOOD
- ENGINEERED LUMBER
- LUMBER IN SECTION

1	OWNER REVIEW	3.16.23
No.	Revision/Issue	Date

Date: 04.01.2023


Scale: AS NOTED

Title:
ELECTRICAL-LIGHTING
GROUND FLOOR PLAN

Sheet


E-101

Job No. 2321



1 GROUND FLOOR PLAN - LIGHTING
E-101 SCALE: 1/4" = 1'-0" NORTH

\\DESKTOP-RH8PLV2\CAD Projects\2023\2321 TUCKAHOE PUBLIC LIBRARY\2321 E-102 GROUND FLOOR PLAN - POWER.dwg, 25/7/2023 10:14:33, F.G.



1 GROUND FLOOR PLAN – POWER
E-102 SCALE: 1/4" = 1'-0"

GENERAL NOTES

1. SEE E-100 FOR REMOVALS.
2. PROVIDE NEW WIRING DEVICES FOR ALL RELOCATED CIRCUITRY.
3. WHERE CIRCUITRY IS INDICATED TO BE RELOCATED, PULL BACK TO AVOID VISIBLE SPLICE BOXES IN PUBLIC SPACES.
4. WHERE RECEPTACLES ARE INDICATED AS EXISTING, REPLACE RECEPTACLES AND FACE PLATE TO MATCH NEW.
5. EC TO VERIFY CIRCUIT BREAKERS MADE SPARE FROM REMOVAL/DEMO. PROVIDE NEW MATCHING ARC FAULT CIRCUIT BREAKERS.

Village of Tuckahoe:
Tuckahoe Public Library
Interior Renovation
740 West Boston Post Road
Mamaroneck, NY 10543



Owner:
Town of Mamaroneck
740 West Boston Post Road
Mamaroneck, NY 10543

Smith & Pucillo
Architects

27 New Street
Katonah, NY 10536

1.914.401.4009 (Phone)
1.914.263.8027 (Cell)
msmith@smithpucillo.com

Calgi Construction
Construction
Managers

56 Lafayette Ave.
Suite 350
White Plains, NY 10603

1.914.682.9423 (Phone)
dchen@calgiconstruction.com

Tietjen Venegas

Consulting Engineers
68 Purchase Street
Rye, NY 10580

1.914.967.9505
info@tietjenpe.com
www.tietjenpe.com

SYMBOLS:

- EXIST. CONSTRUCTION
- NEW CONSTRUCTION
- DEMOLITION
- CELLULAR PVC & PLASTIC DECKING
- SPRAY FOAM INSUL.
- RIGID INSULATION
- SAND OR CONC. IN ELEVATION
- CONCRETE
- EARTH
- FINISHED WOOD
- GRAVEL/FILL
- GYPSUM WALLBOARD
- PLYWOOD
- ENGINEERED LUMBER
- LUMBER IN SECTION

1	OWNER REVIEW	3.16.23
No.	Revision/Issue	Date

Date: 04.01.2023

Scale AS NOTED

Title
ELECTRICAL-POWER
GROUND FLOOR PLAN


Sheet

E-102

Job No. 2321

LIGHTING FIXTURE SCHEDULE							
FIXTURE TYPE	SYMBOL	DESCRIPTION	MFG. CATALOG NO.	LAMP DATA INFO.	VOLTAGE	MOUNTING	REMARKS
A		STACK DIRECT/INDIRECT LENGTH AS INDICATED	ACOLYTE #PS3-HO-SO-LENGTH-35-35-WH	LED 3500K 24.4W/FT DIRECT/INDIRECT 1100W/LM DIRECT/INDIRECT	120V	PENDANT	
B		2x2 VOLUMETRIC LED	LITHONIA LIGHTING # 2ALL-2-40L EZ1-LP835	LED 3500K, 35W	120V	RECESED	WITH DIMMING CIRCUITRY WHERE INDICATED
C		CHILDREN'S PENDANT	BETA CALCO# TRIPLE--TRPP2P06--LMA070--LMB0100--CR90--CTA30--CTB30--CTC54--BA70 UD1-V1--DA01--FA44--FB53--FC01	LED 3500K, 24W	120V	PENDANT	
D		CIRC DESK PENDANT	BEGA LIGHTING # 56-567.1	LED 3500K, 19W	120V	PENDANT	
F		ENTRY SOFFITS	PURE EDGE LIGHTING # TRULINE 1A-TL1A-2.5 WDC-LENGTH-ST30K	LED 3000K, 5W/FT, 350LM/FT	120V	RECESED	
G		ENTRY RECESSED	MARK LIGHTING #SLOT4-SL4L-LENGTH-FLP-TRIM-90CRI-30K-400LMF-S90CRI	LED 3000K, 5W/FT, 350LM/FT	120V	RECESED	
H		ROUND PENDANT DIRECT/INDIRECT 2'-3'-4' AS INDICATED	BIRCHWOOD LIGHTING #KAT DR/IN HLO/HLO-359-2-3/4-FINISH-120-D1-CSS	LED 3500K 2'-5,811LM/68W 3'-17180LM/198W 4'-23,959LM/264W	120V	PENDANT MULTI-POINTS	
I		ENTRY SCONCE	BETA CALCO--SENTIS #326100-35-OP-WH	LED 3500K, 1311L, 14W	120V	WALL	PROVIDE RECESSED BACKBOX
J		STORAGE 4" DOWNLIGHT	LITHONIA LIGHTING: WF4-LED-MVOLT-90CRI-MW-30K, 40K, 50K	LED, 30K, 750LM, 90CRI, 10.5W	120V	RECESED	PROVIDE RECESSED BACKBOX PROVIDE 120V AND 0-10 DIMMING
EXIT/EM		COMBINATION EXIT/EM WITH INTEGRATED BATTERY	DUAL LITE COMPASS CC-SQ	LED AS SUPPLIED	120V	WALL	PROVIDE RECESSED BACKBOX
EM		TWO HEAD ER WITH INTEGRATED BATTERY	DUAL LITE COMPASS CU25Q	LED AS SUPPLIED	120V	WALL	PROVIDE RECESSED BACKBOX
EXT/EM		EXTERIOR NORMALLY DARK EM LIGHT WITH INTEGRAL BATTERY HEATER	DUAL LITE PG-HTR-COLOR	LED AS SUPPLIED	120V	SURFACE	PROVIDE RECESSED BACKBOX
NOTES							
1. LED FIXTURES SHALL BE LM70 MINIMUM RATED, 50,000 HOURS MINIMUM. 2. SUBMIT D.O.E. LIGHTING FACT SHEET FOR ALL FIXTURES. 3. PROVIDE FIXTURES WITH NECESSARY TRIM & ACCESSORIES REQUIRED FOR A COMPLETE INSTALLATION. 4. EXACT LOCATION OF FIXTURES SHALL BE DETERMINED BY ARCHITECTURAL REFLECTED CEILING PLAN AND APPROVED SHOP DRAWINGS. VERIFY CEILING TYPES, PRIOR TO SUBMITTING FIXTURES.				5. COLOR & FINISHES SHALL BE AS SELECTED BY ARCHITECT. 6. FOR EACH PENDANT FIXTURE, CONTRACTOR SHALL PROVIDE AT LEAST ONE ADDITIONAL FIELD INSTALLED SUPPORT, ANTI-ROTATION/SWING CABLE, INDEPENDENTLY ATTACHED TO THE FIXTURE AND BUILDING STRUCTURE. SUBMIT METHOD AND MATERIALS FOR APPROVAL. PROVIDE ADDITIONAL WHERE INDICATED OR REQUIRED.			

LIGHTING CONTROL CHART	
ROOM	OPERATION DESCRIPTION
102, 103, 118 119,120,121,122	- TIME OF DAY ON/OFF PLUS MANUAL OVERRIDE.
106, 110, 110A	- OCCUPANCY SENSOR - MANUAL DIMMING
117	- OCCUPANCY SENSOR - NIGHT LIGHT
105, 107, 108, 111	- OCCUPANCY SENSOR



1 FIRE ALARM RISER

NOT TO SCALE

GENERAL NOTES

- ALL WORK SHALL COMPLY WITH THE STATE'S ADOPTED NFPA AND ADOPTED NEC WITH LOCAL SUPPLEMENTS. WORK PERFORMED SHALL BE UNDERTAKEN WITH PRECAUTION BEING MAINTAINED TO ENSURE SAFETY OF PERSONNEL AND EQUIPMENT IN AREA IN SUCH A MANNER SO AS NOT TO DISTURB NORMAL WORK PROCEDURE.
- WORK SHOWN IS DIAGRAMMATIC. EXACT LOCATION OF CONDUIT RUNS SHALL BE DETERMINED IN FIELD. LOCATE NEW CONDUIT RUNS TO CLEAR EXISTING AND NEW PIPING, DUCTWORK, ACCESS DOORS AND OTHER OBSTRUCTIONS. COORDINATE CONDUIT ROUTING WITH WORK OF OTHER TRADES AND ALTER WHERE NECESSARY TO AVOID INTERFERENCE. SUBMIT FOR APPROVAL, PRIOR TO ACTUAL INSTALLATION, SCALED INSTALLATION SHOP DRAWINGS SHOWING LOCATIONS OF NEW FEEDERS. NEW EQUIPMENT/ DEVICES TO BE INSTALLED AND INDICATING EXACT CIRCUITRY. SHOP DRAWINGS SHALL INCLUDE WIRING, PULLBOXES, JUNCTION BOXES, FITTINGS, WIRING DEVICES, CONTROL DEVICES AND DIMENSIONED CLEARANCES FROM EXISTING STRUCTURE AND EQUIPMENT. COORDINATE SHOP DRAWINGS WITH OTHER TRADES PRIOR TO SUBMITTAL.
- PROVIDE IDENTIFICATION TAGS FOR NEW WIRING AND INSTALL AT EACH END AND IN INTERMEDIATE PULL/JUNCTION BOXES, CABINETS, HOUSINGS, ETC. INDICATE ON TAGS, LEGIBLY, MINIMUM 1/4" HIGH LETTERS, THE POINTS OF ORIGIN AND TERMINATION OF EACH CIRCUIT. INCLUDE DATE OF INSTALLATION.
- WHEN PORTION OF AN EXISTING CIRCUIT IS TO BE REMOVED OR IS ON WALL BEING REMOVED, CONTRACTOR SHALL MAKE NECESSARY MODIFICATIONS AND/OR ADDITIONS REQUIRED TO MAINTAIN CIRCUIT CONTINUITY OF UNCHANGED PORTION.
- VERIFY EXACT LOCATION OF EQUIPMENT, SHOWN OR NOT SHOWN, IN FIELD PRIOR TO PERFORMING ANY WORK.
- VERIFY IN FIELD THAT ANY EQUIPMENT AND WIRING TO BE REMOVED DOES NOT SERVE ACTIVE EQUIPMENT TO REMAIN PRIOR TO DISCONNECTING/ REMOVING.
- INSTALL CONDUIT RUNS AS CLOSE TO CEILING DECK AS POSSIBLE. PROVIDE REQUIRED CONDUITS, ELBOWS, FITTINGS, OFFSETS, AND PULLBOXES.
- CONDUITS SHALL BE PROPERLY SUPPORTED FROM CEILING DECK ABOVE. NO CONDUIT SHALL BE SECURED TO, SUPPORTED BY OR HUNG FROM DUCTWORK OR PIPING OR OTHER SUCH ITEMS.
- WORK REQUIRING SHUT-DOWN OF ELECTRIC SERVICE SHALL BE PERFORMED DURING PRE-SCHEDULED SHUT-DOWN AS SCHEDULED AND APPROVED BY ARCHITECT. INCLUDE COSTS IN BID.
- PROVIDE CUTTING AND PATCHING REQUIRED FOR ELECTRICAL INSTALLATION.
- PROVIDE SLEEVES FOR RACEWAYS PIERCING FIRE RATED WALLS, FLOORS, AND OTHER CONSTRUCTION OBSTACLES.
- MATERIALS REMOVED BY CONTRACTOR AND NOT REQUIRED FOR INSTALLATION SHALL BE REMOVED FROM PREMISES AND DISPOSED OF IN LEGAL MANNER, IMMEDIATELY WHEN SO DIRECTED BY ARCHITECT.
- APPLY LABELING ON CONDUIT FOR BUILDING ALARM CIRCUITRY AT INTERVALS OF 20 FT.
- CONDUCTORS IN PARALLEL SHALL BE INSTALLED IN STRICT ACCORDANCE WITH APPLICABLE CODES. CONDUCTORS SHALL BE OF SAME TYPE, LISTING INSULATION AND TYPE.
- PHASING OF ELECTRICAL WORK SHALL COMPLY WITH "PHASING OF THE WORK" AS DESCRIBED BY ARCHITECT.
- PROVIDE BLANK COVERS ON ABANDONED OR UNUSED OUTLET BOXES.
- MAKE FINAL CONNECTIONS FOR MOTORIZED EQUIPMENT, TRANSFORMER, OR EQUIP. SUBJECT TO VIBRATION, WITH FLEXIBLE RACEWAY.
- IF ANY DEVIATIONS/VARIATIONS ARE DISCOVERED BETWEEN FLOOR PLANS AND CONNECTION DIAGRAMS, THE CONTRACTOR SHALL PROVIDE FOR THE MOST EXPENSIVE SITUATION WITH CREDIT SUBMITTED, SHOULD THE LESSER AMOUNT BE REQUIRED.
- WHERE THE PLANS DO NOT INDICATE THE BRANCH CIRCUIT WIRING AND CONDUIT FOR FIXTURES OR OUTLETS NOR THE CONDUIT SIZE FOR FEEDERS. PROVIDE THE CORRECT WIRING QUANTITY AND SIZE. INSTALLED IN CONDUIT, AS REQUIRED BY THE INDICATED CIRCUITRY AND THE NATIONAL ELECTRICAL CODE WITH LOCAL SUPPLEMENTS.
- PROVIDE IDENTIFICATION ON EACH FACEPLATE, DISCONNECT SWITCH, PANEL, ETC. IDENTIFICATION OF WIRING DEVICE FACEPLATE SHALL CONSIST OF PANEL DESIGNATION AND CIRCUIT NUMBER OF DEVICE AS CONNECTED, UTILIZE BROTHER "P-TOUCH" TYPE MATERIAL ADHERED TO FACEPLATE.
- NEW SYSTEMS SHALL BE MADE OPERATIONAL AS SPACES ARE ACCEPTED, PROVIDE PERSONNEL, TESTING, SCHEDULING AS REQUIRED. INCLUDE COST IN BID.
- LOCATIONS OF OUTLETS ARE APPROXIMATE AND FINAL LOCATION SHALL BE AS DIRECTED BY THE ARCHITECT. VERIFY ALL LOCATIONS BEFORE INSTALLATION. NO EXTRAS WILL BE ALLOWED FOR CHANGES UP TO 10'-0" FROM LOCATION SHOWN ON PLAN PRIOR TO ROUGH-IN.
- REFER TO THE MECHANICAL/PLUMBING/SPECIALTY EQUIPMENT SHOP DRAWINGS AND WIRING DIAGRAMS FOR POWER, CONTROL AND ALARM WIRING CONNECTIONS. OBTAIN NECESSARY POWER, CONTROL AND ALARM WIRING REQUIREMENTS FROM MECHANICAL/PLUMBING/GOLF SUB-CONTRACTORS PRIOR TO BID AND INCLUDE IN BID. TEMPERATURE CONTROL CIRCUITRY BY EC PER SUPERVISION AND COORDINATION WITH HC.
- CIRCUIT NUMBERS ON THE DRAWINGS ARE FOR IDENTIFICATION ONLY AND DO NOT INDICATE THE POSITION ON THE PANEL BOARD. CONNECT THE CIRCUITS WITH THE LIGHTEST LOADS AND THE RECEPTACLE CIRCUITS NEAR THE TOP OF THE PANEL AND THE MORE HEAVILY LOADED CIRCUITS NEAR THE BOTTOM. BALANCE ALL CIRCUITS EVENLY BETWEEN PHASES SO THAT FEEDER WIRES CARRY APPROXIMATELY EQUAL CURRENT. REBALANCE IF NECESSARY.

ELECTRIC LEGEND		
SYMBOL	DESCRIPTION &/OR SPECIFICATION	
	FLUORESCENT FIXTURE & OUTLET	SEE FIXTURE SCHEDULE FOR MORE INFORMATION
	PENDANT TYPE LIGHTING FIXTURE & OUTLET	
	BRACKET OUTLET & FIXTURE	
	EXIT LIGHTS WITH OUTLETS- BACK MT'D, CEILING & DIRECTIONAL TYPE	
	A=TYPE LIGHTING FIXTURE AS DESCRIBED IN LIGHTING FIXTURE SCHEDULE	
	S SINGLE POLE 20A, TOGGLE SWITCH, LEVITON DECORA STYLE	
	S3 THREE-WAY 20A, TOGGLE SWITCH, LEVITON DECORA STYLE	
	Su MOTION SENSOR SWITCH. DETECTOR SENIOR SWITCH BRAND MODEL # WSD-PDT-2P	
	Sd MANUAL DIMMER SWITCH	
	So LIGHTING CONTROL OVERRIDE SWITCH	
	POWER DISTR. PANEL, LIGHTING PANEL, & RECEPTACLE PANEL	
	FA MANUAL FIRE ALARM STATION	
	FAV FIRE ALARM SIGNAL AUDIO/VISUAL TYPE	
	FAV FIRE ALARM SIGNAL VISUAL ONLY TYPE	
	H135 HEAT DETECTOR 135°F FIXED TEMP.	
	Ss CEILING SMOKE DETECTOR PHOTO ELECTRIC TYPE	
	CO CARBON MONOXIDE DETECTOR WITH SOUNDING BASE MONITORED BY FIRE ALARM SYSTEM.	
	Ss/CO COMBINATION SMOKE/ CO DETECTOR	
	= DUPLEX RECEPTACLE, CHILD TAMPER RESISTANT, LEVITON # TS825-COLOR	
	GF 6FCI CHILD TAMPER RESISTANT LEVITON # 6FWT2-65362-WT-COLOR	
	JUNCTION BOX E.C. TO MAKE ALL REQUIRED CONN. TO DESIGNATED EQUIPMENT FUSED DISCONNECT SWITCH- SIZE PER INTENDED USE. UNFUSE WHERE NOT REQUIRED. ALL H.D. TYPE EXCEPT NEMA-3R EXTERIOR USE	
	M MOTOR- NUMBER DENOTES HORSEPOWER	
	T THERMOSTAT	PROVIDED BY H.C. INSTALLED AND WIRED BY E.C.
	D, V MOTOR OPERATED DAMPER / MOTOR OPERATED VALVE	
	DO DATA OUTLET WITH 1" C.O.	
	TO TEL OUTLET WITH 1" C.O.	
	M CEILING MOTION DETECTOR.	
	RF RECESSED FLOOR BOX	
	W WORK ITEM	
	CONDUIT RUN CONCEALED IN CEILINGS &/OR HUNG CEILING &/OR WALLS	
	RA FIRE ALARM ADDRESSABLE MONITOR MODULE	
	D DAYLIGHT DIMMING SENSOR	

ABBREVIATIONS			
E.C.	ELECTRICAL CONTRACTOR	CU	COPPER
H.C.	HEATING CONTRACTOR	WP	WEATHER PROOF
P.C.	PLUMBING SUB CONTRACTOR	GRD.	GROUND
G.C.	GENERAL CONTRACTOR	CB	CIRCUIT BREAKER
E.F.	EXHAUST FAN	GF	GROUND FAULT
LP	LIGHTING PANEL	DISC.	DISCONNECT
PP	POWER PANEL	FACP	FIRE ALARM CONTROL PANEL
C.O.	CONDUIT ONLY	MD	MOTORIZED DAMPER
A.F.F.	ABOVE FINISHED FLOOR	MV	MOTORIZED VALVE
N.T.S.	NOT TO SCALE	OC	OVER COUNTER
NEC	NATIONAL ELECTRIC CODE (LATEST)	P.O.S	POINT OF SALE
S/N	SOLID NEUTRAL	TSH	TOE SPACE HEATER
HD	HEAVY DUTY	DS	DOOR SWITCH
WG	WIRE GUARD	WP	WEATHER PROOF

FIRE ALARM GENERAL NOTES:

- ELECTRICAL CONTRACTOR SHALL PROVIDE THE SERVICES OF THE BUILDING'S LICENSED FIRE ALARM VENDOR IN BID. OBTAIN PRICE AND SCOPE PRIOR TO SUBMITTING BID. BRAND OF EQUIPMENT SHALL MATCH BUILDING PANEL BRAND.
- NEW FIRE ALARM ADDRESSABLE EQUIPMENT SHALL INCLUDE ALL REQUIRED BATTERY BACKUP, POWER SUPPLIES, INTERFACE RELAYS AND PROGRAMMING FOR A COMPLETE INSTALLATION.
PROVIDE;
A. ALL REQUIRED HARDWARE AND PROGRAMMING TO USE THE EXISTING FIRE ALARM CONTROL PANEL.
- ALL REQUIRED AND INDICATED ADDRESSABLE ALARM INITIATING DEVICES
- ALL REQUIRED AND INDICATED NOTIFICATION DEVICES
B. ADA COMPLIANT STROBES
C. COMBINATION HORN/STROBES
D. ADDRESSABLE, INTELLIGENT SMOKE DETECTORS.
E. ADDRESSABLE, DUAL ACTION PULL STATION.
F. LED ALARM INDICATOR
- ALL WIRES SHALL BE PLENUM RATED FIRE ALARM CABLES. ALL WIRES SHALL BE RUN IN EMT CONDUIT WITH COMPRESSION FITTINGS WHERE EXPOSED.
- SEE FLOOR PLANS FOR EXACT QUANTITY OF DEVICES.
- SHOP DRAWING SUBMITTAL SHALL INCLUDE
- FULL FLOOR PLANS INDICATING DEVICE ADDRESSES
- SYSTEM RISER AND CONNECTION PLANS
- DEVICE CUT SHEET AND APPLICABLE INFORMATION
- PROVIDE TESTING OF EACH INDIVIDUAL ALARM DEVICE AND DOCUMENTATION THAT EACH DEVICE REPORTS ALARMS CORRECTLY AND THE SEQUENCE OF OPERATION IS FOLLOWED AUTOMATICALLY.

FIRE ALARM SEQUENCE OF OPERATION

- IT IS NOT THE INTENT TO ALTER THE EXISTING APPROVED FIRE ALARM SEQUENCE OF OPERATION.

Village of Tuckahoe:
Tuckahoe Public Library
Interior Renovation
740 West Boston Post Road
Mamaroneck, NY 10543



Owner:
Town of Mamaroneck
740 West Boston Post Road
Mamaroneck, NY 10543

Smith & Pucillo
Architects

27 New Street
Katonah, NY 10536

1.914.401.4009 (Phone)
1.914.263.8027 (Cell)
msmith@smithpucillo.com

Calgi Construction
Construction
Managers

56 Lafayette Ave.
Suite 350
White Plains, NY 10603

1.914.682.9423 (Phone)
dchen@calgiconstruction.com

Tietjen Venegas

Consulting Engineers
68 Purchase Street
Rye, NY 10580

1.914.967.9505
info@tietjenpe.com
www.tietjenpe.com

SYMBOLS:

	EXIST. CONSTRUCTION
	NEW CONSTRUCTION
	DEMOLITION
	CELLULAR PVC & PLASTIC DECKING
	SPRAY FOAM INSUL.
	RIGID INSULATION
	SAND OR CONC. IN ELEVATION
	CONCRETE
	EARTH
	FINISHED WOOD
	GRAVEL/FILL
	GYPSUM WALLBOARD
	PLYWOOD
	ENGINEERED LUMBER
	LUMBER IN SECTION

1	OWNER REVIEW	3.16.23
No.	Revision/Issue	Date

Date: 04.01.2023

Scale: AS NOTED

Title: ELECTRICAL
FIRE ALARM RISER,SCHEDULES & NOTES

Sheet: E-103

Job No. 2321

