REFERENCE PHOTO A3

REFERENCE PHOTO A2

REFERENCE PHOTO A1

GENERAL NOTES

- A. IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO FULLY AND COMPLETELY READ AND UNDERSTAND USPS STANDARD SPECIFICATIONS AND TO PROVIDE A FINISHED PROJECT, INCLUDING ALL
- PURCHASED ITEMS, FULLY CONFORMING TO THESE SPECIFICATIONS. B. BUILDING HAS BEEN FIELD MEASURED. HOWEVER, GC SHALL BE REQUIRED TO REVIEW SITE CONDITIONS AGAINST DRAWINGS. ANY DISCREPANCIES ARE TO BE BROUGHT TO THE ATTENTION OF THE ARCHITECT
- BEFORE ANY WORK COMMENCES. C. DO NOT SCALE DRAWINGS. D. IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO CROSS-CHECK THE MEP DRAWINGS WITH THE ARCHITECTURAL DRAWINGS PRIOR TO THE ORDERING / INSTALLATION OF MECHANICAL,
- ELECTRICAL, AND PLUMBING WORK. ANY DISCREPANCIES BETWEEN THE ARCHITECTURAL AND MEP DRAWINGS SHALL BE BROUGHT TO THE ARCHITECTS ATTENTION FOR IMMEDIATE CLARIFICATION. COORDINATE WORK WITH OTHER TRADES, EQUIPMENT FURNISHED BY OTHERS, REQUIREMENTS OF
- THE TENANT AND LANDLORD/BUILDING OWNER, AND THE CONSTRAINTS OF THE EXISTING CONDITIONS OF THE PROJECT SITE. COORDINATE THE INSTALLATION WITH OTHER TRADES AS REQUIRED TO ENSURE A NEAT AND ORDERLY INSTALLATION. NOTIFY ARCHITECT/ENGINEER OF ANY DISCREPANCIES BEFORE STARTING GENERAL CONTRACTOR AND SUB-CONTRACTORS SHALL CAREFULLY REVIEW THE CONSTRUCTION
- DOCUMENTS. INFORMATION REGARDING THE COMPLETE WORK IS DISPERSED THROUGHOUT THE DOCUMENT SET AND CANNOT BE ACCURATELY DETERMINED WITHOUT REFERENCE TO THE COMPLETEDOCUMENT SET.
- B. WHERE THERE MAY BE A CONFLICT IN THE SPECIFICATIONS AND/OR DRAWINGS, THEN THE MORE EXPENSIVE LABOR, MATERIALS AND EQUIPMENT SHALL BE ASSUMED TO BE REQUIRED AND SHALL BE PROVIDED BY THE GENERAL CONTRACTOR TO THE SATISFACTION OF THE TENANT.
- H. WHEN WORK, NOT SPECIFICALLY CALLED OUT, IS REQUIRED TO COMPLETE THE PROJECT, IT SHALL BE PROVIDED BY THE GENERAL CONTRACTOR WITH THE BEST MATERIALS AND WORKMANSHIP.
- GC RESPONSIBLE FOR ENGAGING SHORING ENGINEERING FOR ALL BRACING REQUIRED FOR DEMOLITION AND CONSTRUCTION.

PLAN KEYNOTES

REFERENCE PHOTO A4

- . EXTERIOR BUILDING WORK TYPICAL ALL SIDES OF BUILDING:
- PRESSURE WASH ALL EXTERIOR SURFACES
 PATCH, REPAIR, AND RE-TUCK POINT ANY MISSING MORTAR. COLOR AND STYLE TO MATCH EXISTING CONSTRUCTION REMOVE OLD SEALANT AND BACKER RODS, INCLUDING ALL WINDOWS AND DOORS. DO NOT CAULK OVER EXISTING WEEP HOLES. INSTALL NEW BACKER ROD AND SEALANT INPLACE TO MATCH EXISTING
- ALL PREVIOUSLY PAINTED METAL SURFACES TO BE SCRAPED AND REPAINTED TO MATCH EXISTING PAINT COLOR. VERIFY COLOR IN FIELD. INCLUDED BY NOT LIMITED TO PREVIOUSLY PAINTED BOLLARDS,
- CLEAN & FIX WEEP HOLES ALONG FACE OF BUILDING RECAULK EXISTING EXTERIOR ROOF COPING JOINTS, TYPICAL OF ALL ELEVATIONS.
- 3. PRESSURE WASH ALL EXISTING SIDEWALKS. 4. UPDATE ALL NON LED EXTERIOR LIGHT FIXTURES TO LED FIXTURES. ELECTRICAL TO RE-ESTABLISH POWER TO ANY DISCONNECTED LIGHTING FIXTURES. COORDINATE WITH ELECTRICAL DRAWINGS.
- . REFRESH LANDSCAPING. TRIM TREES ALONG BUILDING FACE AND CLEAN UP EXISTING FENCE LINES. 6. PROVIDE NEW SMOKERS CANOPY WITH ASH URNS PER SPECIFICATIONS LOCATED NEAR BREAK ROOM
- PATIO. CANOPY TO BE MINIMUM 12'X12' GAZEBO-TYPE STRUCTURE PROCURED LOCALLY CONSTRUCTED OUT OF PRESSURE TREATED WOOD AND COMPOSITE MATERIALS.
- . MILL AND OVERLAY CUSTOMER/ RETAIL PARKING LOT ASPHALT. SURFACE TO BE RESTRIPED. SEE CIVIL DRAWINGS FOR MORE DETAIL.
- 8. ELECTRICAL TO RE-ESTABLISH POWER TO EXISTING SECURITY FENCE AND GATE. COORDINATE WITH
- ELECTRICAL DRAWINGS. 9. BUILDING SIGNAGE TO BE UPDATED PER USPS SPECIFICATIONS. COORDINATE WITH ELECTRICAL
- DRAWING. GC TO PROVIDE FIRE RETARDANT BLOCKING AS REQUIRED FOR NEW SIGNAGE.
- 10. ADDITIONAL WORK TO BE DONE TO THE SITE PER CIVIL DRAWINGS. INCLUDING BUT NOT LIMITED TO:
- MODIFICATIONS TO THE EXISTING STORM WATER DETENTION TO ACCOMMODATE FOR NEW HARD SURFACE AREA.
- REFRESH STORM SEWER AND CEAN UP EXISTING STORM SEWERS AS NECESSARY. COORDINATE WITH CIVIL DRAWINGS FOR ADDITIONAL WORK IN THIS AREA.
- EXISTING EMPLOYEE PARKING LOT TO BE EXPANDED. SEE CIVIL DRAWINGS FOR MORE DETAIL. CURB, RAMP AND SIDEWALK ADJUSTMENTS REQUIRED TO CREATE ACCESSIBLE EMPLOYEE EGRESS,
- SEE CIVIL DRAWINGS FOR MORE DETAIL.
- MODIFICATIONS TO EXISTING SECURITY FENCE AND GATES. SEE CIVIL FOR MORE DETAIL.
 REMOVE EXISTING CANVAS CANOPY NEAR CUSTOMER/RETAIL PARKING AND REPLACE IN-KIND WITH NEW. COLOR TO MATCH NEW EXTERIOR STUCCO FINISH COLOR.
- 12. REMOVE AND REPLACE EXISTING VENEER LOCATED AT CUSTOMER ENTRANCE. COORDINATE REPLACE WITH USPS. VERIFY SIZE AND LOCATION IN FIELD.

Professional Corporation

520 SOUTH MAIN STREET, SUITE 2531 AKRON, OH 44311 330.572.2100 FAX: 330.572.2101

NOT FOR CONSTRUCTION