

A200


A200

ELEVATION AREA A.3

- SCHEDULED BASE


- FAN COIL BY MC

ENLARGED REFLECTED CEILING PLAN AREA A.3



EPT —





- 1. ALL DRAWINGS ARE GRAPHIC REPRESENTATION OF APPROXIMATE LOCATIONS OF 1. ALL DRAWINGS ARE GRAPHIC REPRESENTATIONS OF APPROXIMATE LOCATIONS OF NEW MATERIALS FOR CONSTRUCTION. IT IS THE CONTRACTOR'S RESPONSIBILITY TO FIELD VERIFY ALL CONDITIONS PRIOR TO COMMENCEMENT OF WORK.
- 2. FOR ANY DISCREPANCY BETWEEN THE REFLECTED CEILING PLAN AND THE FLOOR 2 PLAN: THE FLOOR PLAN SHALL TAKE PRECEDENCE. ANY DISCREPANCY SHALL BE CALLED TO THE ATTENTION OF THE ARCHITECT.
- 3. FIRE STOP MECHANICAL, ELECTRICAL AND PLUMBING ITEMS, INCLUDING BUT NOT 4. SEE **A900s** FOR INTERIOR AND EXTERIOR DOORS, WINDOWS, CURTAIN WALLS, AND LIMITED TO DUCTWORK AND CONDUIT PENETRATIONS THROUGH FLOORS AND
- 4. COORDINATE CEILING INSTALLATIONS WITH MECHANICAL, ELECTRICAL AND PLUMBING DRAWINGS. 5. REFER TO "H" SERIES DRAWINGS FOR DIFFUSERS AND GRILLE LOCATIONS.
- REFER TO **"E" SERIES** DRAWINGS FOR LIGHTING TYPES AND CONTROLS. WORK AREAS SHALL BE MAINTAINED AND ALL WORK AREAS SHALL BE LEFT BROOM 9.
- CLEANED AT THE END OF EACH DAY. 8. CENTER CEILING GRID (EACH WAY) IN ROOMS SCHEDULED TO RECEIVE
- ACOUSTICAL CEILING SYSTEMS UNLESS OTHERWISE NOTED. 9. VERIFY WITH ARCHITECT THE INSTALLATION OF ANY CEILING TILES LESS THAN 4" IN
- 10. PROVIDE MOISTURE RESISTANT GYP. BD. AT ALL TOILET ROOM, JANITOR'S CLOSET AND OTHER WET LOCATION CEILING ASSEMBLIES. 11. ALL GYP. BD. CEILINGS AND SOFFITS SHALL BE PRIMED AND PAINTED SCHEDULED
- 13. ALL EXISTING EXPANSION JOINT COVERS OR ASSEMBLIES ARE TO BE PROTECTED AND COLOR ON ALL FACES AND UNDERSIDE SURFACE. 12. WHERE APPLICABLE ALL FIXTURES AND DEVICES SHALL BE CENTERED ON A CEILING MAINTAINED DURING THE COURSE OF CONSTRUCTION UNLESS OTHERWISE NOTED. 14. PROVIDE CONCRETE FLOOR PATCH AND FLOOR LEVELING AT EXISTING CONCRETE

10"X10" ACCESS PANEL, COORDINATED WITH MC ON LOCATION.

13. INSTALL CONTROL JOINTS IN GYP. CEILINGS PER ASTM C 840.

RETURN OR EXHAUST GRILLE

NEW GYPSUM WALL BOARD CEILING

CEILING TYPE AND CEILING HEIGHT ABOVE

(1) INFILL CONCRETE SLAB TO MATCH EXISTING SLAB PER DETAIL 6/S800.

PROVIDE NEW JOISTS SISTERED TO EXISTING JOISTS AND NEW SUBFLOOR PER DETAIL.

15 INFILL WALL OPENING WITH 2-1/2" METAL STUDS. THERMAL INSULATION AND

 $(\,\,7\,\,)\,$ install salvaged frp door and hardware in New Aluminum Frame.

(8) PROVIDE HANDICAP ACTUATOR AND PUSH BUTTON. COORDINATE WITH EC.

PROVIDE/ INSTALL TOILET ROOM ACCESSORIES PER ELEVATIONS. REFER TO GEN/A701

MOISTURE RESISTANT GYPSUM WALL BOARD PREP FOR TILE FINISH.

NEW ACOUSTICAL TILE CEILING

NEW WORK KEY NOTES

(2) NEW CONCRETE SLAB PER SECTION DETAIL.

(4) PATCH FLOOR SLAB AT PIPE LOCATION

(9) PROVIDE FULL HEIGHT TOILET PARTITIONS.

(13) PC TO INSTALL NEW PLUMBING FIXTURE.

(14) PROVIDE 4" CMU INFILL. TOOTH NEW INTO EXISTING.

(15) NEW THRESHOLD, SEE INTERIOR FINISHED PLAN ES3/1200

(16) PROVIDE NEW OPAQUE SPANDREL PANEL G2 TYP. OF (6)

(10) PROVIDE DISPLAY CASE.

(11) PROVIDE ADA BENCH.

(6) PROVIDE 8" CMU INFILL. TOOTH NEW INTO EXISTING.

CEILING SYMBOL LEGEND

FLOOR PLAN LEGEND


TO RECEIVE SPECIFIED FINISHES.

FLOORS FOR NEW FINISHES.

FACE OF FINISH UNLESS OTHERWISE NOTED.


CLEANED AT END OF EACH DAY.

SEE SHEET A400 FOR INTERIOR PARTITION TYPES.



XXX - XXX DENOTES CHANGE IN FLOOR MATERIAL

SECTION MARK



INTERIOR ELEVATION MARK



EXTERIOR ELEVATION MARK

ALL WALL DIMENSIONS INDICATED ON FLOOR PLANS ARE FROM FACE OF FINISH TO

WORK AREAS SHALL BE MAINTAINED AND ALL WORK AREAS SHALL BE LEFT BROOM

REFER TO A700 FOR TYPICAL FIXTURE MOUNTING HEIGHTS AND ACCESSORIES LEGEND

REFER TO **A700** FOR FURNISH AND INSTALL SCOPE OF EQUIPMENT AND ACCESSORIES.

EQUIPMENT SHOWN ON THESE DOCUMENTS ARE FOR REFERENCE ONLY AND ARE FOR

. REFER TO OWNER FURNISHED EQUIPMENT DRAWINGS AND SUBMITTALS FOR FINAL

12. PATCH AND FINISH ALL EXISTING WALLS TO REMAIN WITHIN THE PROJECT LIMIT AREA


COORDINATION OF M,E,P INFRASTRUCTURE TO OPERATE ITEMS INCLUDED UNDER THE

COORDINATION AND INSTALLATION REQUIREMENTS INCLUDING BUT NOT LIMITED TO:


COORDINATE WITH OTHER TRADES FOR SEQUENCING OF WORK.

DIMENSIONS, LOCATIONS & MEP CONNECTION LOCATION.

I. ALL FURNITURE IS PROVIDED BY OWNER UNLESS NOTED OTHERWISE.



DETAIL FOR REFERENCE MARK



BLOCKING IN WALLS FOR GRAB BAR INSTALLATION



DENOTES FINISH FLOOR GRADE ELEVATION

XXX WALL TYPE SEE A/400

DEMOLITION KEY NOTES

- SAWCUT AND REMOVE EXISTING CONCRETE FLOOR AND TRENCH TO
- GRIDE EXISTING CONCRETE FLOOR DOWN TO PITCH TOWARD NEW DRAIN MIN. 1/8" PER FOOT.
- (D3) REMOVE EXISTING MARBLE SADDLE.
- REMOVE EXISTING SHEET VINYL FLOORING, WALL BASE, AND PLYWOOD $^{lap{t}{2}}$ SUBFLOOR TO ACCOMODATE NEW WORK.
- (D5) remove rubber stair treads and prep for new stair treads
- REMOVE EXISTING CERAMIC FLOOR TILE, COVE BASE, MORTAR, GROUT, AND ADHESIVE DOWN TO CONCRETE SUBSTRATE.
- PREP TERRAZZO FLOOR FINISH TO RECEIVE NEW FINISH AS PART OF ALTERNATE GC-01
- (D8) PREP EXISTING TERRAZZO FLOOR FOR NEW CONCRETE SLAB.
- (D9) REMOVE PORTION OF 4" CMU WALL TO ACCOMODATE NEW WORK.
- (D10) REMOVE PORTION OF 6" CMU WALL TO ACCOMODATE NEW WORK.
- (D11) REMOVE PORTION OF 8" CMU WALL TO ACCOMODATE NEW WORK.
- (D12) REMOVE PORTION OF 16" MASONRY WALL TO ACCOMODATE NEW WORK.
- REMOVE EXISTING TILE WALL FINISH INCLUDING MORTAT AND ADHESIVES DOWN TO SUBSTRATE. PREP FOR NEW FINISHES.
- (D14) REMOVE EXISTING FRP WALL PANELS.

GENERAL NOTES

CLEANED AT END OF EACH DAY.


- ALL DRAWINGS ARE GRAPHIC REPRESENTATION OF APPROXIMATE LOCATIONS OF NEW MATERIALS. FIELD VERIFY ALL EXISTING CONDITIONS PRIOR TO COMMENCEMEN' MATERIALS TO BE REMOVED. IT IS THE CONTRACTORS RESPONSIBILITY TO FIELD VERIFY ALL EXISTING CONDITIONS & DIMENSIONS PRIOR TO COMMENCEMENT OF ALL DEMOLITION WORK.
 - REFER TO THE MECHANICAL, ELECTRICAL AND PLUMBING DRAWINGS FOR DEMOLITION OF EXISTING UTILITIES AND SERVICES.
 - ALL ITEMS TO BE SALVAGED WITHIN THE DEMOLITION AREA WILL BE REMOVED BY THE OWNER PRIOR TO ONSET OF DEMOLITION WORK.
 - REMAINING SUBSTRATES SHALL BE LEFT IN A CONDITION ACCEPTABLE TO RECEIVE NEW WORK. WHERE NEW FINISHES ARE SCHEDULED AT EXISTING CONDITIONS, REMOVE EXISTING FINISHES DOWN TO SUBSTRATE AND PREPARE SURFACE FOR NEW FINISH. THE CONTRACTOR IS RESPONSIBLE FOR DAMAGE TO ANY EXISTING FINISHES AND
 - EQUIPMENT NOT REMOVED UNDER THE SCOPE OF WORK. ANY DAMAGE WILL BE REPAIRED TO THE OWNER/ARCHITECT'S SATISFACTION. AT NOT ADDIONAL COST TO THE OWNER.
 - POWER, COMMUNICATION, FIRE PROTECTION & SHUT DOWNS SHALL NOT EFFECT PORTIONS OF BUILDING(S) THAT NEED TO REMAIN IN USE. CONTRACTOR TO REPOUTE OR PROVIDE TEMPORARY POWER, COMMUNICATION, FIRE PROTECTION. COORDINATE SHUT DOWNS WITH OWNER
 - REMOVE AND REPLACE EXISTING CEILINGS, UNLESS OTHERWISE NOTED ON THE DRAWINGS, FOR PERFORMING DEMOLITION OF ALL WORK INDICATED ON THE CONSTRUCTION DRAWINGS. THE EXISTING CEILING SHALL BE REMOVED AND REPLACED IN A MANNER TO AVOID DAMAGE TO THE WALL SYSTEM. NOTIFY ARCHITECT AND OWNER OF EXISTING DUCTWORK, PIPE AND CONDUIT PENETRATIONS EXPOSED AFTER DEMOLITION THAT ARE NOT FIRESTOPPED THROUGH EXISTING FLOORS AND WALLS IDENTIFIED AS FIRE AND/OR SMOKE RATED ON LIFE SAFETY PLANS. EXISTING NON-COMPLIANT PENETRATIONS ARE TO BE FIRESTOPPED. WORK AREAS SHALL BE MAINTAINED AND ALL WORK AREAS SHALL BE LEFT BROOM
 - . IN ALL LOCATIONS THAT A DOOR IS ILLUSTRATED TO BE DEMOLISHED, REMOVE AND DISPOSE OF DOOR, FRAME, HARDWARE AND ALL ASSOCIATED ITEMS, UNLESS NOTED
 - ALL ITEMS SHOWN WITH A DASHED LINE ARE TO BE REMOVED AND DISPOSED OF UNLESS OTHERWISE NOTED.
 - TYPICAL BUILDING COMPONENTS TO BE LEFT IN PLACE WHICH ARE NOT TO BE DEMOLISHED, UNLESS NOTED OTHERWISE A. FIRE PROOFING ON COLUMNS AND BEAMS WHICH IS NOT PART OF A WALL OR
 - WHICH MAY BE ENCAPSULATED BY THE WALL OR CEILING ASSEMBLIES. B. ELECTRIC, PLUMBING AND HVAC LINES FEEDING AREAS TO REMAIN IN OPERATION. COORDINATE WITH MEP DRAWINGS. C. ANY STRUCTURES UNCOVERED AS A RESULT OF DEMOLITION WHICH APPEAR TO BE SUPPORTING IN NATURE AND REQUIRING VERIFICATION PRIOR TO


CEILING SYSTEM. THIS INCLUDES PLASTER, MASONRY, AND CONCRETE COVERS

- DEMOLITION. THIS INCLUDES EQUIPMENT SUPPORTS AND STRUCTURE ADDED AS A RESULT OF PREVIOUS CONSTRUCTION OR ADDITIONS. THE OWNER WILL REMOVE ALL MOVEABLE OR UNATTACHED ITEMS TO BE SAVED OR STORED PRIOR TO CONTRACTORS' SALVAGE OPERATIONS. ITEMS TO BE SALVAGED
- INCLUDE BUT ARE NOT LIMITED TO, THOSE ITEMS SHOWN ON THE DRAWINGS. OWNER HAS THE RIGHT TO SALVAGE ANY FIXTURES AND/OR MILLWORK WITHIN AN AREA OF DEMOLITION PRIOR TO CONTRACTOR STARTING WORK IN THAT ZONE. COORDINATE TIMING OF SUCH REMOVALS WITH OWNER.
- RECONSTRUCT EXISTING FIREPROOFING DUE TO WALL, CEILING OR EQUIPMENT DEMOLITION. THE OWNER WILL PROVIDE THE TESTING RESULTS OF ASBESTOS CONTAINING MATERIALS
- (ACM) IN THE PROJECT AREA. IN THE CASE THAT ANY SUSPICIOUS MATERIALS ARE UNCOVERED OR QUESTIONED, LEAVE THE PREMISES AND NOTIFY THE OWNER & ABATEMENT CONTRACTOR FOR REQUIRED TESTING AND/OR REMOVALS. IN THE CASE THAT ANY SUSPICIOUS MATERIALS ARE UNCOVERED THAT APPEAR TO
- CONTAIN HAZARDOUS MATERIALS SUCH AS BUT NOT LIMITED TO MOLD, LEAD PAINT R ASBESTOS, LEAVE THE PREMISES AND NOTIFY THE OWNER & ABATEMENT CONTRACTOR FOR REQUIRED TESTING AND/OR REMOVALS.

DEMOLITION KEY NOTES (CONTINUED)

- REMOVE EXISTING DOOR, FRAME, AND HARDWARE, SALVAGE EXISTING 19 door and door hardware for Re-USE.
- REMOVE EXISTING DOOR AND DOOR HARDWARE. PREP OPENING FOR NEW
- (D17) REMOVE EXISTING WOOD DOOR FRAME.
- (D18) REMOVE GLAZING FROM EXISTING FRAME AND PREP FOR NEW INFILL.
- (D19) REMOVE EXISTING ACT CEILING SYSTEM IN ITS ENTIRETY.
- (D20) REMOVE EXISTING GYPSUM CEILING SYSTEM IN ITS ENTIRETY (ABOVE ACT)
- (D21) REMOVE GYPSUM SOFFIR AND FRAMING COMPLETELY.
- (D22) REMOVE EXISTING TOILET PARTITION SYSTEM COMPLETELY.
- REMOVE AND SALVAGE ALL TOILET ACCESSORIES INCLUDING BUT NOT (D23) LIMITED TO GRAB BARS, MIRRORS, DISPENSORS, AND DISPOSALS FOR RE-INSTALLATION UNLESS NOTED OTHERWISE.
- REMOVE AND DISPOSE OF EXISTING RECESSED SOAP DISPENSOR AND PATCH WALL TO MATCH EXISTING.
- REMOVE AND DISPOSE OF EXISTING RECESSED TRASH RECEPTACLE AND PATCH 23 WALL TO MATCH EXISTING.
- (D26) REMOVE EXISTING SHELF, SUPPORTS, AND HARDWARE.
- (D27) REMOVE EXISTING COILING COUNTER DOOR AND SILL IN ITS ENTIRETY.
- (D28) REMOVE EXISTING LOCKER ROOM BENCH.
- (D29) REMOVE EXISTING LOCKERS AND BASE.
- (D30) REMOVE EXISTING METAL FOLDING GATE AND HARDWARE COMPLETELY.
- (D31) MC TO REMOVE EXISTING RADIATOR AND COVER.
- PC TO DISCONNECT AND REMOVE PLUMBING FIXTURES INDICATED BY DASHED LINE.
- (D33) REMOVE KNEE WALL IN ITS ENTIRETY, PREP LOCATION FOR NEW WALL FINISHES.





1/4" = 1'-0"

A200

KEY PLAN:

CPL | Architecture Engineering Planning 26 IBM Road Poughkeepsie, NY 12601 CPLteam.com NY ENGINEERING FIRM CERTIFICATE #0021419

PROJECT INFORMATION

R23.00331.00

Client Name GREENWOOD LAKE UNION FREE DISTRICT

2023 CAPITAL IMPROVEMENT **PROJECT**

1247 LAKES ROAD MONROE, NEW YORK 10950

<MULTI BUILDING TITLE>

Lauren Tarsio 09/30/26 Anthony Marchetti 05/31/27 Jennifer Wengender 06/30/27 Greg Bolner

GREENWOOD LAKE ES SED NO. 44-21-11-02-0-002-016

GREENWOOD LAKE MS SED NO. 44-21-11-02-0-001-027

PROJECT ISSUE & REVISION SCHEDULI

1 11/15/2024 BID ADDENDUM 01

PROFESSIONAL STAMPS

SHEET INFORMATION


Issued


10/28/2024 As indicated Project Status BID SUBMISSION

ENLARGED DEMOLITION AND NEW WORK PLANS AND

ELEVATIONS

A200






INTERIOR FINISH SCHEDULE							
CATEGORY(HIDE ME)	FINISH CODE	MANUFACTURER	PATTERN/STYLE	COLOR	SIZE	SPECIFICATIONS	NOTES
RESILIENT BASE (RB)	1						
RESILIENT BASE (RB)	RB-1	ROPPE OR EQUAL	PINNACLE RUBBER BASE - STANDARD TOE	BLACK 100	4" H	CLASS B <450 SMOKE DENSITY; CLASS 1 RADIANT PANEL; PROVIDE IN 120' CUTS.	TYPICAL WALL BASE
RESILIENT STAIR TREAD (RST)							
RESILIENT STAIR TREAD (RST)	RST-1	ROPPE OR EQUAL	#95 HAMMERED DESIGN WITH RISER	SLATE 175 - PROVIDE WITH CONTRACTING GRIT STRIP	AS REQUIRED PER TREAD DIMENSIONS	TYPE TS, CLASS 1 & 2, GROUP 1 & 2, GRADE 1, HAMMERED FINISH, SQUARE NOSE CONFIGURATION, 10 YEAR LIMITED COMMERICAL WARRANTY	STAIR TREAD & RISERS U.N.O.
RESILIENT TILE (RT)				·			
RESILIENT TILE (RT)	RT-1	TARKETT OR EQUAL	COLOR SPLASH -CUSTOM	COLOR MATCH QUOTE # 15456, HAMMERED FINISH	24" X 24" X 1/8"	CLASS A FIRE PERFORMANCE; 85 SHORE A HARDNESS PER ASTM D 2240; SLIP RSISTANT PER ASTM D 2047; CHEMICAL RESISTANT PER AST F 925; 100% SYNTHETIC RUBBER, CLASS 1-B; LIMITED 5-YEAR COMMERICAL WARRANTY; QURTER-TURN INSTALLATION METHOD U.N.O.; PLEASE CONTACT THOM CURATALO, (585) 750-0528, THOM.CURATALO@TARKETT.COM.	SEE PLANS FOR LOCATION AND PATTERN DETAILS. ALLOW ADDITIONAL LEAD TIME FOR CUSTOM COLOR
RESILIENT TILE (RT)	RT-2	TARKETT OR EQUAL	COLOR SPLASH -CUSTOM	COLOR MATCH QUOTE # 15457, HAMMERED FINISH	24" X 24" X 1/8"	CLASS A FIRE PERFORMANCE; 85 SHORE A HARDNESS PER ASTM D 2240; SLIP RSISTANT PER ASTM D 2047; CHEMICAL RESISTANT PER AST F 925; 100% SYNTHETIC RUBBER, CLASS 1-B; LIMITED 5-YEAR COMMERICAL WARRANTY; QURTER-TURN INSTALLATION METHOD U.N.O.; PLEASE CONTACT THOM CURATALO, (585) 750-0528, THOM.CURATALO@TARKETT.COM.	SEE PLANS FOR LOCATION AND PATTERN DETAILS. ALLOW ADDITIONAL LEAD TIME FOR CUSTOM COLOR
RESILIENT TILE (RT)	RT-3	TARKETT OR EQUAL	COLOR SPLASH -CUSTOM	COLOR MATCH QUOTE # 15458, HAMMERED FINISH	24" X 24" X 1/8"	CLASS A FIRE PERFORMANCE; 85 SHORE A HARDNESS PER ASTM D 2240; SLIP RSISTANT PER ASTM D 2047; CHEMICAL RESISTANT PER AST F 925; 100% SYNTHETIC RUBBER, CLASS 1-B; LIMITED 5-YEAR COMMERICAL WARRANTY; QURTER-TURN INSTALLATION METHOD U.N.O.; PLEASE CONTACT THOM CURATALO, (585) 750-0528, THOM.CURATALO@TARKETT.COM.	SEE PLANS FOR LOCATION AND PATTERN DETAILS. ALLOW ADDITIONAL LEAD TIME FOR CUSTOM COLOR
TRANSITION (TS)							
TRANSITION (TS)	TS-1	SCHLUTER SYSTEMS OR EQUAL	VINPRO-S	SATIN ANODIZED ALUMINUM	AS REQUIRED TO MEET MATERIAL THICKNESS	REFER TO SPECIFICATIONS	RT TO VCT/ETR FLOORING
TRANSITION (TS)	TS-2	SCHLUTER SYSTEMS OR EQUAL	VINPRO-U	SATIN ANODIZED ALUMINUM	AS REQUIRED TO MEET MATERIAL THICKNESS	REFER TO SPECIFICATIONS	RT TO ETR SCON
VINYL COMPOSITION TILE (VCT)							
VINYL COMPOSITION TILE (VCT)	VCT-1	TARKETT OR EQUAL	VCT II	PURE WHITE 480	12" X 12" X 1/8"	CLASS 2 THROUGH PATTERN; TYPE II; CLASS 1 RADIANT PANEL; 2000 PSI; FAST START FACTORY FINISH; 5-YEAR LIMITED COMMERICAL WARRANTY, QUARTER TURN INSTALLATION.	SEE PLANS FOR LOCATION AND PATTERN DETAILS
VINYL COMPOSITION TILE (VCT)	VCT-2	TARKETT OR EQUAL	VCT II	PEWTER 509	12" X 12" X 1/8"	CLASS 2 THROUGH PATTERN; TYPE II; CLASS 1 RADIANT PANEL; 2000 PSI; FAST START FACTORY FINISH; 5-YEAR LIMITED COMMERICAL WARRANTY, QUARTER TURN INSTALLATION.	SEE PLANS FOR LOCATION AND PATTERN DETAILS
VINYL COMPOSITION TILE (VCT)	VCT-3	TARKETT OR EQUAL	VCT II	DARK FOREST 524	12" X 12" X 1/8"	CLASS 2 THROUGH PATTERN; TYPE II; CLASS 1 RADIANT PANEL; 2000 PSI; FAST START FACTORY FINISH; 5-YEAR LIMITED COMMERICAL WARRANTY, QUARTER TURN INSTALLATION.	SEE PLANS FOR LOCATION AND PATTERN DETAILS

FINISH ABBREVIATIONS

QTZ QUARTZ

NOTE: THIS LEGEND MAY CONTAIN ABBREVIATIONS THAT ARE NOT IN THIS PROJECT ACT ACOUSTICAL CEILING TILE RESILIENT BASE AGL ART GLASS **RESIN PANEL** AWP ACOUSTICAL WALL PANEL RS RESILIENT SHEET CC CUBICLE CURTAIN RST RESILIENT STAIR TREAD CG CORNER GUARD RT RESILIENT TILE CHR CHAIR RAIL SC SPECIALTY CEILING CPT CARPET SCON SEALED CONCRETE CR CRASH RAIL SN STAIR NOSING & RISER SSM SOLID SURFACE MATERIAL DG DIGITAL GRAPHIC ST STONE VENEER DS DIVIDER STRIP DWC DIGITAL WALL COVERING SV SHEET VINYL DWP DIGITAL WALL PANEL EPT EPOXY PAINT SWP SHEET WALL PROTECTION TB TILE BASE ERF EPOXY RESIN FLOOR TER TERRAZZO ETR EXISTING TO REMAIN TILE FLOOR EXP EXPOSED TRIM FILM FILM TRANSITION STRIP FRP FIBER REINFORCED PANEL TW TILE WALL GRT GROUT UPH UPHOLSTERY HPL HIGH PRESSURE PLASTIC LAMINATE VCT VINYL COMPOSITION TILE HR HAND RAIL VET VINYL ENHANCED TILE INT INTEGRAL VQT VINYL QUARTZ TILE LVT LUXURY VINYL TILE WC WALL COVERING NIC NOT IN CONTRACT WD WOOD PT PAINT
PTM PATCH TO MATCH WG WALL GUARD WOM WALK OFF MAT QB QUARRY TILE BASE WS WRITEABLE SURFACE QT QUARRY TILE WT WINDOW TREATMENT



NY ENGINEERING FIRM CERTIFICATE #018330

PROJECT INFORMATION

R23.00331.00

PROJECT

10925

Client Name

GREENWOOD LAKE UNION FREE
SCHOOL DISTRICT

Project Name

2023 CAPITAL IMPROVEMENT

District Office Address
PO BOX 8, GREENWOOD LAKE, NEW YORK

GREENWOOD LAKE ES SED NO. 44-21-11-02-0-002-016
GREENWOOD LAKE MS SED NO. 44-21-11-02-0-001-027

PROJECT ISSUE & REVISION SCHEDULE

PROFESSIONAL STAMPS

NEW YORK STATE EDUCATION STATEMENT

IT IS A VIOLATION OF THE NEW YORK STATE EDUCATION LAW AND THE COMMISSIONER
REGULATIONS FOR ANY PERSON, UNLESS ACTING UNDER THE DIRECTION OF A LICENSI
RECHITECT, ENGINEER OR LAND SURVEYOR, TO ALTER AN ITEM, IN ANY MAY, IF AND
BEARING THE SEAL OF AN ARCHITECT, ENGINEER OR SURVEYOR IS ALTERED, THE ALTER
PARTY SHALL AFRIX TO THE ITEM THEIR SEAL AND THE NOTATION "ALTERED BY" FOLLOWING

THEIR SIGNALITIES AND THE DATE OF SUCH ALTERIATION, AND A SPOCIEC DESCRIPTION

SHEET INFORMATION

Issued

10/28/2024 3/32" = 1'-0"

Project Status

BID SUBMISSION

Drawn By Checked By

KK/MM ALS

Drawing Title

FINISH SCHEDULE AND DETAILS


ing Number

MS

IUU I . I
STATE CONTRACT FOR
REFERENCE OF COORDINATION

GENERAL FINISH MATERIAL NOTES:

CONTRACTOR TO ENSURE ALL MATERIALS ARE ORDERED MIN. 12 WEEKS PRIOR TO SCHEDULE INSTALLATION DATE TO ACCOUNT FOR MATERIAL BACKORDERS. ADDITIONAL TIME MAY BE REQUIRED FOR SPECAILTY ITEMS; GC TO WORK WITH PRODUCT REP OR MANUFACTURER TO DETERMINE ADDITIONAL LEAD TIME. IT IS THE CONTRACTORS RESPONSIBILITY TO ENSURE ALL MATERIALS ARE IN STOCK AND AVAILABLE TO SHIP WITHIN THE CONSTRUCTION WINDOW, CONTRACTOR TO INFORM CPL AS SOON AS POSSIBLE WITH ANY LEAD TIME OR AVAILABILITY ISSUES.



CPL | Architecture Engineering Planning

26 IBM Road Poughkeepsie, NY 12601 CPLteam.com

NY ENGINEERING FIRM CERTIFICATE #018330

R23.00331.00

GREENWOOD LAKE UNION FREE SCHOOL DISTRICT

2023 CAPITAL IMPROVEMENT **PROJECT**

PO BOX 8, GREENWOOD LAKE, NEW YORK


GREENWOOD LAKE ES SED NO. 44-21-11-02-0-002-016

PROJECT ISSUE & REVISION SCHEDULE

SHEET INFORMATION Issued 10/28/2024 As indicated

BID SUBMISSION

FIRST FLOOR FINISH PLAN - AREA



FINISH PLAN GENERAL NOTES

WHERE KICKSPACES OCCUR AT MILLWORK, FLOOR FINISH SHOWN ON PLANS SHALL RUN UNDERNEATH KICKSPACE AS WELL.

REFER TO **1300-1304** FOR FLOOR PATTERN PLANS & DETAILS. ALL FLOOR FINISHES SHALL TRANSITION AT THE CENTERLINE OF THE DOOR, UNLESS

NOTED OTHERWISE. PROVIDE CONCRETE FLOOR PREPARATION IN ACCORDANCE WITH FLOORING MANUFACTURER SPECIFICATION.

CPL | Architecture Engineering Planning 26 IBM Road Poughkeepsie, NY 12601 CPLteam.com

NY ENGINEERING FIRM CERTIFICATE #018330

PROJECT INFORMATION

SCHOOL DISTRICT

GREENWOOD LAKE UNION FREE

PO BOX 8, GREENWOOD LAKE, NEW YORK

GREENWOOD LAKE ES SED NO. 44-21-11-02-0-002-016

GREENWOOD LAKE MS SED NO. 44-21-11-02-0-001-027

PROJECT ISSUE & REVISION SCHEDULE

PROFESSIONAL STAMPS

2023 CAPITAL IMPROVEMENT

R23.00331.00

Client Name

PROJECT

10925

FINISH ABBREVIATIONS

NOTE: THIS LEGEND MAY CONTAIN ABBREVIATIONS THAT ARE NOT IN THIS PROJECT RESILIENT BASE ACT ACOUSTICAL CEILING TILE AGL ART GLASS **RESIN PANEL** AWP ACOUSTICAL WALL PANEL RESILIENT SHEET CC CUBICLE CURTAIN RST RESILIENT STAIR TREAD CG CORNER GUARD RT RESILIENT TILE CHR CHAIR RAIL SC SPECIALTY CEILING CPT CARPET SCON SEALED CONCRETE CR CRASH RAIL SN STAIR NOSING & RISER DG DIGITAL GRAPHIC SSM SOLID SURFACE MATERIAL DS DIVIDER STRIP STONE VENEER DWC DIGITAL WALL COVERING SHEET VINYL DWP DIGITAL WALL PANEL SWP SHEET WALL PROTECTION EPT EPOXY PAINT TILE BASE EPOXY RESIN FLOOR TER TERRAZZO EXISTING TO REMAIN TILE FLOOR EXP EXPOSED TRIM FILM FILM TRANSITION STRIP FRP FIBER REINFORCED PANEL TILE WALL GRT GROUT UPH UPHOLSTERY HPL HIGH PRESSURE PLASTIC LAMINATE VCT VINYL COMPOSITION TILE HR HAND RAIL VET VINYL ENHANCED TILE INT INTEGRAL VQT VINYL QUARTZ TILE LVT LUXURY VINYL TILE WC WALL COVERING NIC NOT IN CONTRACT WD WOOD PT PAINT WG WALL GUARD

FINISH PLAN SYMBOLS LEGEND

PTM PATCH TO MATCH

QB QUARRY TILE BASE

QT QUARRY TILE

QTZ QUARTZ

NOTE: THIS LEGEND MAY CONTAIN SYMBOLS THAT ARE NOT IN THIS PROJECT MULTIPURPOSE — ROOM NAME ROOM NUMBER — ROOM ___ 101 (150 SF) DWC-33, DWC-33 DWC-33, DWC-33 WALL FINISH(ES) — — BASE FINISH (ES) FLOOR FINISH(ES) DWC-33, DWC-33

> *NOTE: BLACK FINISH TAG REPRESENTS BASE BID FINISHES. GRAY FINISH TAG REPRESENTS ALTERNATE BID FINISHES.

WOM WALK OFF MAT


WS WRITEABLE SURFACE

WT WINDOW TREATMENT

XXX $\langle \chi \rangle$ EXTENT OF NOTED FINISH CORNER GUARD FINISH PLAN KEY NOTE WTX WALL PROTECTION WINDOW TREATMENT **WORK POINT** TSX $\chi\chi\chi\chi$ \longrightarrow $\chi\chi\chi\chi$ FLOOR DIRECTION MATERIAL TRANSITION TRANSITION STRIP (LONG SIDE OF FLOOR TILE PARALLEL WITH LONG SIDE OF SYMBOL)


FINISH PLAN KEY NOTES

- BASE BID: PROVIDE 3-COLOR PATTERN RESILIENT TILE (RT) FLOORING WITH RB-1 $\frac{1}{1}$ FULL EXTENTS OF ROOM. REFER TO 1300 FOR FLOOR PATTERN PLANS.
- BASE BID: PROVIDE SCHEDULED VCT IN QUARTER-TURN INSTALLATION METHOD
- BASE BID: PROVIDE INTEGRAL RESILIENT STAIR TREAD & RISERS AT STAIR $\frac{3}{2}$ LOCATIONS. PROVIDE RT-4 AND RB-1 AT LANDINGS.
- BASE BID: PROVIDE RESILIENT TILE (RT) FLOORING WITH RB-1 FULL EXTENTS OF ROOM. REFER TO 1300 FOR FLOOR PATTERN PLANS.
- BID ALTERNATE: PROVIDE 3-COLOR PATTERN VCT FLOORING WITH RB-1. REFER TO $\frac{3}{2}$ TO 1300 FOR FLOOR PATTERN PLANS.



SHEET INFORMATION 10/28/2024 As indicated Project Status BID SUBMISSION Drawn By

KK/MM FIRST FLOOR FINISH PLAN - AREA



CPL | Architecture Engineering Planning 26 IBM Road

> CPLteam.com NY ENGINEERING FIRM CERTIFICATE #018330

PROJECT INFORMATION

GREENWOOD LAKE UNION FREE SCHOOL DISTRICT

2023 CAPITAL IMPROVEMENT

PO BOX 8, GREENWOOD LAKE, NEW YORK

GREENWOOD LAKE ES SED NO. 44-21-11-02-0-002-016 GREENWOOD LAKE MS SED NO. 44-21-11-02-0-001-027

PROJECT ISSUE & REVISION SCHEDULE

SHEET INFORMATION As indicated

FIRST FLOOR FINISH PLAN - AREA



FINISH PLAN GENERAL NOTES

- WHERE KICKSPACES OCCUR AT MILLWORK, FLOOR FINISH SHOWN ON PLANS SHALL RUN UNDERNEATH KICKSPACE AS WELL.
- REFER TO **1300-1304** FOR FLOOR PATTERN PLANS & DETAILS. ALL FLOOR FINISHES SHALL TRANSITION AT THE CENTERLINE OF THE DOOR, UNLESS
- NOTED OTHERWISE. PROVIDE CONCRETE FLOOR PREPARATION IN ACCORDANCE WITH FLOORING MANUFACTURER SPECIFICATION.

CPL | Architecture Engineering Planning 26 IBM Road Poughkeepsie, NY 12601 CPLteam.com

PROJECT INFORMATION

SCHOOL DISTRICT

GREENWOOD LAKE UNION FREE

2023 CAPITAL IMPROVEMENT

District Office Address
PO BOX 8, GREENWOOD LAKE, NEW YORK

GREENWOOD LAKE ES SED NO. 44-21-11-02-0-002-016
GREENWOOD LAKE MS SED NO. 44-21-11-02-0-001-027

PROJECT ISSUE & REVISION SCHEDULE

R23.00331.00

Client Name

PROJECT

NY ENGINEERING FIRM CERTIFICATE #018330

FINISH ABBREVIATIONS

NOTE: THIS LEGEND MAY CONTAIN ABBREVIATIONS THAT ARE NOT IN THIS PROJECT ACT ACOUSTICAL CEILING TILE RESILIENT BASE RESIN PANEL AGL ART GLASS AWP ACOUSTICAL WALL PANEL RESILIENT SHEET RESILIENT STAIR TREAD CC CUBICLE CURTAIN CG CORNER GUARD RESILIENT TILE CHR CHAIR RAIL SPECIALTY CEILING CPT CARPET SCON SEALED CONCRETE CR CRASH RAIL STAIR NOSING & RISER DG DIGITAL GRAPHIC SSM SOLID SURFACE MATERIAL DIVIDER STRIP STONE VENEER DWC DIGITAL WALL COVERING SHEET VINYL DWP DIGITAL WALL PANEL SWP SHEET WALL PROTECTION **EPOXY PAINT** TILE BASE **EPOXY RESIN FLOOR** TER TERRAZZO EXISTING TO REMAIN TILE FLOOR EXPOSED FILM FILM TRANSITION STRIP FRP FIBER REINFORCED PANEL TILE WALL GRT GROUT

UPHOLSTERY HIGH PRESSURE PLASTIC LAMINATE VCT VINYL COMPOSITION TILE VET VINYL ENHANCED TILE VQT VINYL QUARTZ TILE WC WALL COVERING WD WOOD

LVT LUXURY VINYL TILE NIC NOT IN CONTRACT WG WALL GUARD PTM PATCH TO MATCH WOM WALK OFF MAT QB QUARRY TILE BASE WS WRITEABLE SURFACE WT WINDOW TREATMENT QT QUARRY TILE QTZ QUARTZ

FINISH PLAN SYMBOLS LEGEND

HPL

HAND RAIL

INTEGRAL

NOTE: THIS LEGEND MAY CONTAIN SYMBOLS THAT ARE NOT IN THIS PROJECT MULTIPURPOSE — ROOM NAME ROOM NUMBER — ROOM __ DWC-33, DWC-33 WALL FINISH(ES) — — BASE FINISH (ES) DWC-33, DWC-33 FLOOR FINISH(ES) DWC-33, DWC-33

> *NOTE: BLACK FINISH TAG REPRESENTS BASE BID FINISHES. GRAY FINISH TAG REPRESENTS ALTERNATE BID FINISHES.

 \bullet CGX XXX $\langle \chi \rangle$ EXTENT OF NOTED FINISH FINISH PLAN KEY NOTE CORNER GUARD X-X WTX _ - ' - -WALL PROTECTION WINDOW TREATMENT **WORK POINT** TSX $XXX \longrightarrow XXX$ FLOOR DIRECTION MATERIAL TRANSITION TRANSITION STRIP

FINISH PLAN KEY NOTES

(LONG SIDE OF FLOOR TILE PARALLEL WITH LONG SIDE OF

KEY PLAN:

- BASE BID: PROVIDE 3-COLOR PATTERN RESILIENT TILE (RT) FLOORING WITH RB-1 FULL EXTENTS OF ROOM. REFER TO I300 FOR FLOOR PATTERN PLANS.
- BASE BID: PROVIDE SCHEDULED VCT IN QUARTER-TURN INSTALLATION METHOD WITH RB-1.
- BASE BID: PROVIDE INTEGRAL RESILIENT STAIR TREAD & RISERS AT STAIR $\frac{3}{2}$ Locations. Provide RT-4 and RB-1 at Landings.
- BASE BID: PROVIDE RESILIENT TILE (RT) FLOORING WITH RB-1 FULL EXTENTS OF ROOM. REFER TO 1300 FOR FLOOR PATTERN PLANS.
- 5\BID ALTERNATE: PROVIDE 3-COLOR PATTERN VCT FLOORING WITH RB-1. REFER TO $\frac{3}{2}$ TO 1300 FOR FLOOR PATTERN PLANS.

SHEET INFORMATION

TRUE


10/28/2024 As indicated Project Status BID SUBMISSION Drawn By


KK/MM

SECOND FLOOR FINISH PLAN -AREA A

STATE CONTRACT FOR REFERENCE OF COORDINATION

PROFESSIONAL STAMPS





CPL | Architecture Engineering Planning 26 IBM Road Poughkeepsie, NY 12601 CPLteam.com

NY ENGINEERING FIRM CERTIFICATE #018330

PROJECT INFORMATION

R23.00331.00

GREENWOOD LAKE UNION FREE
SCHOOL DISTRICT

2023 CAPITAL IMPROVEMENT PROJECT

District Office Address
PO BOX 8, GREENWOOD LAKE, NEW YORK
10925

GREENWOOD LAKE ES SED NO. 44-21-11-02-0-002-016
GREENWOOD LAKE MS SED NO. 44-21-11-02-0-001-027

PROJECT ISSUE & REVISION SCHEDULE

PROFESSIONAL STAMPS

NEW YORK STATE EDUCATION STATEMENT

IT IS A VIOLATION OF THE NEW YORK STATE EDUCATION LAW AND THE COMMISSIONER REGULATION FOR ANY PERSON, UNLESS ACTING UNDER THE DIRECTION OF A LICENSE ARCHITECT, ENGINEER OR LAND SURVEYOR, TO ALTER AN ITEM IN ANY WAY. IF AN ITEM PREADING THE SEAL OF AN ARCHITECT. ENGINEER OR SURVEYOR S. OR SURFECT HE ALTERI

BEARTY SHALL AFFIX TO THE ITEM THEIR SEAL AND THE NOTATION "ALTERED YE THEIR SIGNATURE AND THE DATE OF SUCH ALTERATION, AND A SPECIFIC DESCRALTERATION.

SHEET INFORMATION


Issued Scale
10/28/2024 As indicated

10/28/2024 As in Project Status
BID SUBMISSION
Drawn By Chec

Drawing Title
BID ALTERNATE GC-02 - FIRST
FLOOR PATTERNING PLAN - AREA

A Dana in a North or

> MS 1300.1



FLOOR PATTERNING GENERAL NOTES

- ALL FLOOR FINISHES SHALL TRANSITION AT THE CENTERLINE OF THE DOOR, UNLESS
 OTHERWISE NOTED. INSTALL TRANSITION STRIPS PER DETAILS.
 PROVIDE ADA ACCESSIBLE MARBLE THRESHOLD AT ALL TOILET ROOM DOORS UNLESS
- OTHERWISE NOTED.
- 3. ALL AREAS WITH INTEGRAL BASE SHALL BE AT 4" A.F.F. BASE SHALL BE THE SAME COLOR AS THE ADJACENT FLOORING MATERIAL, UNLESS OTHERWISE NOTED.
- 4. ALL GROUT TO BE SEALED A MINIMUM OF TWO TIMES PRIOR TO COMPLETION.
 5. WHERE KICKSPACES OCCUR AT MILLWORK, FLOOR FINISH SHOWN ON PLANS SHALL RUN UNDERNEATH KICKSPACE AS WELL.

FLOOR PATTERNING LEGEND

BASE BID: RT-1; QUARTER-TURN INSTALLATION
BID ALTERNATE: VCT-1; QUARTER-TURN INSTALLATION

BASE BID: RT-2; QUARTER-TURN INSTALLATION
BID ALTERNATE: VCT-2; QUARTER-TURN INSTALLATION

BASE BID: RT-3; QUARTER-TURN INSTALLATION
BID ALTERNATE: VCT-3; QUARTER-TURN INSTALLATION

KEY PLAN:

CPL | Architecture Engineering Planning

26 IBM Road

NY ENGINEERING FIRM CERTIFICATE #018330

Poughkeepsie, NY 12601 **CPLteam.com**

PROJECT INFORMATION

R23.00331.00

PROJECT

GREENWOOD LAKE UNION FREE SCHOOL DISTRICT
Project Name
2023 CAPITAL IMPROVEMENT

District Office Address
PO BOX 8, GREENWOOD LAKE, NEW YORK

GREENWOOD LAKE ES SED NO. 44-21-11-02-0-002-016
GREENWOOD LAKE MS SED NO. 44-21-11-02-0-001-027

Date Description

PROFESSIONAL STAMPS

NEW YORK STATE EDUCATION STATEMENT

IT IS A VIOLATION OF THE NEW YORK STATE EDUCATION LAW AND THE COMMISSIONEPS
REGULATIONS FOR ANY PERSON, UNLESS ACTING UNDER THE DIRECTION OF A LICENSED
ARCHITECT, ENGINEER OR LAND SURVEYOR, TO ALTER AN ITEM IN ANY WAY. IF AN ITEM
BEARING THE SEAL OF AN ARCHITECT, ENGINEER OR SURVEYOR IS A LITERED. THE ALTERING
PAPTY SHALL AFERY TO THE ITEM THEIR SEAL AND THE NOTATION "ALTERED RE" POLITIONER TO

Issued Scale
10/28/2024 As indicated


Project Status
BID SUBMISSION
Drawn By
Checked
KK/MM
ALS

KK/MM ALS
Drawing Title
BID ALTERNATE GC-02 - FIRST
FLOOR PATTERNING PLAN - AREA

B

Drawing Number

1301.1



CPL | Architecture Engineering Planning

Poughkeepsie, NY 12601 CPLteam.com

NY ENGINEERING FIRM CERTIFICATE #018330

26 IBM Road

PROJECT INFORMATION

R23.00331.00

GREENWOOD LAKE UNION FREE SCHOOL DISTRICT

2023 CAPITAL IMPROVEMENT PROJECT

District Office Address PO BOX 8, GREENWOOD LAKE, NEW YORK 10925

GREENWOOD LAKE ES SED NO. 44-21-11-02-0-002-016
GREENWOOD LAKE MS SED NO. 44-21-11-02-0-001-027

PROJECT ISSUE & REVISION SCHEDULE

PROFESSIONAL STAMPS

NEW YORK STATE EDUCATION STATEMENT
IT IS A VIOLATION OF THE NEW YORK STATE EDUCATION LAW AND THE COMMISSIONER
REGULATIONS FOR ANY PERSON, UNLESS ACTING UNDER THE DIRECTION OF A LICENSI
ARCHITECT, ENGINEER OR LAND SURVEYOR, TO ALTER AN ITEM IN ANY WAY. IF AN ITE
BEARING THE SEAL OF AN ARCHITECT, ENGINEER OR SURVEYOR IS ALTERED, THE ALTER
PARTY SHALL AREN TO THE ITEM THER SEAL AND THE NOTATION, TAITEPER NY FOLLOWER

THEIR SIGNATURE AND THE DATE OF SUCH ALTERATION, AND A SPECIFIC DESIGNATION.

SHEET INFORMATION

Issued Scale
10/28/2024 As indicated
Project Status

BID SUBMISSION
Drawn By Checked By
KK/MM ALS

BID ALTERNATE GC-02 - FIRST FLOOR PATTERNING PLAN - AREA

Drawing Number

1302.1



FLOOR PATTERNING GENERAL NOTES

- . ALL FLOOR FINISHES SHALL TRANSITION AT THE CENTERLINE OF THE DOOR, UNLESS OTHERWISE NOTED. INSTALL TRANSITION STRIPS PER DETAILS.
 2. PROVIDE ADA ACCESSIBLE MARBLE THRESHOLD AT ALL TOILET ROOM DOORS UNLESS
- OTHERWISE NOTED.
- ALL AREAS WITH INTEGRAL BASE SHALL BE AT 4" A.F.F. BASE SHALL BE THE SAME COLOR AS THE ADJACENT FLOORING MATERIAL, UNLESS OTHERWISE NOTED.
- ALL GROUT TO BE SEALED A MINIMUM OF TWO TIMES PRIOR TO COMPLETION.

 WHERE KICKSPACES OCCUR AT MILLWORK, FLOOR FINISH SHOWN ON PLANS SHALL RUN UNDERNEATH KICKSPACE AS WELL.

FLOOR PATTERNING LEGEND

- BASE BID: RT-1; QUARTER-TURN INSTALLATION
 BID ALTERNATE: VCT-1; QUARTER-TURN INSTALLATION
- BASE BID: RT-2; QUARTER-TURN INSTALLATION
 BID ALTERNATE: VCT-2; QUARTER-TURN INSTALLATION
- BASE BID: RT-3; QUARTER-TURN INSTALLATION
 BID ALTERNATE: VCT-3; QUARTER-TURN INSTALLATION

CPL | Architecture Engineering Planning 26 IBM Road Poughkeepsie, NY 12601

CPLteam.com

NY ENGINEERING FIRM CERTIFICATE #018330

PROJECT INFORMATION

R23.00331.00

GREENWOOD LAKE UNION FREE SCHOOL DISTRICT

2023 CAPITAL IMPROVEMENT **PROJECT**

District Office Address
PO BOX 8, GREENWOOD LAKE, NEW YORK

GREENWOOD LAKE ES SED NO. 44-21-11-02-0-002-016
GREENWOOD LAKE MS SED NO. 44-21-11-02-0-001-027

PROFESSIONAL STAMPS

SHEET INFORMATION 10/28/2024 As indicated

Project Status BID SUBMISSION

KK/MM BID ALTERNATE GC-02 - SECOND

FLOOR PATTERNING PLAN- AREA

FLOOR PATTERNING GENERAL NOTES ALL FLOOR FINISHES SHALL TRANSITION AT THE CENTERLINE OF THE DOOR, UNLESS OTHERWISE NOTED. INSTALL TRANSITION STRIPS PER DETAILS. PROVIDE ADA ACCESSIBLE MARBLE THRESHOLD AT ALL TOILET ROOM DOORS UNLESS OTHERWISE NOTED. ALL AREAS WITH INTEGRAL BASE SHALL BE AT 4" A.F.F. BASE SHALL BE THE SAME COLOR AS THE ADJACENT FLOORING MATERIAL, UNLESS OTHERWISE NOTED. 4. ALL GROUT TO BE SEALED A MINIMUM OF TWO TIMES PRIOR TO COMPLETION. WHERE KICKSPACES OCCUR AT MILLWORK, FLOOR FINISH SHOWN ON PLANS SHALL RUN UNDERNEATH KICKSPACE AS WELL. FLOOR PATTERNING LEGEND BASE BID: RT-1; QUARTER-TURN INSTALLATION BID ALTERNATE: VCT-1; QUARTER-TURN INSTALLATION NY ENGINEERING FIRM CERTIFICATE #018330 BASE BID: RT-2; QUARTER-TURN INSTALLATION BID ALTERNATE: VCT-2; QUARTER-TURN INSTALLATION BASE BID: RT-3; QUARTER-TURN INSTALLATION BID ALTERNATE: VCT-3; QUARTER-TURN INSTALLATION Client Name STORAGE 215 CLASSROOM ROOF ACCESS 216 771 SF BATHROOM OPEN TO BELOW CLASSROOM 217 773 SF CLASSROOM 220 773 SF CLASSROOM JAN. CL. 221 CLASSROOM CLASSROOM 214 213 336 SF CLASSROOM 218 773 SF 219 773 SF CLASSROOM STAIRS 153 SF CLASSROOM 223 774 SF KEY PLAN: SECOND FLOOR PATTERNING PLAN - AREA C 1304 1/8" = 1'-0"

CPL | Architecture Engineering Planning 26 IBM Road Poughkeepsie, NY 12601 CPLteam.com

PROJECT INFORMATION

R23.00331.00

GREENWOOD LAKE UNION FREE SCHOOL DISTRICT

2023 CAPITAL IMPROVEMENT **PROJECT**

District Office Address
PO BOX 8, GREENWOOD LAKE, NEW YORK 10925

GREENWOOD LAKE ES SED NO. 44-21-11-02-0-002-016
GREENWOOD LAKE MS SED NO. 44-21-11-02-0-001-027

PROJECT ISSUE & REVISION SCHEDULE

PROFESSIONAL STAMPS

SHEET INFORMATION

10/28/2024 As indicated Project Status BID SUBMISSION

KK/MM

BID ALTERNATE GC-02 - SECOND FLOOR PATTERNING PLAN - AREA