

**ROOF PLAN NOTES**

- PROVIDE 2 LAYERS (STAGGERED JOINTS) RIGID ROOF INSULATION TO MEET CURRENT ENERGY CODE AS FOLLOWS:
  - THICKNESS: 5 INCHES
  - R-VALUE: R20
- PROVIDE SINGLE PLY, RHINO-BOND SYSTEM OR EQUAL ROOFING SYSTEM AS FOLLOWS:
  - WHITE TPO
  - THICKNESS: 0.60 MIL
  - WARRANTY: 20 YEAR

**ROOF PLAN LEGEND**



**SCUPPER BOX TAG**

|        |                    |                      |
|--------|--------------------|----------------------|
| NUMBER | SCUPPER BOX        |                      |
|        | SCUPPER WIDTH: XX" | T.O. ROOF (MEMBRANE) |
|        | INSUL: XX"         | PER STRUCTURAL       |
|        | DECK: XX"          | PER PLUMBING         |
|        | BMD: XX' - XX"     |                      |


**SHEET NOTES**

**SCUPPER SCHEDULE**

| NO. | BMD       | DECK   | INSULATION | T.O. ROOF | SCUPPER WIDTH |
|-----|-----------|--------|------------|-----------|---------------|
| A2  | 35' - 10" | 1 1/2" | 3 1/2"     | 36' - 3"  | 30"           |
| A4  | 35' - 10" | 1 1/2" | 3 1/2"     | 36' - 3"  | 30"           |
| A6  | 35' - 10" | 1 1/2" | 3 1/2"     | 36' - 3"  | 30"           |
| G2  | 38' - 4"  | 1 1/2" | 3 1/2"     | 38' - 9"  | 30"           |
| G4  | 38' - 4"  | 1 1/2" | 3 1/2"     | 38' - 9"  | 30"           |

SEAL

JOSEPH V. DIGIORGIO | NY: 042948



**SUBMITTALS**

| NO.        | DATE | DESCRIPTION      |
|------------|------|------------------|
| 02.09.2024 |      | ISSUE FOR PERMIT |

PROJECT NO. AS397-22 | NY154  
 DRAWN BY ADB

SHEET TITLE  
**OVERALL ROOF PLAN**

SHEET NO.

**A3.00**



**OVERALL ROOF PLAN** 1