


NO.	DATE	DESCRIPTION
02.09.2024	02.09.2024	ISSUE FOR PERMIT




ARCHITECT / DESIGNER (REMOVE AFTER CONFIRMATION ON THE FOLLOWING):
 SIZING AND SPACING OF CARRIAGE BOLTS ARE TO BE COORDINATED AND CONFIRMED W/ STRUCTURAL DRAWINGS

ARCO
 A30.04
 2023.04.24

PARAPET ISOMETRIC AT TILT

SCALE: 1 1/2" = 1'-0"




ARCHITECT / DESIGNER (REMOVE AFTER CONFIRMATION ON THE FOLLOWING):
 SIZING AND SPACING OF CARRIAGE BOLTS ARE TO BE COORDINATED AND CONFIRMED W/ STRUCTURAL DRAWINGS

ARCO
 A30.07
 2023.04.24

RAKE AND GRAVEL STOP AT TILT

SCALE: 1 1/2" = 1'-0"




ARCHITECT / DESIGNER (REMOVE AFTER CONFIRMATION ON THE FOLLOWING):
 SIZING AND SPACING OF CARRIAGE BOLTS ARE TO BE COORDINATED AND CONFIRMED W/ STRUCTURAL DRAWINGS

ARCO
 A30.02
 2023.04.24

PARAPET ISOMETRIC AT TILT

SCALE: 1 1/2" = 1'-0"




ARCHITECT / DESIGNER (REMOVE AFTER CONFIRMATION ON THE FOLLOWING):
 SIZING AND SPACING OF CARRIAGE BOLTS ARE TO BE COORDINATED AND CONFIRMED W/ STRUCTURAL DRAWINGS

ARCO
 A30.01
 2023.04.24

PARAPET AND GRAVEL STOP AT TILT

SCALE: 1 1/2" = 1'-0"




NOTES:
 1. ALL SHEET METAL TO BE MIN. 24GA. FOR SCUPPER BOX AND DOWNSPOUT
 2. ALL SCUPPER CONDUCTOR PARTS TO BE TABBED, RIVETED, AND CAULKED AS REQUIRED
 3. COORDINATE PONDING WITH STRUCTURAL
 4. VERIFY ALL DIMENSIONS WITH PLUMBING

ORDER OF INSTALLATION:
 1. ROOFING WRAP AT OPENING TO OVERLAP CONCRETE
 2. MOUNT CONDUCTOR HEAD
 3. HORIZONTAL TRIM PIECE
 4. FLASH CONDUCTOR HEAD WITH ROOFING MEMBRANE 1" BELOW CONDUCTOR HEAD
 5. MOUNT FACE PLATE
 6. FLASH FACE PLATE WITH TOP 1" BELOW CONDUCTOR HEAD
 7. CAULK TOPSIDE OF FACE PLATE

ARCO
 A30.50
 2023.04.24

SCUPPER BOX PLAN

SCALE: 1" = 1'-0"




NOTES:
 1. ALL SHEET METAL TO BE MIN. 24GA. FOR SCUPPER BOX AND DOWNSPOUT
 2. ALL SCUPPER CONDUCTOR PARTS TO BE TABBED, RIVETED, AND CAULKED AS REQUIRED
 3. COORDINATE PONDING WITH STRUCTURAL
 4. VERIFY ALL DIMENSIONS WITH PLUMBING

ARCO
 A30.04
 2023.04.24

SCUPPER BOX SECTION AT TILT

SCALE: 1" = 1'-0"




NOTE:
 1. VERIFY ALL DIMENSIONS WITH PLUMBING DRAWINGS

ARCO
 A30.53
 2023.04.24

SCUPPER BOX BLOCKING ELEVATION

SCALE: 1" = 1'-0"




NOTES:
 1. ALL SHEET METAL TO BE MIN. 24GA. FOR SCUPPER BOX AND DOWNSPOUT
 2. ALL SCUPPER CONDUCTOR PARTS TO BE TABBED, RIVETED, AND CAULKED AS REQUIRED
 3. COORDINATE PONDING WITH STRUCTURAL
 4. VERIFY ALL DIMENSIONS WITH PLUMBING

ARCO
 A30.52
 2023.04.24

SCUPPER BOX ELEVATION AT TILT

SCALE: 1" = 1'-0"



ARCO
 A30.09
 2023.04.24

GRAVEL STOP TO COPING TRANSITION AT TILT

SCALE: 1/2" = 1'-0"