



SUBMITTALS


NO.	DATE	DESCRIPTION
11-29-23	75% PROGRESS SET	
12-22-23	90% PROGRESS SET	
01-26-24	95% PROGRESS SET	
02-09-24	PERMIT SET	




SECTION AT WALL WITH HIGH FOUNDATION
 SCALE: NO SCALE
 NOTE: 1. PLACE GROUT UNDER PANEL WITHIN 36 HOURS OF ERECTION. 2. COORD. INSULATION REQUIREMENTS (IF REQUIRED) W/ARCH.
 DETAIL BOOK REF: S1.16A-N 1/27/2023




SECTION AT WALL WITH HIGH FOUNDATION & INSULATION
 SCALE: NO SCALE
 NOTE: 1. PLACE GROUT UNDER PANEL WITHIN 36 HOURS OF ERECTION. 2. COORD. INSULATION REQUIREMENTS (IF REQUIRED) W/ARCH.
 DETAIL BOOK REF: S1.16A-N 1/27/2023




WALL FOOTING AT TILT WALL PANEL AT DOCK WALL
 SCALE: NO SCALE
 NOTE: 1. PLACE GROUT UNDER PANEL WITHIN 36 HOURS OF ERECTION. 2. COORD. INSULATION REQUIREMENTS (IF REQUIRED) W/ARCH.
 DETAIL BOOK REF: S1.11A-N 8/24/2023




SECTION AT MAN DOOR WITH LOW FOUNDATION
 SCALE: NO SCALE
 NOTE: 1. PLACE GROUT UNDER PANEL WITHIN 36 HOURS OF ERECTION. 2. COORD. INSULATION REQUIREMENTS (IF REQUIRED) W/ARCH.
 DETAIL BOOK REF: S1.13B-S 1/27/2023




FOUNDATION SECTION AT TYPICAL WIDE FLANGE COLUMN
 SCALE: NO SCALE
 DETAIL BOOK REF: S1.27-N 1/27/2023




SECTION AT MANDOOR WITH HIGH FOUNDATION & INSULATION
 SCALE: NO SCALE
 NOTE: 1. COORD. INSULATION REQUIREMENTS (IF REQUIRED) W/ARCH. 2. SEE ARCH. DRAWINGS FOR CONDITIONS @ PRIMARY BUILDING ENTRIES.
 DETAIL BOOK REF: S1.16B-N 8/24/2023




SECTION AT MAN DOOR WITH LOW FOUNDATION @ DRIVE IN RAMP
 SCALE: NO SCALE
 NOTE: 1. PLACE GROUT UNDER PANEL WITHIN 36 HOURS OF ERECTION. 2. COORD. INSULATION REQUIREMENTS (IF REQUIRED) W/ARCH.
 DETAIL BOOK REF: S1.13N 8/24/2023



INTERIOR COLUMN & FOOTING
 SCALE: NO SCALE
 NOTE: 1. CONCRETE CONTRACTOR TO ENSURE ANCHOR BOLTS DO NOT ENGAGE SLAB ON GRADE. 2. PROTECT ANCHOR BOLTS & BASE WITH ASPHALTIC BASED COATING.
 DETAIL BOOK REF: S1.25 1/27/2023



SECTION AT MANDOOR WITH HIGH FOUNDATION
 SCALE: NO SCALE
 NOTE: 1. COORD. INSULATION REQUIREMENTS (IF REQUIRED) W/ARCH. 2. SEE ARCH. DRAWINGS FOR CONDITIONS @ PRIMARY BUILDING ENTRIES.
 DETAIL BOOK REF: S1.16B-N 8/24/2023



SECTION AT DRIVE-IN DOOR WITH LOW FOUNDATION
 SCALE: NO SCALE
 NOTE: 1. PLACE GROUT UNDER PANEL WITHIN 36 HOURS OF ERECTION. 2. COORD. INSULATION REQUIREMENTS (IF REQUIRED) W/ARCH.
 DETAIL BOOK REF: S1.10A-N 8/24/2023