



NO.	DATE	DESCRIPTION
11-29-23	75% PROGRESS SET	
12-22-23	90% PROGRESS SET	
01-26-24	95% PROGRESS SET	
02-09-24	PERMIT SET	



1 DOCK LEVELER PIT PLAN DETAIL
 S2.2 SCALE: NO SCALE

NOTES:
 1. BARS PARALLEL TO WALL PANELS IN POUR 'C' ARE NOT REQUIRED IF PANELS ARE CONNECTED TO FOUNDATIONS WITH A CONNECTION MEETING THE REQUIREMENTS OF ACI 318.


DETAIL BOOK REF.
 S1.32
 8/24/2023




2 SECTION AT DOCK PIT
 S2.2 SCALE: NO SCALE

NOTES:
 1. PLACE GROUT UNDER PANEL WITHIN 36 HOURS OF ERECTION.
 2. COORD. INSULATION REQUIREMENTS (IF REQUIRED) WITH ARCH.
 3. *VERIFY DIMENSIONS WITH SPECIFIED DOCK EQUIPMENT.
 4. UTILIZE STAINLESS STEEL WIRE TIES IN ALL DOCK PITS.


DETAIL BOOK REF.
 S1.33-N
 8/24/2023



A DOCK LEVELER PIT
 S2.2 SCALE: NO SCALE




B DOCK PIT ELEVATION
 S2.2 SCALE: NO SCALE



C ISOMETRIC AT DOCK LEVELER
 S2.2 SCALE: NO SCALE

SLAB DEPTH, IN.	PLATE DIMENSION, IN.	DOVEL SPACING CENTER TO CENTER, IN.
5 TO 6	1/4 x 4 1/2 x 4 1/2	18
7 TO 8	3/8 x 4 1/2 x 4 1/2	18
9 TO 11	3/4 x 4 1/2 x 4 1/2	20



SLAB ON GRADE JOINTS
 S2.2 SCALE: NO SCALE

DETAIL BOOK REF.
 S1.01-N
 8/24/2023





PLATE DOWEL CONSTRUCTION JOINT INSTALLATION
 SCALE: NONE

DETAIL BOOK REF.
 S1.01-N
 8/24/2023



DRIVE-IN-DOOR PLAN VIEW
 SCALE: NONE