



NO.	DATE	DESCRIPTION
12-04-23		COORDINATION SET
12-08-23		75% PROGRESS SET
01-26-24		90% PROGRESS SET
02-09-24		PERMIT SET



1 DOCK LEVELER PIT PLAN DETAIL
 SCALE: NO SCALE

NOTES:
 1. BARS PARALLEL TO WALL PANELS IN POUR "C" ARE NOT REQUIRED IF PANELS ARE CONNECTED TO FOUNDATIONS WITH A CONNECTION MEETING THE REQUIREMENTS OF ACI 318.


DETAIL BOOK REF. S1.12 8/24/2023



2 SECTION AT DOCK PIT
 SCALE: NO SCALE


NOTES:
 1. PLACE GROUT UNDER PANEL WITHIN 36 HOURS OF ERECTION.
 2. COORD. INSULATION REQUIREMENTS (IF REQUIRED) W/ARCH.
 3. VERIFY DIMENSIONS WITH SPECIFIED DOCK EQUIPMENT.
 4. UTILIZE STAINLESS STEEL WIRE TIES IN ALL DOCK PITS.

DETAIL BOOK REF. S1.33-N 8/24/2023




A DOCK LEVELER PIT
 SCALE: NO SCALE

DETAIL BOOK REF. S1.31 1/27/2023



B DOCK PIT ELEVATION
 SCALE: NO SCALE



DETAIL BOOK REF. S1.35-N 8/24/2023



C ISOMETRIC AT DOCK LEVELER
 SCALE: NO SCALE

DETAIL BOOK REF. S1.34-N 1/27/2023

SLAB DEPTH, IN.	PLATE DIMENSION, IN.	DOVEL SPACING CENTER TO CENTER, IN.
5 TO 6	1/4 x 4 1/2 x 4 1/2	18
7 TO 8	3/8 x 4 1/2 x 4 1/2	18
9 TO 11	3/4 x 4 1/2 x 4 1/2	20



SLAB ON GRADE JOINTS
 SCALE: NO SCALE

DETAIL BOOK REF. S1.01-N 8/24/2023





PLATE DOWEL CONSTRUCTION JOINT INSTALLATION
 SCALE: NONE

DETAIL BOOK REF. S1.01-N 8/24/2023



DRIVE-IN-DOOR PLAN VIEW
 SCALE: NONE