



- 1 VERIFY TEACHING WALL IN EACH CLASSROOM WITH OWNER AND ADD ADDITIONAL 4 BUTTON LOW VOLTAGE LIGHTING CONTROL..
- 2 CONNECT LUMINAIRES TO PREVIOUSLY PRESERVED CIRCUITRY AND LIGHTING CONTROLS. EXTEND/MODIFY AS NECESSARY.
- 3 PROVIDE SURFACE MOUNT KIT FOR 2X2 LUMINAIRES.


A. REFER TO DRAWING AE050 FOR GENERAL NOTES

B. REFERENCE TO A6060 PANEL SCHEDULES FOR ADDITIONAL INFORMATION

C. LIGHTING CONTROL SEQUENCES:
CLASSROOMS:
PERSON ENTERS DANCING HALL AND GENERAL CLASSROOM EACH OPERATED WITH (A) BUTTON LOW VOLTAGE LIGHTING CONTROL, BUTTON CAPABLE OF ON/OFF; 50% AND 100% MAY BE MANUALLY ADJUSTED BY DIMMER SWITCHES IN THE LIGHTING CONTROL PER ZONE. IF LUMINAIRES ARE LEFT ON AND CLASSROOM IS UNOCCUPIED LUMINAIRES WILL TURN OFF AFTER 15 MINUTES. Once room becomes occupied AGAIN LUMINAIRES WILL TURN ON TO LAST LEVEL OR LAST LEVEL SELECTED. DAYLIGHT RESPONSIVE DIMMING DIM DOWN TO 50% WHEN DAYLIGHT CLOSET TO WINDOW TO PREVENT SELECTION OF LIGHT TO MAINTAIN UNIFORMITY OF ILLUMINATION.

LOCKER ROOM/TOLETS:
PERSON ENTERS THE ROOM AND LUMINAIRES TURN ON TO 100% OUTPUT BY OCCUPANT SENSOR, WHEN PERSON EXITS THE ROOM BY PRESSING THE SENSOR SWITCH LUMINAIRES WILL TURN OFF AFTER 15 MINUTES. MANUAL CONTROL BY LOW VOLTAGE KEYSWITCH.

DANCE FLOOR:
PERSON ENTERS THE ROOM AND LUMINAIRES TURN ON TO 100% OUTPUT BY OCCUPANT SENSOR, WHEN PERSON EXITS THE ROOM THE ROOM OCCUPANCY SENSOR WILL TURN OFF HE LUMINAIRES AFTER 15 MINUTES. LOW VOLTAGE LIGHTING CONTROL, BUTTON CAPABLE OF ON/OFF; 50% AND 100% MAY BE MANUALLY ADJUSTED BY BUTTON.



Rev. No.:	Date:	Description:
-----------	-------	--------------



complex world | CLEAR SOLUTIONS

Tetra Tech Engineers, Architects
& Landscape Architects, P.C.



Walkill Central School District
Walkill, New York

Reconstruction to:
Wallkill Senior High School

First Floor Lighting Plan - Partial Area B and C

Drawn By: CR/deed	Date: 06/30/2023	Drawing Number:
Project No.: 17597-22002		AE131