

ASBESTOS ABATEMENT LEGEND

— WITHIN THIS SECTION OF THE ROOF, ALL ROOFING MATERIALS WITHIN THE PERIMETER ARE POSITIVE FOR ACM. ANY WORK ON THIS ROOF WILL REQUIRE ABATEMENT. REFER TO MEP DRAWINGS AND MOST RECENT ROOF SCAN DRAWINGS FOR EXACT REMOVALS.

- - - WITHIN THIS SECTION OF THE ROOF, ALL ROOFING MATERIALS, (EXCEPT THE MATERIALS IN THE FIELD) ARE POSITIVE FOR ACM. REFER TO MEP DRAWINGS AND MOST RECENT ROOF SCAN DRAWING FOR EXACT REMOVALS.

- · - · WITHIN THIS SECTION OF THE ROOF, ONLY THE FIELD ROOFING MATERIALS ARE POSITIVE FOR ACM. ANY WORK ON THIS ROOF WILL REQUIRE ABATEMENT. REFER TO MEP DRAWINGS AND MOST RECENT ROOF SCAN DRAWING FOR EXACT REMOVALS.

C **X** ACM EQUIPMENT FLASHING TAR TO BE REMOVED

ACM FIELD DECK TARS TO BE REMOVED


ASBESTOS ABATEMENT NOTES

JG BORDENMIDDLE SCHOOL – RECONSTRUCTION:

ASBESTOS ABATEMENT CONTRACTOR RESPONSIBLE FOR TOTAL AND COMPLETE REMOVAL AND DISPOSAL OF PERIMETER FLASHING TARS, ACM PERIMETER FLASHING AND ACM FIELD DECK WHERE INDICATED.

REFER TO SPECIFICATION SECTION 020800 - SECTION 3.17 FOR A DESCRIPTION OF THE WORK.

1 Roof Abatement Plan
1/16" = 1'-0"



Key Plan
N.T.S.

S.E.D. Control No. 62-18-01-06-0-002-015



complex world
CLEAR SOLUTIONS

Quality Environmental Solutions & Technologies, Inc.
1298 NYS Route 9
Wappingers Falls, NY 12590
Tel: (845) 298-6031

Walkkill Central School District
Walkkill, New York

Reconstruction to:
John G. Borden Middle School

Roof Abatement Plan

Drawn By: AM/EG	Date: 06/30/2023	Drawing Number:
Project No.:		BHAZ052
17597-22002		

