



ASBESTOS ABATEMENT NOTES

JOHN G. BORDEN MIDDLE SCHOOL - RECONSTRUCTION:


- ASBESTOS ABATEMENT CONTRACTOR RESPONSIBLE FOR TOTAL AND COMPLETE REMOVAL AND DISPOSAL OF DAMAGED ACM THERMAL SYSTEMS PIPE INSULATION (TSI) LOCATED ABOVE SUSPENDED 1'X1' SPLINED TILE CEILING.
- ASBESTOS ABATEMENT CONTRACTOR RESPONSIBLE FOR TOTAL AND COMPLETE REMOVAL AND DISPOSAL OF ACM PIPE INSULATION WITHIN WET WALLS BY OPENING ONE SIDE OF WALLS.
- ASBESTOS ABATEMENT CONTRACTOR RESPONSIBLE FOR TOTAL AND COMPLETE REMOVAL AND DISPOSAL OF DAMAGED PIPE INSULATION ABOVE PLASTER CEILING WITH ACM CEILING TILES.
- ASBESTOS ABATEMENT CONTRACTOR RESPONSIBLE FOR TOTAL AND COMPLETE REMOVAL AND DISPOSAL OF ACM VIBRATION DAMPENER CLOTH ON AIR HANDLERS SUSPENDED ABOVE STAGE.

REFER TO SPECIFICATION SECTION 020800 - SECTION 3.17 FOR A DESCRIPTION OF THE WORK.



REMOVE CARPET ABOVE 9X9 ACM FLOOR TILES AND MASTIC.

ONLY AS REQUIRED FOR NEW WALLS TO ATTACH AT TOP
ONLY AS REQUIRED FOR MECHANICAL WORK



S.E.D. Control No. 62-18-01-06-0-002-015



complex world
CLEAR SOLUTIONS

Quality Environmental Solutions & Technologies, Inc.
1298 NYS Route 9
Wappingers Falls, NY 12590
Tel: (845) 298-6031

Wallkill Central School District
Wallkill, New York

Reconstruction to:
John G. Borden Middle School

First Floor Abatement Plan-Area "A"

Drawn By: AM/EG	Date: 06/30/2023	Drawing Number:
Project No.:	17597-22002	
		BHAZ100



1 First Floor Abatement Plan- Area "A"
1/8" = 1'-0"