
SYMBOLS LEGEND: INCH SYMBOL DESCRIPTION NUMBER AND MAIN PIPING (TYPE OF SERVICE AS SPECIFIED OR NOTED) AT DEGREE BELOW SLAB MAIN PIPING (TYPE OF SERVICE AS SPECIFIED OR NOTED) BRANCH PIPING (TYPE OF SERVICE AS SPECIFIED OR NOTED) ADA AFF **EXSITING PIPING TO REMAIN** ARCH **BFP** EXSITING PIPING TO BE REMOVED CL _____B PIPE RISE, UNLESS OTHERWISE NOTED CLG **CEILING** CO PIPE DROP, UNLESS OTHERWISE NOTED Ш CODP BRANCH - TOP OR BOTTOM CONNECTION CONN CONT RISE OR DROP IN RUN OF PIPE CW **BRANCH CONNECTION - SIDE** DCDA CAP ON END OF PIPE DCV-BFP DEG DEGREE VALVE IN VERTICAL DEMO **CLEANOUT PLUG** DIA DN **DOWN** CONCENTRIC REDUCER DRAIN DR **EES** GATE VALVE (OS&Y) **ELEC** CHECK VALVE **ELEV EWH** LUBRICATED PLUG VALVE EXIST BALL VALVE FCO WATER METER - 2" & SMALLER FD FIN WATER METER - 3" & LARGER FIN FL FIXT REDUCED PRESSURE ZONE BACKFLOW PREVENTER **FIXTURE** 2" & SMALLER **FLOOR** REDUCED PRESSURE ZONE BACKFLOW PREVENTER FPZ-BFP 2 1/2" & LARGER FEET FW FLUSHING WATER HOSE REEL GAL GALLONS **GPH** GALLONS PER HOUR **GPM** GALLONS PER MINUTE HOSE BIBB HIGH DENSITY POLYETHYLENE HOSE VALVE HOSE REEL **HEATER** HOSE VALVE FLOOR DRAIN HOT WATER INVERT ELEVATION **ROOF DRAIN** INCH INDIRECT WASTE FLOOR CLEANOUT **KILOWATT** LAVATORY **EMERGENCY EYEWASH & SHOWER** LAVATORY MAX MAXIMUM **MECH** MECHANICAL SERVICE SINK MINIMUM 0 ---WALL HYDRANT P-TRAP HOSE BIBB

ABBREVIATIONS:


NORMALLY CLOSED **NEMA** NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION NC-HUB NPT NATIONAL PIPE THREAD? **NPW** NON-POTABLE WATER NTS NOT TO SCALE AREA DRAIN OD AMERICANS WITH DISABILITIES ACT OUTSIDE DIAMETER OS&Y OUTSIDE SCREW & YOKE GATE VALVE ABOVE FINISHED FLOOR **PCF** POUNDS PER CUBIC FOOT ARCHITECTURAL PSI POUNDS PER SQUARE INCH (GAUGE) BACKFLO PREVENTER **PVC** POLYVINYL CHLORIDE CENTERLINE REQ'D REQUIRED RM ROOM CLEANOUT REDUCED PRESSURE DETECTOR ASSEMBLY-BACKFLOW CLEANOUT DECKPLATE RPDA-BFP PREVENTER CONNECT/CONNECTION SOIL CONTINUATION S/W SANITARY/WASTE **COLD WATER** DIAMETER? SANITARY DOUBLE CHECK DETECTOR ASSEMBLY STORM DRAIN SHT SHEET BOUBLE CHECK VALVE BACKFLOW PREVENTER SQ FT SQUARE FOOT STAINLESS STEEL DEMOLITION STAINLESS DIAMETER STL STEEL TMV THERMOSTATIC MIXING VALVE EMERGENCY EYEWASH AND SHOWER TRAP PRIMER VALVE **TEPID WATER ELEVATION** TYP **ELECTRICAL TYPICAL** UP (PENITRATES FLOOR SLAB) **ELEVATION** USG ULTRASONIC THICKNESS MEASUREMENT ELECTRIC WATER HEATER **EXISTING FAHRENHEIT** VACUUM BREAKER VALVE IN VERTICAL FLOOR CLEAN OUT **VENT TRHOUGH ROOF** FLOOR DRAIN WASTE FINISHED WITH FINISHED FLOOR WC WATER CLOSET WCO WALL CLEAN OUT WG WATER GAUGE FIRE PROTECTION WALL HYDRANT REDUCED PRESSURE ZONE - BACKFLOW PREVENTER WH WHA WATER HAMMER ARRESTER

GENERAL NOTES:

- THE SYMBOLS AND ABBREVIATIONS LIST ON SHEET P-001 IS A COMPREHENSIVE STANDARD GUIDE INTENDED FOR GENERAL USE ON ALL PROJECTS. THEREFORE NOT ALL THE SYMBOLS AND ABBREVIATIONS CONTAINED IN THIS LIST ARE NECESSARILY USED ON THIS PARTICULAR PROJECT AND SHOULD BE USED FOR CLARIFICATION ONLY.
- ALL BRANCH PIPING TO EQUIPMENT OR FIXTURES SHALL BE PROVIDED WITH SHUT-OFF VALVES, WHETHER SHOWN, OR NOT SHOWN ON DRAWINGS.
- CHANGES IN DIRECTION IN DRAINAGE PIPING SHALL BE MADE BY THE USE OF 45 DEGREE ELBOWS, LONG SWEEPS, 90 DEGREE WYES WITH CLEANOUTS OR BY A COMBINATION OF EQUIVALENT FITTINGS. THERE SHALL BE NO DOUBLE WYES IN THE HORIZONTAL PLANE.
- SANITARY TEES AND QUARTER BENDS MAY BE USED IN DRAINAGE LINES ONLY WHERE DIRECTION OF FLOW IS FROM HORIZONTAL TO THE VERTICAL.
- ALL EQUIPMENT AND CONTROL MECHANISMS SHALL BE PIPED THROUGH UNION CONNECTIONS.
- ALL WYE TYPE STRAINERS SHALL HAVE A 3-INCH LONG THREADED NIPPLE, THREADED END BALL VALVE AND PLUG ON BLOWDOWN SIDE.
- ALL DRAINAGE PIPING 2 1/2" AND LESS SHALL SLOPE AT A MINIMUM OF 1/4" PER FOOT, 3" & LARGER SHALL SLOPE TO A MINIMUM OF 1/8" PER FOOT.
- AN ACCESSIBLE CLEANOUT SHALL BE PROVIDED AT THE BASE OF EACH SOIL STACK, WASTE STACK AND ROOF LEADER.
- ALL CITY WATER PIPING SHALL BE INSULATED.
- CORE DRILL BOTH WALLS AND FLOORS AS REQUIRED FOR ALL PIPE PENITRATIONS, WHETHER INDICATED OR NOT. ALL PENETRATIONS SHALL BE SEALED AND MEET ALL REQUIRED FIRE RATINGS FOR SEPARATION.
- PROVIDE WALL SLEEVES W/ MECHANICAL LINK SEALS FOR ALL FLOOR AND WALL PENETRATIONS.
- ALL OPERATIONS OF THE EXISTING WATER MAINS AND THEIR VALVES ARE THE RESPONSIBILITY OF WESTCHESTER JOINT WATER WORKS. THE CONTRACTOR WILL NEED TO COORDINATE THE ACTIVATION AND DEACTIVATION OF ANY WATER MAIN AND OPERATION OF ANY VALVES WITH WESTCHESTER JOINT WATER WORKS OPERATIONAL STAFF. ALL WORK TO ISOLATE THE WATER MAINS REQUIRED FOR THE PROJECT WILL BE THE RESPONSIBILITY OF THE WESTCHESTER JOINT WATER WORKS; THIS SHALL INCLUDE THE USE OF EXISTING VALVES, INSTALLATION OF NEW ISOLATION VALVES OR CUTTING/CAPPING/RESTRAINING EXISTING WATER MAINS AS REQUIRED TO ISOLATE THE WATER MAIN FOR THE CONTRACTOR. THE CONTRACTOR WILL INSTALL NEW WATER MAINS AND APPURTENANCES INCLUDING BYPASS PIPING, BOTH TEMPORARY AND PERMANENT, WHICH SHALL BE INSPECTED, TESTED, DISINFECTED AND ACCEPTED BY WESTCHESTER JOINT WATER WORKS PRIOR TO ACTIVATION. ALL WATER RELATED WORK SHALL MEET NEW YORK STATE DEPARTMENT OF HEALTH REGULATIONS AND STANDARDS, THE LOCAL WATER SUPPLIER AND LOCAL PLUMBING CODES.



CONNECT TO EXISTING



GRADE LEVEL - DEMOLITION PARTIAL PLAN AT EL. 14.20

SCALE: 3/4" = 1'-0"

3/4" BACKFLOW PREVENTER 1 1/2" SUMP PUMP DISCHARGE

3/4" CW

SECTION

P-002 | SCALE: 3/4" = 1'-0"

⊈ EL. 13.00

DEMOLISH 3/4" CW PIPING, VALVES AND APPURTENANCES

The state of the s

3/4" BACKFLOW

3/4" CW ¢ EL. 13.00 −

3/4" HOSE VALVE

CONNECTION

PREVENTER -

SECTION 3 **SECTION** P-002 SCALE: 3/4" = 1'-0"

TOP OF EXISTING STRUCTURE

-- 1 1/2" SUMP PUMP DISCHARGE

DEMOLISH SUMP PUMP, PIPING AND APPURTENANCES

SUMP PUMP

--- 3/4" HOSE VALVE

CONNECTION

DEMOLISH 3/4" CW

PIPING, VALVES AND
APPURTENANCES
TOP OF EXISTING

STRUCTURE

DEMOLISH SUMP PUMP, PIPING AND **APPURTENANCES**

ARCADIS


LEGAL ENTITY:

ARCADIS OF NEW YORK, INC. WARNING - IT IS A VIOLATION OF NEW YORK EDUCATION LAW, SECTION 7209.2, FOR ANY PERSON, UNLESS HE IS ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER OR LAND SURVEYOR, TO ALTER THIS DOCUMENT IN ANY WAY. IF ALTERED, THE ALTERING PERSON SHALL COMPLY WITH THE REQUIREMENTS OF NEW YORK LAW, SECTION 7209.2. ARCADIS PROJECT NO. 30108362 REVISION MADE APP'D DATE REVISION NUMBER RECORD DRAWING CERTIFICATION AS BUILT - CHANGES AS NOTED AS BUILT - NO CHANGES PROJECT COORDINATOR CONTRACTOR NAME _____ SIGNATURE SIGNATURE DATE CONTRACT NUMBER SHEET NUMBER WESTCHESTER COUNTY, NEW YORK DEPARTMENT OF PUBLIC WORKS AND TRANSPORTATION 22-526 P-002 DIVISION OF ENGINEERING SHEET NO. 76 OF 103 SCALE: 3/4" = 1'-0" REHABILITATION OF WEAVER STREET PUMPING STATION MAMARONECK VALLEY SANITARY SEWER DISTRICT DATE: APRIL 2023 DPW FILE NO.

205-03-P-117-0

GRADE LEVEL DEMOLITION PARTIAL PLAN AND SECTIONS

IN CHARGE OF D. PAPASTATHIS C. CATCHPOLE MADE BY A. CHAMBERS



TOP OF STRUCTURE - PARTIAL PLAN AT EL. 19.00

SCALE: 1/2" = 1'-0"

LEGAL ENTITY: ARCADIS OF NEW YORK, INC. WARNING - IT IS A VIOLATION OF NEW YORK EDUCATION LAW, SECTION 7209.2, FOR ANY PERSON, UNLESS HE IS ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER OR LAND SURVEYOR, TO ALTER THIS DOCUMENT IN ANY WAY. IF ALTERED, THE ALTERING PERSON SHALL COMPLY WITH THE REQUIREMENTS OF NEW YORK LAW. SECTION 7209.2. ARCADIS PROJECT NO. 30108362 MADE BY REVISION DATE REVISION NUMBER RECORD DRAWING CERTIFICATION AS BUILT - CHANGES AS NOTED AS BUILT - NO CHANGES PROJECT COORDINATOR NAME ____ NAME ____ SIGNATURE SIGNATURE SHEET NUMBER WESTCHESTER COUNTY, NEW YORK 22-526 P-003 DEPARTMENT OF PUBLIC WORKS AND TRANSPORTATION DIVISION OF ENGINEERING SHEET NO. 77 OF 103

SCALE: 1/2" = 1'-0"

DATE: APRIL 2023

205-03-P-118-0

ARCADIS


REHABILITATION OF WEAVER STREET PUMPING STATION

MAMARONECK VALLEY SANITARY SEWER DISTRICT

TOP OF STRUCTURE

PARTIAL PLAN

D. PAPASTATHIS C. CATCHPOLE CHECKED BY MADE BY A. CHAMBERS



SEALS BORD OF LIGHT O	JEW JOS	LEGAL EN ARCADIS	ARCA HITTY: OF NEW YORK, INC.		WARNING - IT IS A VIOLATION ANY PERSON, UNLESS HE IS A PROFESSIONAL ENGINEER OF WAY. IF ALTERED, THE ALTER REQUIREMENTS OF NEW YOR	ACTING UNDER R LAND SURVE UNG PERSON	R THE DIRECTION OF A EYOR, TO ALTER THIS D SHALL COMPLY WITH T	LICENSED OCUMENT IN A	
1		ARCA	DIS PROJEC	T NO. 30108	362				
									-
REVISION		MADE	APP'D					Ta Ta	
NUMBER	DATE	BY	BY		RE	VISION	i i		
			RECC	RD DRAWI	NG CERTIFICATION	V	= 11		
	**************************************	CHANGES NO CHANG	AS NOTE	D					
5.	C	ONTRACT	OR		14000000444000	JECT C	OORDINATO	R	
NAME SIGNATURE					NAME SIGNATURE				
TITLE			DATE _		TITLE		DATE		
The same of the same of				- 01	NEW YOR Transporta	100 100 100 100 100 100 100 100 100 100	CONTRACT NUMBER 22-526	SHEET NUMBE P-0	
	versus vocalis to describe			ENGINEER			SHEET NO. 78	8 OF	103
A CANADA	JMPING STATION WER DISTRICT	DATE: APRIL 2023							
UPPER LEVEL							DPW FILE NO. REV NO.		


205-03-P-119-0

PARTIAL PLAN

IN CHARGE OF D. PAPASTATHIS

CHECKED BY C. CATCHPOLE

MADE BY A. CHAMBERS




INTERMEDIATE LEVEL - PLAN AT EL. -4.90

SCALE: 1/2" = 1'-0"

		71								
SEALS OF NI	N 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	LEGAL EN ARCADIS	OF NEW YORK, INC.	without, Add Sept.	WARNING - IT IS A VIOLATION OF NEW YORK EDUCATION LAW, SECTION 7209.2, FOR ANY PERSON, UNLESS HE IS ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER OR LAND SURVEYOR, TO ALTER THIS DOCUMENT IN ANY WAY. IF ALTERED, THE ALTERING PERSON SHALL COMPLY WITH THE REQUIREMENTS OF NEW YORK LAW, SECTION 7209.2.					
REVISION	DATE	MADE	APP'D							
NUMBER	DATE	BY	BY	DD DD 11/11/11		REVISION			March 18	
				RD DRAWIN	G CERTIFI	CATION				
	BUILT - C BUILT - N	ZATT BINDSTEALS	AS NOTE SES	D						
NAME SIGNATURE TITLE	- CC	NTRACT	DATE		NAME SIGNATURE TITLE		OORDINATOR	}	_	
WEST		F PUE	R COU	UNTY, RKS AND	NEW TRANSI	YORK Portation	CONTRACT NUMBER 22-526 SHEET NO. 79	SHEET NUMBER P-005	1-0-0	
		TION OF NECK VA	WEAVER	STREET PU NITARY SEW NTE LEVEL	MPING ST		SCALE: 1/2": DATE: APRIL DPW FILE NO. 205-03-P-	= 1'-0" 2023	REV.	

IN CHARGE OF D. PAPASTATHIS CHECKED BY C. CATCHPOLE

MADE BY A. CHAMBERS



IN CHARGE OF D. PAPASTATHIS

CHECKED BY C. CATCHPOLE


MADE BY A. CHAMBERS

SEALS OF NEW ORK, INC. COPYRIGHT: 2021 ARCADIS PROJECT NO. 3010					WARNING - IT IS A VIOLATION OF NEW YORK EDUCATION LAW, SECTION 7209.2, FOR ANY PERSON, UNLESS HE IS ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER OR LAND SURVEYOR, TO ALTER THIS DOCUMENT IN ANY WAY. IF ALTERED, THE ALTERING PERSON SHALL COMPLY WITH THE REQUIREMENTS OF NEW YORK LAW, SECTION 7209.2.				
			-						
					<u> </u>				
			-						
	-								
REVISION NUMBER	DATE	MADE BY	APP'D BY	REVISION					
e instruction	RECORD DRAWING CERTIFICATION								
	AS BUILT - CHANGES AS NOTED AS BUILT - NO CHANGES								
NAME SIGNATURE	CC	NTRACT	OR		PROJECT COORDINATOR NAME SIGNATURE				
TITLE	TITLE DATE						DATE	CUEET	
					NEW Y		CONTRACT NUMBER 22-526	SHEET NUMBER P-006	
DIVISION OF ENGINEERING							SHEET NO. 80	OF 103	
REHABILITATION OF WEAVER STREET PUMPING STATION MAMARONECK VALLEY SANITARY SEWER DISTRICT							SCALE: 1/2" = 1'-0" DATE: APRIL 2023		

205-03-P-121-0

LOWER LEVEL

PLAN



INSULATED AND HEATED 3/4" BACKFLOW PREVENTER ENCLOSURE W/ HINGED COVER REDUCED PRESSURE ZONE ASSEMBLY RPZ WATER METER 3/4" TEE ___ 3/4" 90° 3/4" HOSE BIBB -**ELBOW** - 3/4" BALL VALVE TOP OF STRUCTURE EL. 19.00 € EL. 20.42 3/4" 90° ELBOW 3/4" BALL VALVE GRADE EL 14.20 3/4" 90° ELBOW WET WELL DRY WELL 3/4" CW 3/4" CW ⊈ EL. 13.00 € EL. 13.00 -

3/4" STRAINER -

SECTION P-003 | SCALE: 1/4" = 1'-0"

SECTION P-003 SCALE: 3/8" = 1'-0"

> ARCADIS
>
> LEGAL ENTITY:
>
> ARCADIS OF NEW YORK, INC. WARNING - IT IS A VIOLATION OF NEW YORK EDUCATION LAW, SECTION 7209.2, FOR ANY PERSON, UNLESS HE IS ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER OR LAND SURVEYOR, TO ALTER THIS DOCUMENT IN ANY WAY. IF ALTERED, THE ALTERING PERSON SHALL COMPLY WITH THE REQUIREMENTS OF NEW YORK LAW, SECTION 7209.2. ARCADIS PROJECT NO. 30108362 MADE BY APP'D REVISION DATE REVISION NUMBER RECORD DRAWING CERTIFICATION AS BUILT - CHANGES AS NOTED AS BUILT - NO CHANGES PROJECT COORDINATOR NAME ____ SIGNATURE SIGNATURE

> > DATE

SHEET NO. 81 OF 103

SCALE: As indicated

DATE: APRIL 2023

205-03-P-122-0

SHEET NUMBER

P-007

CONTRACT NUMBER

22-526

DPW FILE NO.

DATE

WESTCHESTER COUNTY, NEW YORK

DEPARTMENT OF PUBLIC WORKS AND TRANSPORTATION DIVISION OF ENGINEERING


REHABILITATION OF WEAVER STREET PUMPING STATION


MAMARONECK VALLEY SANITARY SEWER DISTRICT

SECTIONS

SHEET 1

D. PAPASTATHIS IN CHARGE OF C. CATCHPOLE CHECKED BY MADE BY _____A. CHAMBERS






SECTION

P-003 SCALE: 1/4" = 1'-0"

2 SECTION
P-003 SCALE: 1/4" = 1'-0"

SEALS OF NEW SCHAPE ARCADIS LEGAL ENTITY ARCADIS OF NEW YORK, INC. COPYRIGHT: 2021 ARCADIS PROJECT NO. 301					WARNING - IT IS A VIOLATION OF NEW YORK EDUCATION LAW, SECTION 7209.2, FOR ANY PERSON, UNLESS HE IS ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER OR LAND SURVEYOR, TO ALTER THIS DOCUMENT IN ANY WAY. IF ALTERED, THE ALTERING PERSON SHALL COMPLY WITH THE REQUIREMENTS OF NEW YORK LAW, SECTION 7209.2.				
	ĺ						en e		
								8.	
2.0					2				
		-							
REVISION NUMBER	DATE	MADE BY	APP'D BY		F	REVISION			
	RECORD DRAWING CERTIFICATION								
	AS BUILT - CHANGES AS NOTED AS BUILT - NO CHANGES								
NAME SIGNATURE TITLE		ONTRAC	DATE	PRONAME SIGNATURE TITLE	DJECT C	OORDINATOF	?		
WEST		OF PUI	R CO	UNTY, RKS AND Engineeri	NEW YO Transport	RK ATION	CONTRACT NUMBER 22-526	SHEET NUMBER P-008	
	HABILITA MAMARC	SHEET NO. 82 SCALE: 1/4" DATE: APRIL DPW FILE NO. 205-03-P-	= 1'-0" . 2023 REV. NO.						

IN CHARGE OF D. PAPASTATHIS C. CATCHPOLE MADE BY _____A. CHAMBERS




NOTES:

- WHERE PIPE IS IN CONTACT WITH SOIL, ELIMINATE ESCUTCHEON PLATE.
- FOR FIRE RATED FLOOR PENETRATION SUBSITUTE STEEL SLEEVE FOR HDPE.
- 3. FOR ONE HOUR FIRE RATED PENETRATION PROVIDE ONE FIRE RATED MECHANICAL SEAL. FOR TWO HOUR FIRE RATED PENETRATION PROVIDE TWO FIRE RATED MECHANICAL SEALS.
- 4. WHERE PIPES PASS THRU EXISTING CONSTRUCTION, CORE DRILL OPENING AND INSTALL MECHANICAL SEALS WITHOUT THE USE OF SLEEVES.

PIPE SLEEVES THRU FLOOR


NOT TO SCALE



- ACCORDANCE WITH WESTCHESTER JOINT WATER WORKS
- AIR GAP SHALL BE 2X DIAMETER OF DISCHARGE OUTLET.
- COORDINATE INSTALLATION OF WATER METER TRANSMITTER WITH WESTCHESTER JOINT WATER WORKS.

REDUCED PRESSURE ZONE BACKFLOW PREVENTER

NOT TO SCALE




- 1. WHERE PIPE IS IN CONTACT WITH SOIL, ELIMINATE ESCUTCHEON PLATE.
- 2. FOR FIRE RATED WALL PENETRATION SUBSITUTE STEEL SLEEVE FOR HDPE. 3. FOR ONE HOUR FIRE RATED PENETRATION PROVIDE ONE FIRE RATED MECHANICAL SEAL.
- FOR TWO HOUR FIRE RATED PENETRATION PROVIDE TWO FIRE RATED MECHANICAL SEALS.
- 4. WHERE PIPES PASS THRU EXISTING CONSTRUCTION, CORE DRILL OPENING AND INSTALL MECHANICAL SEALS WITHOUT THE USE OF SLEEVES.

PIPE SLEEVES THRU WALL

NOTES:

NOT TO SCALE



RIGID SECTION OF CALCIUM


SILICATE PIPE INSULATION (14 PCF)

AT EACH HANGER LOCATION. CAP

TYPICAL DETAIL HANGER ARRANGEMENT OF INSULATED PIPING

PIPE HANGER DETAIL


NOT TO SCALE




- 1. BOTTOM REINFORCEMENT TO BE CONTINUOUS WHERE POSSIBLE
- 2. FOR PIPE SIZE "D" AND ELEVATION, SEE PLUMBING DRAWINGS.
- 3. ALL PIPES LOCATED BENEATH BASE SLABS SHALL BE ENCASED IN CONCRETE UNLESS OTHERWISE NOTED.

PIPE ENCASEMENT DETAIL


NOT TO SCALE



DRAIN VALVE DETAIL NOT TO SCALE



HOSE BIBB NOT TO SCALE



TYPICAL DETAILS

DPW FILE NO.

205-03-P-124-0

D. PAPASTATHIS IN CHARGE OF C. CATCHPOLE CHECKED BY A. CHAMBERS