



NOTES

1. CHAMFER EXPOSED EDGES OF ALL FOUNDATIONS.
2. COLOR OF LUMINAIRE SHALL MATCH COLOR OF POLE.
3. ALL LIGHT POLES SHALL BE 20' HIGH.



NOTE:

1. SPACES SHALL BE MARKED WITH 4 INCH WIDE LINES, WIDTH MEASUREMENTS OF PARKING SPACES SHALL BE MADE FOR THE CENTERLINE OF THE MARKING.
2. THE MAXIMUM SLOPE WITHIN ADA PARKING AND ACCESS AISLES SHALL NOT EXCEED 2%(1:48)
3. TWO PARKING SPACES SHALL BE PERMITTED TO SHARE A COMMON ACCESS AISLE.
4. ACCESSIBLE ROUTES MUST CONNECT PARKING SPACES TO ACCESSIBLE ENTRANCES. IN PARKING FACILITIES WHERE THE ACCESSIBLE ROUTE MUST CROSS VEHICULAR TRAFFIC LANES, MARKED CROSSINGS ENHANCE PEDESTRIAN SAFETY
5. SIGNS SHALL BE 60 INCHES MINIMUM ABOVE THE FINISH GROUND SURFACE MEASURED TO THE BOTTOM OF THE SIGN.






1 LIGHT POLE BASE
NOT TO SCALE

2 BEACON AREA LIGHT - VIPER SERIES
NOT TO SCALE

3 TYPICAL PARKING LOT DETAIL
NOT TO SCALE

4 TYPICAL PARKING SIGN DETAILS
NOT TO SCALE





5 BOLLARD DETAIL
NOT TO SCALE


6 REFUSE ENCLOSURE DETAIL
NOT TO SCALE

7 ASPHALT PAVEMENT DETAIL
NOT TO SCALE

IT IS A VIOLATION OF NEW YORK STATE EDUCATION LAW FOR ANY PERSONS TO ALTER THESE PLANS, SPECIFICATIONS, OR REPORTS IN ANY WAY, UNLESS ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER OR LAND SURVEYOR.



- CONSTRUCTION SPECIFICATIONS**
1. WOVEN WIRE FENCE TO BE FASTENED SECURELY TO FENCE POSTS WITH WIRE TIES OR STAPLES. POSTS SHALL BE STEEL EITHER 'T' OR 'U' TYPE OR HARDWOOD.
 2. FILTER CLOTH TO BE TO BE FASTENED SECURELY TO WOVEN WIRE FENCE WITH TIES SPACED EVERY 24\"/>



8 TREE/SHRUB PLANTING DETAIL
NOT TO SCALE

9 SILT FENCE DETAIL
NOT TO SCALE

10 NEW CURB DETAIL
NOT TO SCALE

Dig Safely. New York
 Dig Safely and Dig Safely, New York are registered trademarks from Dig Safe System, Inc.
 ■ Call Before You Dig
 ■ Wait The Required Time
 ■ Confirm Utility Response
 ■ Respect The Marks
 ■ Dig With Care
800-962-7962
 www.digsafelynewyork.com

Mark A. Day, PE	
05-03-24	04-17-24
03-19-24	02-20-24
01-24-24	
Revision	2021:288
Project No.	License No. 069646

DAY STOKOSA
ENGINEERING P.C.

3 Van Wyck Lane
Wappingers Falls, New York
(845)-223-3202

PROJECT: Peekskill Firehouse Kitchen Incubator
701 Washington Street
City of Peekskill Westchester County, New York

Construction Details

SCALE: As Noted	DRAWN BY: MAD	DRAWING NO.: CD.1
DATE: 11-02-23	CHECKED BY: MAD	