



**D.2 MANSARD ROOF FRAMING DETAIL**  
SCALE: 1" = 1'-0"



**S.1 COOLING AREA FOUNDATION DETAIL**  
SCALE: 1-1/2" = 1'-0"



**D.1 SECOND FLOOR FRAMING PLAN - TOP OF STEEL 108'-5\"/>**

**FRAMING NOTES:**

1. ALL TOP OF STEEL ELEVATIONS SHOWN ON THE FRAMING PLANS.
2. DENOTES SPAN OF 1-1/2\"/>
3. ALL FLOOR DECKING TO BE INSTALLED WITH HILTI X-HSN 24 PAF USING A 3/8\"/>
4. ALL WIDE FLANGE BEAMS SHALL BE ASTM-A572 OR ASTM A992 GRADE 50 (50 KSI).
5. PROVIDE FRAME AROUND ALL OPENINGS LARGER THAN 8\"/>
6. THE GC/CM SHALL COORDINATE ALL OPENINGS WITH ARCHITECTURAL, MECHANICAL, ELECTRICAL AND PLUMBING DRAWINGS AND TYPICAL DETAILS.
7. REFER TO ARCHITECTURAL DRAWINGS FOR DIMENSIONS NOT SHOWN.
8. SEE TYPICAL DETAILS FOR INFORMATION NOT REFERENCED ON PLANS.
9. REFER TO GENERAL NOTES FOR ADDITIONAL INFORMATION.

IT IS A VIOLATION OF NEW YORK STATE EDUCATION LAW FOR ANY PERSONS TO ALTER THESE PLANS, SPECIFICATIONS, OR REPORTS IN ANY WAY, UNLESS ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER OR LAND SURVEYOR.

|                 |                    |
|-----------------|--------------------|
| Mark A. Day, PE |                    |
|                 |                    |
| Job No.         | License No. 069646 |

**DAY STOKOSA**  
ENGINEERING P.C.

3 Van Wyck Lane  
Suite 2  
Wappingers Falls, New York  
(845)-223-3202

PROJECT  
Peekskill Firehouse Kitchen Incubator  
701 Washington Street  
City of Peekskill Westchester County, New York

**Structural Section**

|          |          |            |          |
|----------|----------|------------|----------|
| SCALE    | DRAWN BY | CHECKED BY | DATE     |
| As Noted | MAD      | MAD        | 06-12-24 |
| S300     |          |            |          |