

| ACCESSORY & FIXTURE SCHEDULE/SYMBOL DESCRIPTION |    |                                                                                                                                                                                                                             | REF DWG | MAKE                   | MODEL                                      | SYMBOL |       |            | QTY | LOCATION                                                                         |
|-------------------------------------------------|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|------------------------|--------------------------------------------|--------|-------|------------|-----|----------------------------------------------------------------------------------|
|                                                 |    |                                                                                                                                                                                                                             |         |                        |                                            | PLAN   | ELEV. | SIDE ELEV. |     |                                                                                  |
| FIXTURE AND MISC.                               | A  | WALL MOUNTED WATER CLOSET FOR ADA MOUNTING HEIGHT 1’–7” MAXIMUM ABOVE FINISHED FLOOR WITH TOILET FLUSH VALVE AND ELONGATED FRONT OPEN SEAT                                                                                  | A–508   | TOTO                   | CT708UG WITH TET1UA AND SC534              |        |       |            | 31  | MEZZANINE AND ADMIN OFFICE                                                       |
|                                                 | A1 | COMMERCIAL FLUSHOMETER ADA FLOOR–MOUNTED TOILET                                                                                                                                                                             |         | TOTO                   | CT705ULN(G) WITH TETUA32#CP AND SC534      |        |       |            | 7   | WAREHOUSE                                                                        |
|                                                 | B  | UNDER MOUNTED LAVATORY. ADA MOUNTING HEIGHT 2’–10” MAXIMUM ABOVE FINISHED FLOOR                                                                                                                                             | A–508   | TOTO                   | LT569                                      |        |       |            | 19  | MEZZANINE AND ADMIN OFFICE                                                       |
|                                                 | B1 | WALL MOUNTED LAVATORY. ADA MOUNTING HEIGHT 2’–10” MAXIMUM ABOVE FINISHED FLOOR                                                                                                                                              | A–508   | TOTO                   | LT307/01                                   |        |       |            | 7   | WAREHOUSE                                                                        |
|                                                 | C  | WALL MOUNTED URINAL FOR HANDICAPPED. MOUNTING HEIGHT 1’–5” MAXIMUM ABOVE FINISHED FLOOR                                                                                                                                     | A–508   | TOTO                   | UT104E WITH TETU1LA                        |        |       |            | 10  | MEZZANINE AND ADMIN OFFICE                                                       |
|                                                 | D  | SURFACE MOUNTED ELECTRIC SENSOR HAND DRYER WITH STAINLESS STEEL BRUSHED FINISH. INSTALL BOTTOM OF UNIT ABOVE FINISH FLOOR IN ACCORDANCE TO ADA GUIDELINES                                                                   | A–508   | DYSON                  | HU02SPRAYED NICKEL 307172–01               |        |       |            | 13  | (2) PER GANG BATHROOMS AND (1) PER SINGLE BATHROOMS, MEZZANINES AND ADMIN OFFICE |
|                                                 | E  | SLOP/SERVICE SINK WITH UTILITY FAUCET. MOUNTING HEIGHT 2’–2” ABOVE FINISHED FLOOR                                                                                                                                           | A–508   | AMERICAN STANDARD      | LAKEWELL SERVICE SINK 7692.000 W/ 8344.012 |        |       |            | 3   | MEZZANINE AND ADMIN OFFICE                                                       |
|                                                 | F  | MOP SINK WITH UTILITY FAUCET                                                                                                                                                                                                | A–508   | FIAT/AMERICAN STANDARD | TSB3001 W/ 8344.012                        |        |       |            | 2   | WAREHOUSE                                                                        |
|                                                 | G  | WALL MOUNTED BI–LEVEL ADA WATER COOLER.                                                                                                                                                                                     | A–508   | ELKAY                  | LZSTLVR8SC                                 |        |       |            | 4   | MEZZANINE AND WAREHOUSE                                                          |
| ACCESSORIES                                     | H  | SELETRONIC ELECTRICAL PROXIMITY LAVA FAUCET                                                                                                                                                                                 |         | AMERICAN STANDARD      | 605B102                                    |        |       |            | 26  | ALL BATHROOM SINKS                                                               |
|                                                 | I  | EXPOSED YOKE WALL–MOUNT UTILITY FAUCET                                                                                                                                                                                      |         | AMERICAN STANDARD      | 8344.0120                                  |        |       |            | 5   | ALL JANITOR SINKS                                                                |
|                                                 | J  | RECESSED MOUNTED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE, TOP OF UNIT MOUNTED 48” MAX. ABOVE FINISHED FLOOR                                                                                                              | A–508   |                        |                                            |        |       |            | 7   | WAREHOUSE                                                                        |
|                                                 | K  | SURFACE MOUNTED STAINLESS STEEL SINGLE JUMBO–ROLL TOILET TISSUE DISPENSER MOUNTED 20” ABOVE FINISHED FLOOR TO BOTTOM OF DISPENSER                                                                                           | A–508   | BOBRICK                | B2890                                      |        |       |            | 38  | ALL STALLS AND SINGLE BATHROOMS                                                  |
|                                                 | L  | CUSTODIAN UTILITY SHELF WITH MOP & BROOM HOLDERS & RAG HOOKS MOUNTED 4’–0” ABOVE FINISHED FLOOR                                                                                                                             | A–508   |                        |                                            |        |       |            | 5   | ALL JANITOR’S CLOSET                                                             |
|                                                 | M  | 18” X 30” STAINLESS STEEL FRAME MIRROR AND SHELF, TOP OF FRAME MOUNTED 6’–6” ABOVE FINISHED FLOOR                                                                                                                           | A–508   |                        |                                            |        |       |            | 26  | ALL BATHROOM SINKS                                                               |
|                                                 | N  | 1 1/4 ” DIA S.S. GRAB BAR W/ CONCEALED MOUNTING, 3’–0” LONG PEENED NON–SLIP GRIPPING SURFACE. SHALL BE INSTALLED IN A HORIZONTAL POSITION, TOP OF BAR MOUNTED 3’–0” MAX. ABOVE FINISH FLOOR                                 | A–508   |                        |                                            |        |       |            | 10  | ALL ADA STALLS AND ADA BATHROOMS                                                 |
|                                                 | O  | 1 1/4 ” DIA S.S. GRAB BAR W/ CONCEALED MOUNTING, 3’–6” LONG PEENED NON–SLIP GRIPPING SURFACE. SHALL BE INSTALLED IN A HORIZONTAL POSITION, TOP OF BAR MOUNTED 3’–0” MAX. ABOVE FINISH FLOOR                                 | A–508   |                        |                                            |        |       |            | 10  | ALL ADA STALLS AND ADA BATHROOMS                                                 |
|                                                 | P  | 1 1/4 ” DIA S.S. GRAB BAR W/ CONCEALED MOUNTING, 18” LONG PEENED NON–SLIP GRIPPING SURFACE. SHALL BE INSTALLED IN A VERTICAL POSITION, BOTTOM OF BAR MOUNTED 39” A.F.F. AND 39”–41” AWAY FROM WALL                          | A–508   |                        |                                            |        |       |            | 10  | ALL ADA STALLS AND ADA BATHROOMS                                                 |
|                                                 | Q  | SOLID CAST ALUMINUM COAT HOOK WITH BUMPER IN EVERY TOILET COMPARTMENT. CENTER LINE OF HOOK SHALL BE MOUNTED 3’–3” (4’–0” MAX.) ABOVE FINISHED FLOOR AT ADA LOCATIONS AND 5’–6” ABOVE FINISHED FLOOR AT ALL OTHER LOCATIONS. | A–508   |                        |                                            |        |       |            | 38  | ALL STALLS AND SINGLE BATHROOMS                                                  |
|                                                 | R  | LIQUID SOAP DISPENSER WITH SHATTERPROOF TRANSLUCENT REFILL WINDOW. TOP OF UNIT MOUNTED 4’–2 1/2” ABOVE FINISHED FLOOR.                                                                                                      | A–508   |                        |                                            |        |       |            | 12  | WAREHOUSE AND JANITOR’S CLOSET                                                   |
|                                                 | S  | LIQUID SOAP MANUAL TOP FILL DISPENSER COUNTER–MOUNTED, BOBRICK B–822                                                                                                                                                        |         |                        |                                            |        |       |            | 19  | MEZZANINE AND ADMIN OFFICE                                                       |
|                                                 | T  | FIRE EXTINGUISHER. HANDLE AT 48” ABOVE FINISH FLOOR                                                                                                                                                                         |         |                        |                                            |        |       |            |     | TBD                                                                              |
|                                                 | V  | FIRE EXTINGUISHER WITH ENCLOSURE, RECESSED                                                                                                                                                                                  |         |                        |                                            |        |       |            |     | TBD                                                                              |

NOTE:  
CONTRACTOR SHALL VERIFY ALL FIXTURE AND ACCESSORY QUANTITIES WITH WHAT IS SHOWN ON THE DRAWINGS. THE ARCHITECT SHALL BE INFORMED FOR ANY DISCREPANCIES FROM THE SCHEDULE QUANTITIES AND DRAWINGS.

ARCHITECT



**di Domenico + Partners LLP**  
Architecture  
Landscape Architecture  
Planning  
3743 Crescent Street, 3rd Floor  
Long Island City, New York 11101  
Tel 212-337-0400  
Fax 212-337-3567

CIVIL PLANNING ENGINEER



JMC Planning Engineering Landscape  
Architecture & Land Surveying, PLLC  
120 Bedford Road  
Armonk, New York 10504  
Tel 914-273-5225  
Fax 914-273-2102

MEP ENGINEER



BURNS ENGINEERING, PC.  
1261 Broadway, Suite 708  
New York, New York 10001  
Tel 212-962-3503

STRUCTURAL ENGINEER



GEI50  
1385 Broadway, 20th FL  
New York, New York 10018  
Tel 212-687-8282



MANHATTAN BEER DISTRIBUTORS  
20 DUNNIGAN DRIVE  
SUFFERN, NEW YORK

| REV | DESCRIPTION               | DATE     |
|-----|---------------------------|----------|
| –   | ISSUED FOR DOB SUBMISSION | 9.10.21  |
| –   | ISSUED FOR BID            | 10.15.21 |
| –   | ISSUED FOR CONSTRUCTION   | 11.30.21 |
| –   | REVISED BID SET           | 01.20.22 |
| –   | REVISED FOR CONSTRUCTION  | 04.05.22 |
| –   | PER METAL PANEL REDESIGN  | 07.26.22 |
| –   | REVISED FOR CONSTRUCTION  | 08.15.22 |

|               |                 |
|---------------|-----------------|
| DRAWN BY :    | S. WOO          |
| CHECKED BY :  | D. TOBAR, R.A.  |
| APPROVED BY : | A. BERGER, R.A. |
| DATE :        | 07.30.2021      |
| SCALE :       | AS NOTED        |

DRAWING TITLE :

ACCESSORY & FIXTURE  
SCHEDULE

DWG NUMBER :

A-509