

DOOR SCHEDULE																		
DOOR NO.	LOCATION				FRAMES						DOOR					RATING (MIN.)	HDWR SET	REMARKS
	FROM		TO		DETAILS			TYPE	MAT.	JAMB WIDTH	SIZE		TYPE	MAT.	FINISH			
	RM NO.	ROOM NAME	RM NO.	ROOM NAME	HEAD	SILL	JAMB				WIDTH	HEIGHT						
WAREHOUSE FLOOR LEVEL																		
100	101	20 DUNNIGAN WAREHOUSE	100	EGRESS STAIR A	H5	S2	J5	SF	H.M.	10"	3'-0"	7'-0"	A	H.M.	PTD	90	1	
101	100	EGRESS STAIR A	102	NORTH LOADING DOCK	H1A	S1	J1A	SF	H.M.	10"	3'-0"	7'-0"	A	H.M.	PTD	90	1	
102	105	AS/RS WAREHOUSE	103	EGRESS STAIR B	H8	S2	J8	SF	H.M.	7-1/8"	3'-0"	7'-0"	A	H.M.	PTD	90	1	
103	103	EGRESS STAIR B	104	SPRINKLER RISER CLOSET	H8	S3	J8	SF	H.M.	7-1/8"	3'-0"	7'-0"	A	H.M.	PTD	90	3	
104	103	EGRESS STAIR B	102	NORTH LOADING DOCK	H1B	S1	J1B	SF	H.M.	11-1/2"	3'-0"	7'-0"	A	H.M.	PTD	90	1	
105	105	AS/RS WAREHOUSE	106	EGRESS STAIR C	H5	S2	J5	SF	H.M.	11-1/2"	3'-0"	7'-0"	A	H.M.	PTD	90	1	
106	106	EGRESS STAIR C	102	NORTH LOADING DOCK	H1B	S1	J1B	SF	H.M.	11-1/2"	3'-0"	7'-0"	A	H.M.	PTD	90	1	
107	107	EMERGENCY SERVICE ROOM	105	AS/RS WAREHOUSE	H6	S3	J6	DF	H.M.	4-7/8"	3'-0"	7'-0"	A	H.M.	PTD	45	3	DOUBLE DR
108	105	AS/RS WAREHOUSE	-	EAST EXTERIOR	H4	S1	J4	SF	H.M.	6"	3'-0"	7'-0"	A	H.M.	PTD	90	3	
109																		NOT USED
110	108	10 DUNNIGAN WAREHOUSE	-	NORTH EXTERIOR	H4	S1	J4	SF	H.M.	6"	3'-0"	7'-0"	A	H.M.	PTD	90	3	
111	101	20 DUNNIGAN WAREHOUSE	-	WEST EXTERIOR	H4	S1	J4	SF	H.M.	6"	3'-0"	7'-0"	A	H.M.	PTD	90	3	NOT USED
112	111	RPZ/METER ROOM	-	SOUTH EXTERIOR	H4	S1	J4	SF	H.M.	6"	3'-0"	7'-0"	A	H.M.	PTD	90	3	
113	112	SWITCHGEAR ROOM	108	10 DUNNIGAN WAREHOUSE	H6	S3	J6	DF	H.M.	4-7/8"	3'-8"	7'-0"	A	H.M.	PTD	45	2	DOUBLE DR
114	115	FIRE PUMP ROOM	101	20 DUNNIGAN WAREHOUSE	H7	S3	J7	DF	H.M.	5-5/8"	3'-0"	7'-0"	B	H.M.	PTD	90	2	DOUBLE DR
115	116	AIR COMPRESSION ROOM	101	20 DUNNIGAN WAREHOUSE	H7	S3	J7	DF	H.M.	5-5/8"	3'-0"	7'-0"	B	H.M.	PTD	45	2	DOUBLE DR
116	117	ELECTRICAL CLOSET	101	20 DUNNIGAN WAREHOUSE	H6	S3	J6	SF	H.M.	4-7/8"	3'-0"	7'-0"	A	H.M.	PTD	45	1	
117	101	20 DUNNIGAN WAREHOUSE	114	SOUTH PLATFORM	H3	S1	J3	SF	H.M.	V.I.F.	3'-0"	7'-0"	A	H.M.	PTD	NR	1	
118																		NOT USED
119	101	20 DUNNIGAN WAREHOUSE	119	WEST LOADING DOCK	H4	S1	J4	SF	H.M.	6"	3'-0"	7'-0"	A	H.M.	PTD	90	3	
120	101	20 DUNNIGAN WAREHOUSE	120	JANITOR'S CLOSET	H6	S3	J6	SF	H.M.	4-7/8"	3'-0"	7'-0"	A	H.M.	PTD	NR	3	
121	101	20 DUNNIGAN WAREHOUSE	121	TOILET (ADA)	H6	S3	J6	SF	H.M.	4-7/8"	3'-0"	7'-0"	A	H.M.	PTD	NR	4	
122	108	10 DUNNIGAN WAREHOUSE	122	JANITOR'S CLOSET	H6	S3	J6	SF	H.M.	4-7/8"	3'-0"	7'-0"	A	H.M.	PTD	NR	3	
123	108	10 DUNNIGAN WAREHOUSE	123	TOILET (ADA)	H6	S3	J6	SF	H.M.	4-7/8"	3'-0"	7'-0"	A	H.M.	PTD	NR	4	
124																		NOT USED
125	125	PARKING GARAGE	108	10 DUNNIGAN WAREHOUSE	H3	S3	J3	SF	H.M.	6"	3'-0"	7'-0"	A	H.M.	PTD	45	1	
126	108	10 DUNNIGAN WAREHOUSE	110	EAST LOADING DOCK	H3	S1	J3	SF	H.M.	V.I.F.	3'-0"	7'-0"	A	H.M.	PTD	45	1	
127	108	10 DUNNIGAN WAREHOUSE	110	EAST LOADING DOCK	H3	S1	J3	SF	H.M.	V.I.F.	3'-0"	7'-0"	A	H.M.	PTD	45	1	
128-130	101	20 DUNNIGAN WAREHOUSE	126-128	TOILET	H6	S3	J6	SF	H.M.	4-7/8"	3'-0"	7'-0"	A	H.M.	PTD	NR	4	
131-132	108	10 DUNNIGAN WAREHOUSE	129-130	TOILET	H6	S3	J6	SF	H.M.	4-7/8"	3'-0"	7'-0"	A	H.M.	PTD	NR	4	
1ST MEZZANINE LEVEL																		
200	204	CORRIDOR	200	EGRESS STAIR B	H5	S2	J5	SF	H.M.	11-1/2"	3'-0"	7'-0"	A	H.M.	PTD	90	1	
201	204	CORRIDOR	201	OPERATIONS OFFICE	STOREFRONT @ CORRIDOR						2'-10"	7'-0"	D	ALUM.	PTD	NR	5	
202	203	OPERATIONS OFFICE	202	SETTLEMENT ROOM	H6	S5	J6	SF	H.M.	4-7/8"	2'-10"	7'-0"	A	H.M.	PTD	NR	5	
203	204	CORRIDOR	203	OPERATIONS OFFICE	STOREFRONT @ CORRIDOR						2'-10"	7'-0"	D	ALUM.	TBD	NR	5	
204	204	CORRIDOR	205	DELIVERY	STOREFRONT @ CORRIDOR						2'-10"	7'-0"	D	ALUM.	TBD	NR	5	
205	204	CORRIDOR	206	MEN'S TOILET	STOREFRONT @ CORRIDOR						2'-10"	7'-0"	D	ALUM.	TBD	NR	4	
206	204	CORRIDOR	207	WOMEN'S TOILET	STOREFRONT @ CORRIDOR						2'-10"	7'-0"	D	ALUM.	TBD	NR	4	
207	204	CORRIDOR	209	BREAK ROOM	STOREFRONT @ CORRIDOR						2'-10"	7'-0"	D	ALUM.	TBD	NR	4	
208	209	BREAK ROOM	208	JANITOR'S ROOM	H6	S4	J6	SF	H.M.	4-7/8"	3'-0"	7'-0"	A	H.M.	PTD	NR	3	
209	210	ELEVATOR VESTIBULE	211	EGRESS STAIR C	H5	S2	J5	SF	H.M.	11-1/2"	3'-0"	7'-0"	A	H.M.	PTD	90	1	

DOOR NO.	LOCATION				FRAMES						DOOR					RATING (MIN.)	HDWR	SET	REMARKS
	FROM		TO		DETAILS			TYPE	MAT.	JAMB WIDTH	SIZE		TYPE	MAT.	FINISH				
	RM NO.	ROOM NAME	RM NO.	ROOM NAME	HEAD	SILL	JAMB				WIDTH	HEIGHT							
2ND MEZZANINE AND PARKING DECK																			
300	301	PARKING DECK	300	EGRESS STAIR A	H2A	S1	J2A	SF	H.M.	10"	3'-0"	7'-0"	A	H.M.	PTD	90	1		
301	301	PARKING DECK	302	EGRESS STAIR B	H2B	S1	J2B	DF	H.M.	11-1/2"	2'-10"	7'-0"	B	H.M.	PTD	90	2	DOUBLE DR	
302	316	CORRIDOR	302	EGRESS STAIR B	H5	S2	J5	SF	H.M.	11-1/2"	3'-0"	7'-0"	A	H.M.	PTD	90	1		
303	316	CORRIDOR	303	MANAGERIAL OPS OFFICE	H6	S5	J6	SF	H.M.	4-7/8"	2'-10"	7'-0"	A	H.M.	PTD	NR	5		
304	316	CORRIDOR	304	FACILITY DIRECTOR	H6	S5	J6	SF	H.M.	4-7/8"	2'-10"	7'-0"	A	H.M.	PTD	NR	5		
305	316	CORRIDOR	305	CONFERENCE ROOM	H6	S5	J6	SF	H.M.	4-7/8"	2'-10"	7'-0"	A	H.M.	PTD	NR	5		
306	306	MEN'S LOCKER ROOM	316	CORRIDOR	H6	S5	J6	SF	H.M.	4-7/8"	3'-0"	7'-0"	A	H.M.	PTD	NR	4		
307	308	JANITOR'S CLOSET	307	MEN'S TOILET	H6	S4	J6	SF	H.M.	4-7/8"	3'-0"	7'-0"	A	H.M.	PTD	NR			
308	307	MEN'S TOILET	316	CORRIDOR	H6	S4	J6	SF	H.M.	4-7/8"	3'-0"	7'-0"	A	H.M.	PTD	NR	4		
309	316	CORRIDOR	309	WOMEN'S TOILET	H6	S4	J6	SF	H.M.	4-7/8"	3'-0"	7'-0"	A	H.M.	PTD	NR	4		
310	316	CORRIDOR	314	RECEPTION LOBBY	H6	S5	J6	SF	H.M.	4-7/8"	3'-0"	7'-0"	A	H.M.	PTD	NR	1		
311	312	ELEVATOR VESTIBULE	311	NYWS	H6	S5	J6	SF	H.M.	4-7/8"	3'-0"	7'-0"	A	H.M.	PTD	NR	4		
312	314	RECEPTION LOBBY	313	EGRESS STAIR C	H5	S5	J5	SF	H.M.	11-1/2"	3'-0"	7'-0"	A	H.M.	PTD	90	1		
313	301	PARKING DECK	313	EGRESS STAIR C	H2B	S1	J2B	SF	H.M.	11-1/2"	3'-0"	7'-0"	A	H.M.	PTD	90	1		
314	314	RECEPTION LOBBY	315	RECEPTION VESTIBULE	STOREFRONT @ ENTRANCE						3'-0"	7'-0"	C	ALUM.	TBD	NR	2	DOUBLE DR	
315	315	RECEPTION VESTIBULE	301	PARKING DECK	STOREFRONT @ ENTRANCE						3'-0"	7'-0"	C	ALUM.	TBD	NR	2	DOUBLE DR	
316	303	MANAGERIAL OPS OFFICE	304	FACILITY DIRECTOR	H6	S5	J6	SF	H.M.	4-7/8"	2'-10"	7'-0"	A	H.M.	PTD	NR	5		
317	304	FACILITY DIRECTOR	305	CONFERENCE ROOM	H6	S3	J6	SF	H.M.	3-5/8"	2'-0"	7'-0"	A	H.M.	PTD	TBD	4	TBD	
318	317	DRY SPKLR CLOSET	312	ELEVATOR VESTIBULE	H6	S3	J6	SF	H.M.	3-5/8"	2'-0"	7'-0"	A	H.M.	PTD	TBD	4		
ADMIN. OFFICE LEVEL																			
400	401	CATERING HALL	400	EGRESS STAIR B	H5	S5	J5	SF	H.M.	11"	3'-0"	7'-0"	B	H.M.	PTD	90	2	DOUBLE DR	
401	402	PRESENTATION HALL	401	CATERING HALL	H6	S5	J6	DF	H.M.	4-7/8"	3'-0"	7'-0"	B	TBD	TBD	NR	2	DOUBLE DR	
402	403	CORRIDOR	404	CONFERENCE ROOM	H6	S5	J6	SF	H.M.	4-7/8"	2'-10"	7'-0"	A	TBD	TBD	NR	5		
403	403	CORRIDOR	405	OFFICE "1"	STOREFRONT @ CORRIDOR						2'-10"	7'-0"	D	ALUM.	TBD	NR	5		
404	403	CORRIDOR	406	OFFICE "2"	STOREFRONT @ CORRIDOR						2'-10"	7'-0"	D	ALUM.	TBD	NR	5		
405	403	CORRIDOR	407	OFFICE "3"	STOREFRONT @ CORRIDOR						2'-10"	7'-0"	D	ALUM.	TBD	NR	5		
406	414	ADMIN. CENTER	408	OFFICE "4"	STOREFRONT @ ADMIN. CENTER						2'-10"	7'-0"	D	ALUM.	TBD	NR	5		
407	414	ADMIN. CENTER	409	OFFICE "5"	STOREFRONT @ ADMIN. CENTER						2'-10"	7'-0"	D	ALUM.	TBD	NR	5		
408	414	ADMIN. CENTER	410	OFFICE "6"	STOREFRONT @ ADMIN. CENTER						2'-10"	7'-0"	D	ALUM.	TBD	NR	5		
409	414	ADMIN. CENTER	411	OFFICE "7"	STOREFRONT @ ADMIN. CENTER						2'-10"	7'-0"	D	ALUM.	TBD	NR	5		
410	414	ADMIN. CENTER	412	GSM OFFICE 1	STOREFRONT @ ADMIN. CENTER						2'-10"	7'-0"	D	ALUM.	TBD	NR	5		
411	412	GSM OFFICE 1	427	TOILET	H6	S4	J6	SF	H.M.	4-7/8"	2'-10"	7'-0"	D	ALUM.	TBD	NR	5		
412	414	ADMIN. CENTER	413	GSM OFFICE 2	STOREFRONT @ ADMIN. CENTER						2'-10"	7'-0"	D	ALUM.	TBD	NR	5		
413	414	ADMIN. CENTER	415	EGRESS STAIR C	H5	S5	J5	SF	H.M.	11"	3'-0"	7'-0"	B	H.M.	PTD	90	2	DOUBLE DR	
414	403	CORRIDOR	402	PRESENTATION HALL	H6	S5	J6	SF	H.M.	4-7/8"	3'-0"	7'-0"	A	H.M.	PTD	45	3		
415	414	ADMIN. CENTER	418	ELECT. ROOM	H6	S3	J6	SF	H.M.	4-7/8"	3'-0"	7'-0"	A	H.M.	PTD	45	3		
416	422	TOILET VESTIBULE	419	JANITOR'S CLOSET	H6	S5	J6	SF	H.M.	4-7/8"	3'-0"	7'-0"	A	H.M.	PTD	NR	3		
417	421	TOILET VESTIBULE	421	MEN'S TOILET	H6	S4	J6	SF	H.M.	4-7/8"	3'-0"	7'-0"	A	H.M.	PTD	NR	4		
418	422	TOILET VESTIBULE	423	WOMEN'S TOILET	H6	S4	J6	SF	H.M.	4-7/8"	3'-0"	7'-0"	A	H.M.	PTD	NR	4		
419	401	CATERING HALL	424	PANTRY/KITCHEN	H6	S5	J6	DF	H.M.	4-7/8"	2'-10"	7'-0"	B	TBD	TBD	NR	5	DOUBLE DR	
420	401	CATERING HALL	425	LACTATION RM	H6	S5	J6	SF	H.M.	4-7/8"	3'-0"	7'-0"	A	H.M.	PTD	NR	4		
421	413	GSM OFFICE 2	426	TOILET	H6	S4	J6	SF	H.M.	4-7/8"	3'-0"	7'-0"	A	H.M.	PTD	NR	4		
422	414	ADMIN. CENTER	419	JANITOR'S CLOSET	H6	S3	J6	SF	H.M.	4-7/8"	3'-0"	7'-0"	A	H.M.	PTD	NR	3		
ROOF LEVEL																			
500	501	ADMIN. ROOF	500	EGRESS STAIR B	H2B	S1	J2B	SF	H.M.	11-1/2"	3'-0"	7'-0"	A	H.M.	PTD	90	1		
501	501	ADMIN. ROOF	502	EGRESS STAIR C	H2B	S1	J2B	SF	H.M.	11-1/2"	3'-0"	7'-0"	A	H.M.	PTD	90	1		
502	503	ELECTRICAL CLOSET	502	EGRESS STAIR C	H6	S3	J6	DF	H.M.	4-7/8"	2'-10"	7'-0"	B	H.M.	PTD	45	3A	DOUBLE DR	