

ALL ASRS FOOTING SHALL BE 5000 PSI CONCRETE

FOOTING#	DIMENSIONS			BOTTOM REINFORCING	
	LENGTH		THICKNESS	REINFORCEMENT	
	EW	NS	FT	EW	NS
	FT	FT	FT		
F4	4'-0"	4'-0"	1'-6"	7#6	7#6
F5	5'-0"	5'-0"	1'-6"	8#6	8#6
F7	7'-0"	7'-0"	1'-6"	8#8	8#8
F36	3'-0"	6'-0"	1'-6"	8#6	4#6
F48	4'-0"	8'-0"	1'-6"	9#6	5#6

ALL PARKING AREA FOOTINGS ARE 5950 PSI CONCRETE

FOOTING#	DIMENSIONS			BOTTOM REINFORCING	
	LENGTH		THICKNESS	REINFORCEMENT	
	EW	NS	FT	EW	NS
	FT	FT	FT		
F4	4'-0"	4'-0"	1'-6"	7#6	7#6
F5	5'-0"	5'-0"	1'-6"	8#6	8#6
F6	6'-0"	6'-0"	1'-6"	8#6	8#6
F8	8'-0"	8'-0"	2'-0"	10#8	10#8
F10	10'-0"	10'-0"	2'-6"	11#8	11#8
F12	12'-0"	12'-0"	3'-0"	14#8	14#8
F16	16'-0"	16'-0"	4'-0"	21#8	21#8
F18	18'-0"	18'-0"	4'-0"	26 #8	26#8
F10-12	10'-0"	12'-0"	2'-6"	12#8	12#8
F16-4	16'-0"	4'-0"	2'-6"	10#8	21#7

NOTE: FOR FOOTING F16-4,
PROVIDE 4 LEGS OF #3
STIRRUPS AT 10 " O.C.

ARCHITECT
di Domenico + Partners LLP
Architecture
Landscape Architecture
Planning
3743 Crescent Street, 3rd Floor
Long Island City, New York 11101
Tel 212-337-0400
Fax 212-337-3567

CIVIL PLANNING ENGINEER
JMC
JMC Planning Engineering Landscape
Architecture & Land Surveying, PLLC
120 Bedford Road
Armonk, New York 10504
Tel 914-273-5225
Fax 914-273-2102

MEP ENGINEER
Burns
BURNS ENGINEERING, PC.
1261 Broadway, Suite 708
New York, New York 10001
Tel 212-962-3503

STRUCTURAL ENGINEER
GEI
GEI
530 7th Avenue, Suite 2007
New York, New York 10018
Tel 212-687-8282



MANHATTAN BEER DISTRIBUTORS
20 DUNNIGAN DRIVE
SUFFERN, NEW YORK

REV	DESCRIPTION	DATE
1	ISSUED FOR BID	10.15.21
2	CD SET	11.30.21
3	REVISED BID SET	01.20.22
4	ISSUED FOR CONSTRUCTION	04.04.22

DRAWN BY : D. CHECHURIN

CHECKED BY : I. BEER


APPROVED BY : I. BEER

DATE : 7/26/2021

SCALE : AS SHOWN

DRAWING TITLE :

SECTIONS AND DETAILS



DWG NUMBER :

SF-203

20 OF 31