ARCHITECT 14 **GLAZING GENERAL NOTES** ANY GLAZING BELOW 60" AFF IS TO BE SAFETY GLAZING. SAFETY FILM TO BE APPLIED TO THE INTERIOR SIDE OF GLAZING. GL1 - BALLISTIC GLASS NEW YORK OKLAHOMA IT'S THE RESPONSIBILITY OF THE GC/CONTRACTORS TO FIELD VERIFY ALL WINDOW OPENINGS PRIOR TO FABRICATION TO ENSURE THAT R.O. ARE PROPERLY CREATED AND WILL HOUSE THE WINDOWS CORRECTLY AND ENSURE THAT THE WINDOWS KSQ Design HAVE OPTIMAL DESIGN PERFORMANCE WITHIN THE GIVEN WALL STRUCTURE. **GLAZING LEGEND:** Owner G1 45 MINUTE FIRE RATED, CLEAR LAMINATED, SAFETY GLASS- INTERIOR (U.O.N) Nanuet Union Free School District G2 BALLISTIC GLASS 101 Church Street "T" DENOTES TEMPERED 845.627.9880 SEE SPECIFICATIONS Structural Engineer 845.943.9601 www.clapperstructural.com MEP Engineer Albany NY 12203 518.453.6091 **Environmental Engineer** 1376 Route 9 845.298.6251 646.908.6550 www.jacobs.com HISTORIC FRAME BULLET RESISTANT GLAZING - EXIST. LVT UL 752 RATED LEVEL 3 ALUMINUM CHANNEL BULLET RESISTANT PORCELAIN TILE GLAZING CONCRETE SLAB UL 752 RATED LEVEL 3
ALUMINUM UL 752 RATED LEVEL 3 ALUMINUM TUBE - UL 752 RATED LEVEL 3 ALUMINUM TUBE HISTORIC TILE TO NEW TILE

3" = 1'-0"

C4 INTERIOR SF HEAD/JAMB OLD
3" = 1'-0" D12 INTERIOR SF SILL OLD
3" = 1'-0"
D8 WALL TILE REFER TO **ELEVATIONS** WALL REVEAL, TRANSITION SCHLUTER. DECO OR GL1 1 7/8" 3/4" 1 7/8" REVISIONS EQUAL - 5/8" GYPSUM BOARD NOTES:
PROVIDE TEMPORARY
SHORING FOR ALL WORK
AS REQUITED TO LINE BULLET BACKER BOARD MATCH RESISTANT (2) METAL STUDS TILE THICKNESS GLAZING NOT LIMITED TO LINTEL - UL 752 RATED LEVEL RESINOUS FLOOR ON L TRIM MOLDING 3 ALUMINUM CHANNEL SUBSTRATE AND WATERPROOF MEMBRANE UL 752 RATED LEVEL 3 PROVIDE NEW FLASHING AFTER **BULLET RESISTANT** LINTEL REPAIR / REPLACEMENT. REFER TO STRUCTURAL DWGS. 1 7/8" 3/4" 1 7/8" EPOXY BASE DETAIL AT TILE

3" = 1'-0"

A16 TRANSACTION WINDOW
3/8" = 1'-0"

A1 INTERIOR SF SILL
3" = 1'-0"
A13 INTERIOR SF HEAD/JAMB
3" = 1'-0"
A8 TYP. FLASHING DETAIL @ EXT WINDOWS
1 1/2" = 1'-0"

A4 SHEET NUMBER: 14 12 11 6/20/2024 2:50:43 PM PROJECT NUMBER: 2411001.00 COPYRIGHT © 2023 KSQ ARCHITECTS, PC

215 W 40th Street 15th Floor New York, NY 10018 646.435.0660 office

www.ksq.design

Nanuet, NY 10954 www.nanuetsd.org

Clapper Structural Engineering 160 Partition Street

Saugerties, NY 12477

Sage Engineering Associates, LLP 9 Columbia Circle

www.sagellp.com

Quest Environmental Solutions Wappingers Falls, NY 12590

www.qualityenv.com **Construction Manager**

One Penn Plaza 24th Floor, Suite 2400 New York, NY 10119





NUFSD BOND PROJECT PHASE 5 -HIGHVIEW ES

■ SED#50-01-08-03-0-002-020 (HIGHVIEW ES)

□ SED#50-01-08-03-7-007-002 (Maintenance)

□ SED#50-01-08-03-7-012-004 (OEC)

□ SED#50-01-08-03-0-001-026 (MILLER ES)


□ SED#50-01-08-03-0-004-022 (BARR MS)

<u>Highview Elementary School</u> 24 Highview Ave Nanuet, NY 10954 OEC Building 135 Convent Rd

Nanuet, NY 10954 Maintenance Building 103 Church St. Nanuet, NY 10954

Miller Elementary School 50 Blauvelt Rd Unit1 Nanuet, NY 10954

A MacArthur Barr Middle School
143 Church St Nanuet, NY 10954



ISSUED: BID SET **DATE:** 06/21/2024

SCALE: As indicated SHEET NAME: INTERIOR FINISH AND WINDOW SCHEDULE & DETAILS

HE-A641 S