

G18 FIRST FLOOR PLAN

1/4" = 1'-0"

2/4/2025 8:56:37 AM

(EYED NOTES:

- CONNECT TO EXISTING HWS/R PIPING AT LOCATIONS SHOWN AND ROUTE 3/4" HWS/R PIPING TO BREAK ROOM 402 EXPOSED THROUGH GARAGE BAY. PROVIDE PVC JACKETING OVER ALL EXPOSED, INSULATED PIPING AND FITTINGS.
- PROVIDE 3/4" PIPING TAPS OFF THE HORIZONTAL HWS/R PIPING LINES AND ROUTE 3/4" HWS/R DROPS TO WALL MOUNTED RADIATOR SUPPLY AND RETURN CONNECTIONS AS SHOWN. PROVIDE 3/4" MECHANICAL THERMOSTATIC CONTROL VALVE ON THE HWS UPSTREAM OF THE CONNECTION TO THE RADIATOR. THE CONTROL VALVE SHALL BE FURNISHED WITH THE RADIATOR BY THE RADIATOR MANUFACTURER.
- MOUNT OUTDOOR HEAT PUMP ON TOP OF 18" STAND AND MOUNT STAND TO EXISTING CONCRETE PAD. BOLT STAND TO PAD AS REQUIRED. ROUTE INDIVIDUAL REFRIGERANT BRANCHES THROUGH EXTERIOR WALL BELOW BOTTOM OF EXISTING OFFICE 401 WINDOW, THEN ROUTE INDIVIDUAL REFRIGERANT PIPING BRANCHES TO ABOVE OFFICE 401 SUSPENDED CEILING SYSTEM WITHIN A VERTICAL CHASE, THEN ROUTE REFRIGERANT BRANCHES TO WALL MOUNTED FAN COIL UNIT CONNECTIONS PORTS AS REQUIRED.
- PROVIDE CONNECTIONS FROM FCU INLINE CONDENSATE PUMP TO EXISTING CONDENSATE PIPING ROUTED ABOVE SUSPENDED CEILING SYSTEMS AS REQUIRED.
- ROUTE 3/4" CONDENSATE DRAIN PIPING FROM OUTLET OF FCU-MB-3 INLINE CONDENSATE PUMP TO EXISTING CONDENSATE DRAIN PIPING ABOVE OFFICE 401 SUSPENDED CEILING SYSTEM AT LOCATION SHOWN.

ksqdesigr

NEW YORK OKLAHOMA

**ARCHITECT** 

KSQ Design 215 W 40th Street 15th Floor New York, NY 10018 646.435.0660 office www.ksq.design

Nanuet Union Free School District
101 Church Street

Nanuet, NY 10954 845.627.9880 www.nanuetsd.org

Clapper Structural Engineering
160 Partition Street
Saugerties, NY 12477

845.943.9601 www.clapperstructural.com

MEP Engineer

Sage Engineering Associates, LLP
9 Columbia Circle
Albany NY 12203
518.453.6091
www.sagellp.com
NYS CERTIFICATE AUTHORZIATION NUMBER 0018644

Quest Environmental Solutions 1376 Route 9 Wappingers Falls, NY 12590 845.298.6251 www.qualityenv.com

**Environmental Engineer** 

Construction Manager

Jacobs
One Penn Plaza
24th Floor, Suite 2400
New York, NY 10119
646.908.6550

www.jacobs.com





## NUFSD BOND PROJECT PHASE 5 MAINTENANCE

☐ SED#50-01-08-03-0-002-020 (HIGHVIEW ES)
■ SED#50-01-08-03-7-007-002 (Maintenance)
☐ SED#50-01-08-03-7-012-004 (OEC)
☐ SED#50-01-08-03-0-001-026 (MILLER ES)

□ SED#50-01-08-03-0-004-022 (BARR MS) Highview Elementary School 24 Highview Ave Nanuet, NY 10954 OEC Building

135 Convent Rd Nanuet, NY 10954 Maintenance Building 103 Church St.

Nanuet, NY 10954

Miller Elementary School
50 Blauvelt Rd Unit1
Nanuet, NY 10954

KEY PLAN

A MacArthur Barr Middle School 143 Church St Nanuet, NY 10954

**ISSUED:** BID SET **DATE:** 06/21/2024

SCALE: 1/4" = 1'-0"

SHEET NAME:

FIRST FLOOR PLAN

SHEET NUMBER:

MB-M101

PROJECT NUMBER: 00000.00 COPYRIGHT © 2023 KSQ ARCHITECTS, PC