

## **SECTION 08305 - ACCESS DOORS**

### **1.01 GENERAL DESCRIPTION**

- A. Bidding requirements, conditions of the contract and pertinent portions of sections in Division 1 of these specifications, apply to the section as fully as though repeated herein.
- B. Work under this section includes furnishing and installing access panels. Minimum of six (6) to be field verified for locations, 24"x24" minimum size unless otherwise noted.
- C. Related work:
  - 1. Section 09250, opening in partitions.
  - 2. Section 09900, painting; field paint finish.

### **1.02 SUBMITTALS**

- A. Submit product data under provisions of Section 01300.
- B. Include sizes, types, finishes, scheduled locations, and details of adjoining work.
- C. Submit manufacturer's installation instructions under provisions of Section 01300.

### **1.03 DELIVERY**

- A. Package, handle, deliver and store access panels at the project site in a manner that will avoid damage.

### **1.04 QUALITY ASSURANCE**

- A. Manufacture's Fire Rated Access Doors and frames to conform to UL Requirements.

## **PART 2 - PRODUCTS**

### **2.01 MANUFACTURER**

- A. Access Panels listed as follows as provided by:
  - Larsen's Manufacturing Company
  - 7421 Commerce Lane N.E.
  - Minneapolis, MN 55432
  - (612) 571-1181

## 2.02 MATERIAL

- A. L-DWB: To be installed in sheetrock or drywall after the board is up.
- B. Latch to be knurled knob with interior release lever.
- C. Size as noted on drawings.

## 2.03 FABRICATION

- A. Furnish as necessary each access panel assembly manufactured complete with all parts ready for installation.

## PART 3 - EXECUTION

### 3.01 INSPECTION

- A. Verify that wall and ceiling openings are correctly dimensioned to receive walls.

### 3.02 INSTALLATION

- A. Install according to manufacturers instructions.

### 3.03 ADJUST AND CLEAN

- A. Adjust latch and lock mechanism to operate.