THIS FORM MUST BE PRINTED TO A STATIC PDF FOR DISTRIBUTION Yellow highlighted text will not appear in the printed document.

SUBMITTAL REVIEW



CLIENT NAME:	Vails Gate Fire Department		
PROJECT TITLE:	Vails Gate FD - New Firehouse		
SUBMITTAL No.:	238236-1	H2M PROJECT No.:	VGFD2001
SUBMITTAL NAME:	Radiant Heaters PD		

SUBMITTAL REVIEW REVIEW IS FOR GENERAL COMPLIANCE WITH CONTRACT DOCUMENTS. NO RESPONSIBILITY IS ASSUMED FOR CORRECTNESS OF DIMENSIONS OR DETAILS			
MAKE CORRECTIONS NOTED NO ACTION TAKEN (RESUBMISSION NOT REQUIRED) NO ACTION TAKEN (REVIEW IS THE RESPONSIBILITY OF ANOTHER PARTY)			
REVISE & RESUBMIT NO ACTION TAKEN (THIS SUBMITTAL IS NOT REQUIRED BY THE CONTRACT)			
☐ REJECTED - SEE REMARKS ☐ RECEIVED FOR RECORD			
Corrections or comments made on the shop drawings during this review do not relieve contractor from compliance with requirements of the drawings and specifications. This check is only for review of general conformance with the design concept of the project and general compliance with the information given in the contract documents. The contractor is responsible for: confirming and correlating all quantities and dimensions; selecting fabrication processes and techniques of construction; coordinating their work with that of all other trades; and performing the work in a safe and satisfactory manner.			
H2M architects + engineers			
Date: 03/21/2023 By: MJV			

Comments:

Co	Contractor to confirm quantities.			

CONTRACTOR'S COMPANY NAME ADDRESS

SUBMISSION TRANSMITTAL FORM CLIENT NAME: Vails Gate Fire District

PROJECT TITLE: VGFD2001-New Firehouse

H2M PROJECT NO.: VGFD2001

Finned-Tube Radiant Heaters Product Data				
3/15/2023	Submission Log No.:	238236-1		
238236	Paragraph Reference:	1.02/A		
Name	() Tel. no.	Email		
Joseph Lombardo Plumbing & Heating				
Name	() Tel. no.	Email		
This item is a substitution for the specified item:		Yes		
ION SERVICES, LLC	Contractor's Brief Co (attach separate lette			
Project No: VGFD2001 Reviewed for General Acceptance Only. This review does not relieve the Subcontractors or Suppliers of responsibility for making the work conform to the requirements of the contract. The Subcontractor and Suppliers are responsible for all dimensions, correct fabrication and accurate fit with the work of other trades. SUBJECT TO ARCHITECT AND OR ENGINEER APPROVAL Signed Joseph Manfredi(PM) Date: 3/15/2023 Contractor's Approval Stamp with Signature & Date		By making this submission, we represent that we have determined and verified all field measurements and dimensions, field construction criteria, site and building constraints in terms of limitations in moving the item into the enclosed space, materials, catalog and model numbers and similar data and that we have checked and coordinated this submission with other work at or adjacent to the installed location in accordance with the requirements		
	3/15/2023 238236 Name Joseph Lombardo Plumi Name Ution for the specified ON SERVICES, LLC Optance Only. This review entractors or Suppliers of entractors or Suppliers or Suppliers of entractors or Suppliers or Su	Submission Log No.: Paragraph Reference: () Tel. no. Joseph Lombardo Plumbing & Heating () Tel. no. Joseph Lombardo Plumbing & Heating () Tel. no. Contractor's Brief Co (attach separate letter work conform to the et. The Subcontractor and or all dimensions, correct with the work of other trades. DOR ENGINEER APPROVAL All Stamp with Submission Log No.: Paragraph Reference: () Tel. no. Contractor's Brief Co (attach separate letter By making this subm that we have determing field measurements a construction criteria, constraints in terms of moving the item into materials, catalog an similar data and that coordinated this subr work at or adjacent to		

END OF SECTION 013300

VGFD2001 013300 - 9 Issue Date: 07/18/2022

Joe Lombardo

Plumbing & Heating of Rockland, Inc.

Ph. 845-357-653 E: <u>info@joseph</u>	01 37 Fx 845-3	R57_8520			DATE:	JOB NO.
Suffern, NY 1096 Ph. 845-357-653 E: <u>info@joseph</u>	01 37 Fx 845-3	? <i>57_</i> 2520			1 2 4 4 2 2	
E: <u>info@joseph</u>		3 <i>57_852</i> 0			3-14-23	
					ATTENTION: Joe Manfredi	
					JUE Mailleui	
Website: <u>www.jc</u>	<u>osephlomba</u>	irdo.com				
Rockland Cty. Plun Westchester Cty. Pl				oling # 1468 bing #12702	RE:	
TO: Kev Co	nstruction	•			Vails Gate Firehouse	
		t Rd. Suite 1				
	ark, NY 12					
	·····					
				<u> </u>		
/E ARE SENDING	G YOU	☐ Attached	□Und	der separat	e cover via	the following items:
☐ Shop Drav	wings	☐ Prints		☐ Plans	☐ Samples	☐ Specifications
☐ Copy of le	etter	☐ Change	order			
	DATE	No.			DESCRIPTION	
1 3	-14-23	238236	SUBM	ITTAL FIN	I TUBE RADIATION HE	ATERS
HESE ARE TRAN	NSMITTED a	is checked bel	ow:			
☐ For appro	☐ For approval ☐ No Exceptions Taken		aken	Resubmit	copies for review	
For your ι	ıse	☐ Make Co	rrection	s Noted	☐ Submit	copies for distribution
☐ As requested ☐ Rejected		☐ Return ——	corrected prints			
☐ For review	v and comm	ent]			
	DUE				20 🗌 PRINTS RE	TURNED AFTER LOAN TO US

Submittal

Project Name: Vails Gate Fire District

Representative: G&C Sales, LLC

Date March 13, 2023

Reference No: J88476

Submittal Version: R0

Contents of Submittal: Wallfin:

SpecificationCapacity DataDimension Data

- Elevation Data/Drawing

- Isometric Drawing


Notes:




Wallfin J88476

Wallfin

TAG	ft
Family	SWE (Standard Width Enclosure)
Enclosure Style	Slope Top
Height (H) (in)	12.00
Depth (in)	5.25
Outlet	Louvered
Inlet	Open
Gauge / Material	16 gauge, Galvanized Steel
Finish	Standard Baked Enamel - TBA
Dampers	N
Access	N
Inverted	N
Full Back Panel	N
Gasket	N
Element Type	ELMT-24C075
# of Rows	1
PERFORMANCE	
Avg Water Temp (°F)	140.0
Entering Air Temp (°F)	65.0
Capacity (BTUh/ft)	590
Fluid	Water
Fluid Percent	100%
NOTES	





March 13, 2023 Wallfin J88476





Color reproductions are approximate. The actual colors may differ slightly from actual paint color

Sales orders cannot be released for production until a finish color has been assigned.

Beige Gray

Satin Black

Tinted White

Cameo

New Snow White

Soft Dove



Primer Finish for Field Painting



IMPORTANT: Primer finish is only recommended for field painting only and is not intended to be a final finish. Best described as a "light gray flash primer", it has a low gloss flat finish, providing an ideal surface for field applied paint, with no need for any surface preparation prior to field painting, other than to ensure it is free of dust or debris. Color reproduction shown for primer finish is approximate.

Primer Finish (Not a final paint finish, see above note)